STATE OF ALASKA DEPARTMENT OF NATURAL RESOURCES DIVISION OF MINING, LAND AND WATER

LAND USE PERMIT APPLICATION

AS 38.05.850

Receipt Types: 7A – Application for Authorization, except

RR - Application for Authorization on Recreational Rivers System

Applicants must complete all sections of this application. In addition, applicants proposing:

- the use of the uplands and non marine waters must also complete the Supplemental Questionnaire for Use of Uplands and Non Marine Waters accompanying this application;
- off-road travel must also complete the Supplemental Questionnaire for Off-Road Travel accompanying this application; and/or
- the use of tide and submerged lands must also complete the Supplemental Questionnaire for Use of Marine Waters accompanying this application.

Other items that must accompany the completed application are:

- <u>a (non-refundable)</u> application fee; see current Director's Fee Order for applicable fees;
- a 1:250,000 or 1:63,360 scale USGS map showing the location of the proposed activity;
- additional items identified and required in any supplemental questionnaire(s) to this application; and
- additional pages if more space is necessary to answer the questions completely.

Completed Land Use Permit Applications should be mailed to one of the following offices:

Public Information Center 550 W. 7th Ave, Suite 1360 Anchorage, AK 99501 (907) 269-8400

Public Information Center 3700 Airport Way Fairbanks, AK 99709 (907) 451-2705 MLW Information Office 400 Willoughby, #400 P.O. Box 111020 Juneau, AK 99811-1020 (907) 465-3400

LAS# 33306

Applicant Information:			
NATIVE CONSERVANCY	W/A		
Applicant Name	Date of Birth		
(Jue A	Arvidson 300131766		
Doing Business As Contact Pe	erson EIN		
P.O. Box 90715 Anchorage, AK 99. Mailing Address with City, State and Zip	509 JOEA23X@GMAIL.(OM Email Address		
() () (907 201 ·) Home Phone Work Phone Cell Phone	-/027 () FAX		
If you are applying for a corporation, give the following information:			
Name, address and place of incorporation: Native Conservancy - a 501(c) 3 private non-prof			
2804 w Northern Lights Blud, Anchorage, AK 99509			
Is the corporation qualified to do business in Alaska? (Yes) No []. If yes, provide name, address and phone number of resident registered			
agent: Glen "Dune" Lankard POBOX 460, 410 main Street, Cordua, AK 99574			
Cell: 907-952-5265			
Type of User, Select one: [] Private non-commercial (personal use)	Commercial Recreation or Tourism		
[Public Non-profit including Federal, State, Municipal Government Agency	Other commercial or industrial		
	private non profit 501(c)3		
	Research project		

Duration of Project: The proposed activity will require the use of state land for: (Check one)		
[] a single term of less than one year. Beginning month: Ending month:		
a multi year term for up to 5 years. Beginning year: 202 Ending year: 202 4		
If multi year and seasonal, circle months of use in each year. Jan., Beb, Mar, Apr, May, Jun, Jul, Aug., Sept. Oct, Nov, Dec.		
Project Location LATOUCHE ISLAND		
Latitude/Longitude or UTM: 60° 00.196N / 147° 59 - 553 W is NW Corner		
Section:, Township:, Range:, Meridian: (The spaces below are to be used if the boundaries of the proposed project cross section lines.)		
Section:, Township:, Range:, Meridian:		
Section:, Township:, Range:, Meridian:		
Proposed project will require the use of up toacres. (Add additional sheets as necessary)		
Project Description - Describe in detail your intended use of state land. (State land also includes all tide and submerged lands beneath coastal waters and all shorelands beneath other navigable water bodies of the state.) Discuss development and activities. (Attach additional pages as necessary.) See Attached Project Description and Array Schematics Should a portion of the permitted area be closed to the general public? Yes [] No []. If yes, explain which portion and provide		
justification for exclusive use:		

<u>Site Description</u> - Briefly describe the current condition of the proposed site of use, noting any trash, garbage, debris or signs of possible site contamination (If significant, we recommend you provide pictures to establish initial conditions):
Site is "on-water" and is in good condition
Are there improvements or materials on the site now? Yes No If yes, briefly describe the improvements, their approximativalue, and who owns them (We recommend you provide pictures of improvements):
<u>Site Description continued</u> - Describe the natural vegetation ground cover, trees, shrubs and any proposed change Describe the location of any estuarine, riparian, or wetlands and any noticeable animal use of area.
On-water in Prince William Sound including anchoring on submerged lands
Site Access - Describe how you plan to access the site, and your mode of transportation. Watercraft including bowpicker & seine boat type vessels
If your access is by aircraft, specify the type and size of aircraft:
To access the site, the aircraft is equipped with floats [] wheels [] skis [] .
Number of people 1. Indicate the number of employees and supervisors who will be working on the site. 4 periodically abound a board. 2. Indicate the number of customers who will be using the site per year or season.

3. Indicate the number of days the site will be used per year or season. 365

Environmental Risk / Hazardous Substances - In the course of your proposed activity will you generate, use, store transport, dispose of, or otherwise come in contact with toxic and/or hazardous materials, and/or hydrocarbons? Yes Not . If yes please describe:
The types and volumes of fuel or other hazardous substances present or proposed: None - other than fuel \$ oil abound the boat word to visit/monitor the sife
The specific storage location(s):
The spill plan and prevention methods: NA - vesse (dependent
Environmental Risk/Hazardous Substances (continued) - If you plan to use either above or below ground storage
containers (like tanks, drums, or other containers) for hazardous material storage, answer the following questions for each container: Where will the container be located?
What will be stored in the container?
What will be the container's size in gallons? Give a description of any secondary containment structure, including volume in gallons, the type of lining material, and configuration
Will the container be tested for leaks? Yes[No[]
Do you have any reason to suspect, or do you know if the site may have been previously contaminated? Yes[] No[]. If yes, please explain:

Date Stamp:

Signature of Applicant or Authorized Representative

Permitting a gent for Native Conservancy

TOE ARVIDSON

AS 38.05.035(a) authorizes the director to decide what information is needed to process an application for the sale or use of state land and resources. This information is made a part of the state public land records and becomes public information under AS 40.25.110 and 40.25.120 (unless the information qualifies for confidentiality under AS 38.05.035(a)(8) and confidentiality is requested, AS 43.05.230, or AS 45.48). Public information is open to inspection by you or any member of the public. A person who is the subject of the information may challenge its accuracy or completeness under AS 44.99.310, by giving a written description of the challenged information, the changes needed to correct it, and a name and address where the person can be reached. False statements made in an application for a benefit are punishable under AS 11.56.210. In submitting this form, the applicant agrees with the Department to use "electronic" means to conduct "transactions" (as those terms are used in the Uniform Electronic Transactions Act, AS 09.80.010 – AS 09.80.195) that relate to this form and that the Department need not retain the original paper form of this record: the department may retain this record as an electronic record and destroy the original.

Land Use Permit Application Supplemental Questionnaire for: <u>Use of Marine Waters (Tide & Submerged Lands)</u>

Tidelands are that portion of the intertidal zone below the elevation of mean high water. This elevation varies by location. Contact the nearest DNR regional office for assistance. **Submerged lands** are those below the lowest tidal elevation. The State of Alaska, with few exceptions, owns these lands out to 3 miles off shore. – If your activity includes the use of State tide and or submerged lands and the waters above them, answer the questions below and those applicable sections determined below. All site development details identified in this section must be represented graphically in the scaled drawings on Page 9 of the supplement.

Does the applicant own the directly adjacent, upland water front property? Yes[] Not If no, give name(s) and current address / phone # of that property owner.
Eyak Corporation P.O. Box 340 Cordova, AK 99574
907-424-7161
Give names and current addresses / phone #s for both upland property owners on either side of the above water front property
Note: You must obtain the upland owner's written permission for any use of uplands you do not own including for waste disposal, access to roads, waterlines, power lines, or shore ties above MHW, and you must provide a copy to DNR before a permit is issued. If not the immediately adjacent upland property owner, does the applicant have legal access across the uplands? Yes [] No[] Please explain.
N/A - site will be on-water only and require no upland use
Will your tideland use also involve any use of adjacent State owned uplands? Yes[] Not (If yes, indicate uses and show on your development plan diagram.) [] Shore tie [] Waterline [] Power line [] Access to roads [] Other Explain:
Type of Use, Activity, Development (Answer All)
Will you be developing / using a Mooring Buoy system or anchoring a commercial or industrial use vessel for more than 14 days? Yes[] Not (If yes, please also answer all questions in Part 1 on pg. 2 and Part 6 on pg. 8.)
Will you be anchoring or mooring a commercial or industrial related floating facility that is or can be occupied, i.e. a float camp or floating lodge, a float house you rent, a seafood processor? Yes[] Not (If yes, please answer all questions in Part 2, pgs. 2, 3 and Part 6 on pg. 8.)
Will you be anchoring or mooring your own personal use Float house? Yes[] No[] (If yes, please also answer all questions in Part 2, pgs. 2, 3 and Part 6 on pg. 8.)
Will you be placing non-occupied structures including but not limited to Piling, Dolphins, Fixed docks, Floating docks, or other floating structures? Yes No[1] (If yes, please also answer all questions in Part 3, pg. 3 and Part 6 on pg. 8,)

Type of Use, Activity, Development (continued)		
Are you seeking authorization to use or develop a Log Transfer Facility, a floating Log Storage area, or a Log Ship Loading site? Yes[] Not (If yes, please also answer all questions in Part 4, pgs. 4, 5, 6 and Part 6 on pg. 8.)		
Will you be placing fill or dredging material on a beach? Yes[] No[] (If yes, please also answer all questions in Part 5, pgs. 6, 7 and Part 6 on pg. 8.)		
Part 1. Anchoring vessels and mooring buoy systems		
Does the proposed use location include a known anchorage? Yes[]Not If yes, have alternative locations been considered to reduce impact to the anchorage? Yes[] List below. No[] If no, explain why.		
What type of vessel will use the site? [] Commercial Fish Tender/ Processor [] Log Ship [] General Cargo Ship [] Unoccupied Barge [] Fuel Barge [] Passenger Vessel Cother: No vessels will gacher on site		
Does the anchoring vessel require the ability to be able to occupy this site all year long? Yes[] No[] If No, what months will the site be needed? From to		
What is the maximum swing radius of vessel at anchor? Lengthfeet (distance from anchor to the aft of the vessel)		
Will the vessel require the placement of a mooring buoy system? Yes[] Noll Number of buoys: If placing buoys, fill out applicable parts of Part 3 to explain the anchoring system.		
Part 2. Floathouses and Commercial, Industrial Floating Lodges, Float camps, Caretaker Residences (including seafood processors). An associated part of approving this type of use is The US Army Corps of Engineers (USACE) permit. Their general permit, GP 89-4N, for occupied floating facilities can be obtained you meet all conditions of GP 89-4N. Please obtain a copy of GP 89-4N from the Corps, review the conditions and indicate below if your facility will meet all of these conditions. This will help streamline the approval process. Does your project meet all conditions for general permit GP 89-4N? Yes[] No[]		
If no, you must Contact USACE at 1-800-478-2712 and apply for an individual Corps of Engineers permit.		
Description of Facility Note: The structures and dimensions must be shown on the development plan diagram		
Float Dimensions: float x float x float x Total float area sq ft		
Living quarters total area: sq ft. Number of stories: Maximum occupancy persons		
Describe other structures on floats, such as storage and generator sheds; give structure dimensions.		
Describe anchoring system and address all that apply: No. of anchorsTypeWeightNo. of Rock bolts No. of Shore ties		
Other methods		

D.	
Pa	$\frac{\text{art 2}}{\sqrt{A}}$
Gr	ounding is prohibited. What is the water depth beneath the facility at extreme low tide
1	ow many feet of maximum draft does the floating facility have
	escribe your potable Water Source: type, location, ownership of the source
	St. A. Carrier, St. Martin, St
Wa	astewater System. Describe how you will handle human waste, black water, grey water
	you have an approved ADEC marine sanitation system Yes No Approval #
Des	scribe how you will dispose of all solid waste including human waste and household garbage generated on facility
_	
_	
Dar	4 2 No 1 day 1 Dill 2 Dill 2
Sele	rt 3. Non occupied structures - Piling, Dolphins, fixed docks, floating docks, or other floating structures. ect all boxes that apply for structures located below MHW and show all on the development plan diagram
	Fixed pile-supported dock, wharf or landing (non-floating) - dimensions x feet No. of pilings
	Ramp to floating dock - dimensions x feet
	Boat haulout or non-floating ramp – dimensionsx feet Floating dock Dimensions x feet; x feet; x feet; x feet; x feet;
	Trouting or carwater - materials
	Other floating structures (e.g., net pens, gear storage float) – describe materials, structures, dimensions
	Research array 100'x20' rectangle \$ 2 data buoys. Total buoys
	Storage sheds or similar structures on docks - description Dimensions x
	Changes also all the transfer of the transfer
	Bulkhead - type (log crib sheet nile etc)
_	Dimensions x Cubic Yards of Fill
	Dimensions x Cubic Yards of Fill Individual pilings not counted under fixed dock above. Number
	Dimensions x Cubic Yards of Fill Individual pilings not counted under fixed dock above. Number Dolphins - Number Number of piling per dolphin
	Dimensions x Cubic Yards of Fill Individual pilings not counted under fixed dock above. Number Dolphins - Number Number of piling per dolphin Anchors- Number 5 Type 2000 (6 block
	Dimensions x Cubic Yards of Fill Individual pilings not counted under fixed dock above. Number Dolphins - Number Number of piling per dolphin Anchors- Number 5 Type 2000 (6 block
	Dimensions x Cubic Yards of Fill Individual pilings not counted under fixed dock above. Number Dolphins - Number Number of piling per dolphin Anchors- Number S Type 2000 [6 block
Note	Dimensions x Cubic Yards of Fill Individual pilings not counted under fixed dock above. Number Dolphins - Number Number of piling per dolphin Anchors- Number 5 Type 2000 (6 block

Temporary log transfer facility (LTF) including floating log storage area. Siting of an LTF which discharges wood into the marine waters must meet the 1985 Alaska Timber Task Force siting criteria guidelines and the criteria established under the US EPA's - NPDES general permit and the AK Dept of Environmental Conservation 401 certification. What will be your seasonal periods of operation? What is the total timber volume you need to transfer across this LTF? _____mmbf. How many total acres do you need for this facility? Note: This acreage must include all improvements including the anchors and lines. It must include the area required for such items as log raft construction, off shore storage, associated barge and vessel moorage, and shoreties. Does the associated transfer site require a log raft building area? Yes[] No[] If yes then: and anchors _____ and what is the total length of boom logs How many boom logs feet, that you need for the rafting area? Will the log rafts ground or be moored in water at depths less than 40 feet as measured from MLLW? Yes[] No[] feet, and the offshore depth feet, of the log rafting area as What is the near shore depth measured from MLLW (0.0' elevation)? What nautical chart did you use for reference ______, please include a copy of this area of the chart with the attachments. Will you need an associated in-water log storage area? Yes[] No[] If yes, then answer the set of questions in the Floating Log Storage Area section of Part 4. Will you need an associated log ship moorage and loading area? Yes [No[] If yes then complete Part 1 on page 2. What kind of transfer facility do you propose to operate? (i.e. A-Frame letdown, slide ramp, drive down ramp, barge ramp) Will you be transferring logs into the marine waters? [] No, logs will never be discharged into the water, they will always be transported directly onto barges. [] Yes - new facility. The applicant must conduct a dive survey of the near shore area to document the pre-project underwater topography and habitat conditions that will be covered by the discharge of bark on to the likely one-acre zone of deposit. The initial dive survey must be done to guidelines established for bark monitoring by the USEPA and the Alaska Department of Environmental Conservation. A written report of findings including photographic documentation must be submitted prior to review and consideration of this application. [] Yes - existing facility. Include a report of the last dive survey with attachments. The applicant / operator is responsible to conduct bark monitoring dive surveys, done to the guidelines established by the USEPA and the Alaska Department of Environmental Conservation to document the current extent of bark accumulation at the site. A written report of current monitoring findings must be submitted prior to review and consideration of this application. Is this an existing LTF that has been fully approved and used to transport timber in the past? Yes[] No[] If Yes, then answer the following set of questions. If No, you are finished with Part 4.

Part 4. (continued) Was the facility constructed before 1985? Yes[] No[] Is the facility currently authorized? Yes[] No[] If Yes, provide the Army Corp of Engineer's Permit Name and number (i.e. Mud bay 43):_____ and attach a copy of it and all modifications. What is the EPA NPDES authorization number? _____ Date of approval _____ and who is the authorized operator: __ When was the facility last actively used? _____ How long was it used for? _____ How much volume was transferred? mmbf What type of log entry system is currently authorized? (i.e. A-Frame letdown, slide ramp, drive down ramp, barge ramp) Is there a tideland survey for the site? [Yes []No, ATS# Does the existing facility require a physical modification? Yes[] No[] If yes, please submit your modification request to the USACE and include a copy with this application. Please briefly explain the modification. Floating Log Storage Area Will the storage area be inside the permit area at the log transfer facility? Yes[] No[] If no, Will there be a separate tract or tracts? Yes[] No[] If yes how many tracts do you need? ____ and list below the acreage of each tract. How long do you need to use the storage area (s)?_____ How much volume will be moved thru this storage area? How many log booms and anchors and what is the total length of the log boom perimeter that will be needed for storage? # of log booms ______, #of anchors ______ total length of all log booms ______feet.

received permission to place shore ties? Yes[] No[] If yes, provide a copy of this permission, if no, you need to obtain and

What nautical chart did you use for reference ______. If possible please include a copy with the

Will the log rafts ground or be moored in water at depths less than 40 feet as measured from MLLW? Yes[] No[]

What is the near shore depth and the offshore depth of the log storage area as measured from MLLW?

provide this.

attachments.

Will you be using shore ties? Yes[] No [] If yes how many?___

Near shore depth ______ feet, Offshore depth _____ feet.

and if you are not the upland owner have you

NA		
Part 4. (continued)		
If the log storage area is one which has been fully approved	and used to store log rafts in the past then answer the following	g:
When was the site last actively used?	and for how long?	
If known, how much volume was stored here?	mmbf	
Is the facility currently authorized? Yes[] No[] If you number (i.e. Mud bay 43):	es, provide the Army Corp of Engineer's Permit Name and and attach a copy of the permit and all modifi	ications
What is the DNR authorization number?		
What is the EPA - NPDES authorization number? who is the authorized operator:	Date of approval	_and
Has there been a recent dive survey completed? Yes[]	No[] Heyes, then include a copy of this report with the attachm	nents.
that would be covered by the bark zone of deposit or to esta	ne log storage area to document the underwater topography and ablish current bark accumulation levels. If required due to level elines established by the USEPA and the Alaska Department tions at the site	of use,
1		
be aware of the following. The line of mean high water (M submerged land begins. This boundary is an elevation conto elevation against the beach topography. This line is not fixed meandered boundary as is typically done. A meandered boundary affect the beach. Natural forces can either erode beach materials. Another natural way that boundaries can change is	water on a beach by placing fill on or seaward of this line you relief. HW) is the boundary where State (public) ownership of tide and our on the beach and is determined by the tidal stage of MHW was a past survey of the upland property if that land survey shoundary is intended to be dynamic and move over time as natural erial or deposit material and as a result, the boundary can natural in tidal areas where glaciers have recently receded and the land ess is interrupted by the actions of man, such as placing material and on. ermit site? feet	d water ows a l forces ally
rate you proposing to after the line of Mriw in any manner?	Yes[] No[] If yes, explain what you intend to do?	
Placing fill material on a beach.		
What is the purpose of the fill?		
s there an upland survey that has established a meandered be if a subdivision survey please provide a legible copy)	oundary line? Yes[] No[] If yes, Survey#(ATS, ASLS, US Survey#	

Part 5. (continued) Will heavy equipment be used below the mean high water line to alter the beach? Yes[] No[] If yes, explain How many cubic yards of fill are you proposing to place at and below the line of MHW? cubic yards What are the dimensions of fill area below MHW elevation? How many linear feet along the (beach) line of MHW will be covered with fill? feet. Is there more than one area along the beach which will be filled? Yes[] No[] Identify the location of each area on the development plan diagram. Will any of the fill material come from State owned uplands or tide and submerged lands? Yes[] No[] If yes, then what is the source? and how many cubic yards? If you are intending to limit beach fill to the area above the current line of MHW will any of the fill or associated retaining wall material including the toe of the fill or retaining wall extend beyond the line of MHW? Yes[| No[] Is the adjacent upland property encumbered with a public easement along the waterfront boundary? Yes[] No[] How will the fill affect public access along the beach? Excavation of materials from a beach. What is the purpose of the excavation? How many linear feet along the beach will be affected? feet To what depth will you be excavating? _____ feet How many cubic yards will be excavated from the area seaward of the line of MHW? cubic yards and what will this excavated material be used for or where will it be disposed of?

<u>Part 6.</u> Dismantle, Removal, Restoration Plan — The permit will require that upon expiration, completion, or termination the site shall be vacated and all improvements and personal property removed. The site shall be left in a clean, safe condition acceptable to the Regional Manager. Your answers to the following questions will establish your proposed restoration plan.
A. Explain how you plan to dismantle and remove the improvements and restore the site to a clean, safe condition acceptable to the Regional Manager. Note: One acceptable alternative is returning the permit site to the condition that existed before the site was developed or used. Return the permit site to the Condition that existed before the site was developed or used as a kelp grow-out array research site with an additional data collection buoy system.
before the site was developed or used as a kelp
grow-out array research site with an additional
data collection buoy system.
B. If your project involves fill describe how it will be removed and where will it be removed to. How will you document that the original line of Mean High Water has been restored? (i.e. photo documentation, resurvey)
C. If your project involves anchors and/or pilings how do you plan on removing them? Where is the nearest community that provides this type of removal equipment / service?
The project will involve setting 4 anchors on the
Corners of the 100' x 20' areas as setting
one anchor for the data collection have with
The project will involve setting 4 anchors on the Corners of the 100' x 20' array an setting one anchor for the data collection buoy system. To remove the anchors a research vessel with a crane \$
Winch will be chartered by Native Conservancy - out of
Winch will be chartered by Native Conservancy - out of Cordova, Alaska - likely the Same boat that sets anchors initially
D. Describe the disposal method and identify the disposal site or sites for structural components, solid wastes, and hazardous wastes.
the structural components on the site will be
anchors , chain, 3/4" crab line, 7/16" erab line, a
data cord and broys. These will all be removed
upon completion of the lesse-if not earlier - some
components may be removed seasonally.
E. If components can be reused for other projects, such as anchors, identify where they would be stored?
All structural components listed in #D above can be
Stored in a private warehouse in Condova, Alaska.
·

SITE DEVELOPMENT DIAGRAM

VICINITY MAP
Date Prepared: Applicant's Name:
Applicants Name:
ALASKA DEPARTEMENT OF NATURAL RESOURCES DIV. OF MINING, LAND, WATER
LAND USE PERMIT
SITE DEVELOPMENT DIAGRAM
Sec.(s) T S., R E.,M
SHEET OF LAS#

PROJECT DESCRIPTION

RESEARCH SITE #6 OF 7

NATIVE CONSERVANCY LATOUCHE ISLAND, PWS

JUNE 16, 2020

1. Site location

The proposed aquatic farm site is located on the west side of Latouche Island in the southwest region of Prince William Sound, Alaska. The site is located on state waters approximately 5 nautical miles south of Chenega Village.

2. Site dimensions, acres for each parcel

The site is approximately one acre in area (43,550 square feet) in a rectangular shape with a width of approximately 130' and a length of approximately 335'. This Application is for one "on-water" parcel for a submerged longline kelp grow-out research site. No other on-water or upland parcels are requested.

3. Total acres of parcel

Approximately one acre.

4. Species you intend to grow out for research

Sugar Kelp; *Saccharina Latissima* & Ribbon Kelp; *Alaria Marginata* & Bull Kelp; Nereocystis luetkeana).

5. Seedstock

Seedstock will be obtained from Alutiiq Pride Shellfish Hatchery in Seward, AK. Native Conservancy (NC) will assist the hatchery in the collection of fertile kelp blades, within 50 km of the aquatic research site and from at least 50 different plants per species to maintain genetic diversity, as requested by hatchery staff, for development of seedstock at the hatchery facility.

In September or October, sporophyte of approximately 2.5 mm in length will be transferred to the site on "seed strings" – kite string with sporelings embedded on it – and this will be applied to the longlines by running a pvc pipe with the kite seed string on it over the longline so the seed string unwinds and wraps onto the longline effectively seeding the longline.

The site will be monitored at least two times monthly during the growing season from October until on or about May 15, to check for issues such as entanglement of lines, to monitor the pH, salinity, turbidity and water temperature and to check the growth of the kelp itself. The site will also be monitored following storm events.

6. <u>Gear (type, size, number, configuration, material, mesh size, and anchoring system)</u>

Within the 130' x 335' parcel "site" there will be one suspended grow-out submerged longline array with the following dimensions: 100' long x 20' wide with three (3) grow-out longlines of 100' length of 7/16" longline "dungy crab" line per array, for a total length of submerged grow-out lines of 300'. The longlines will be 10' apart along the 20' width of the array. This configuration will allow the array and its respective anchors & tackle to fit within the rectangular shaped parcel. The array will have four (4) anchors. Anchor type and size may vary as part of this research project to determine the best anchors for kelp farms in PWS. The optional anchors are: four 2000 lb. cement block anchors (one per corner), or four 300 to 500 pound Danforth anchors, or four helical "screw in" anchors.

The corner anchors will have ¾" poly king crab line attached to 6' of ¾" galvanized chain on the anchor block or shank – the line will run to the surface where it will be attached to mooring buoys with a minimum of 100 lb. buoyancy rating. The line length will be 2:1 (depth) for scope to maintain a better hold and to keep the array properly suspended in current. There will also be six gillnet buoys on the array (2 per grow out line) with weighted droppers down to the submerged grow-out lines to keep the lines submerged to the proper depth of 7' below the surface of the water.

Depth: The depth on-site is 60' at the surface buoys at mean low water and 53' under the submerged grow out lines.

The likely distribution of kelp species on the grow-out lines on the array will be: one 100' line per species – so one line will have sugar kelp, one line will have ribbon kelp and one line will have bull kelp.

The grow-out longlines, depth control system dropper weights, gillnet buoys and related tackle will all be removed after the growing season and stored in a warehouse in Cordova, Alaska. The concrete block, Danforth, or helical anchors & related mooring buoys and tackle will remain at the site year-round.

In addition to the grow-out research array, each site will have a smart data buoy apparatus on site that will record the water temperature near the surface and near the sea floor. The data buoy setup consists of two surface buoys attached via a data cable extending down to a ½" galvanized chain and one 2000 block anchor on the sea floor. The smart data buoy apparatus will remain on site year round.

See the Attachments for the detailed design schematics and specifications of the research array and the smart data buoy configuration.

7. Harvest equipment and method

The aquatic research site will be operational from mid to late September through approximately May 15.

Kelp may be harvested twice yearly; the initial harvest will be on or about March 1 and if it is determined that a second harvest will produce necessary data, the second harvest will be on or about May 1.

The kelp will be harvested by lifting the longline to the surface onto a bowpicker vessel with a hydraulic pulley set-up – kind of like a crab block but more central to the vessel. The kelp will be cut from the longlines with Victorinox knives and put into fish totes (the type and size used for ice transport on salmon tenders). "Wet weight yield" will be measured to determine biomass grow rates on site per foot by species.

Note: As this is a research site the kelp may not be sold into commerce but may be used for palatability testing and for vitamin, mineral and heavy metal content testing, among other things.

8. <u>Support Facilities (type, size, number, configuration, material, and anchoring)</u> There are no on-water or upland support facilities requested for in this Application

9. Access to and from site

The site will be accessed by a bowpicker (boat) from Cordova, Alaska, or from Chenega Village, at least twice a month.


10. Storage location of equipment and gear when not in use

Cordova, Alaska in a warehouse located on my private property.

11. Scope of project


This project is being undertaken with Native Conservancy partners Alutiiq Pride Shellfish Hatchery of Seward, Alaska, and Blue Wave Futures PWS LLC, of Cordova, Alaska (a collective of future PWS aquatic kelp farmers). Although this permit is for one research site, there will be seven (7) total research site permit applications submitted for this project. The sites will stretch across PWS from near Chenega Village in the southwest to near Tatitlek Village in the North to near Cordova in the East. The partners are undertaking this project to determine if certain species of kelp grow best in different regions of the sound, to obtain kelp for research purpose (to test for vitamin, mineral and heavy metal content in various regions of the sound) and to test out different anchor and buoy types for securing the arrays. Along with this on-water research the three partners will also be collecting kelp sorus in the fall from three regions within PWS and nursing it onto seed strings at the Alutiiq Pride Shellfish Hatchery in both the hatchery itself and in a community kelp nursery 40' van mobile unit (another pilot project) and using those seed strings to grow-out the kelp at the seven research sites. This project will commence in the summer/fall of 2020 and will continue until 2024.

PILOT RESEARCH GROW-OUT PROJECT NATIVE CONSERVANCY ARRAY SIDE VIEW JUNE 1, 2020



- A. MOORING BUDY FOR MAINTAINING BUOYANCY NOT FOR YESSELS
- B. GILLNET BUOYS WITH WEIGHTED DROPPERS
- C. 100 Grow- OUT LONGLINE SUBMERGED 7-10' BELOW SURFACE (7/16")
- D. MOORING HNE 3/4" poly crabline
- E. I PATHOM OF 42" GALVANZED CHAID
- F. 2000 BLOCK CONCRETE ANCHOR NOTE: This may be modified and a 300# Danforth Anchor or Helical Anchor used to test difference in anchors
- G. SURFACE FLOAT FOR SMART PATA BUDY CONFIGURATION
- H. SPOTTER BUDY FOR SMART DATA BUDY CONFIGURATION
- I&J. TEMPERATURE SENSORS
- K. 2000 BLOCK CONCRETE ANCHOR

PILOT RESEARCH GROW-OUT PROJECT NATIVE CONSERVANCY ARRAY TOP ANGLE VIEW JUNE 1, 2020




100' × 20' ARRAY WITH 3 100' LONG 7/16" GROWDUTLINES TOTAL EROW OUT 300' (100' × 3)

- A MOORING BUOYS
- B GILLNET 130045 WITH WEIGHTED DROPPERS
- C GROW OUT 7/16" LONGLINES 100' LONG SUBMERGED 7'-10'
- D MOORING LINE
- E I FATHOM 1/2" GALVANIZED CHAIN
- F 2000 BLOCK ANCHOR OR 300# DANFORTH OR HEUCHLANCHOR
 G-K IS SMART DATA BUDY SETUP WITH TWO TEMP SENSORS



Spotter + Smart Mooring Project "Dory" Configuration



Specifications:

DEPTH RANGE OUTER JACKET

MAX TENSILE LOAD TEMP. SENSORS TEMP. ACCURACY TEMP. RESOLUTION

TEMP. RANGE DEPTH ACCURACY DEPTH RESOLUTION 5m to 40m

Polyurethane, high visibility yellow, UV stabilized, cut and abrasion resistant.

3000N kevlar reinforced

Customizable; configured for 2 (surface and bottom)

+/- 0.1°C 0.02°C

-5°C TO 50°C +/- 75mbar (0.75m) 0.2cm



SIZE AND WEIGHT

EXTERNAL DIMENSIONS (W X H)

42cm x 31cm (16.4in x 12.2in)

WEIGHT (WITHOUT EXTERNAL BALLAST CHAIN)

STAINLESS STEEL BALLAST CHAIN WEIGHT

5.4kg (12lbs) 2.174kg (4.79lbs)

CONNECTIVITY:

CONNECTIVITY

Iridium SBD (satellite)

BATTERY AND POWER:

PRIMARY POWER SOURCE

BATTERY

Solar Powered, 5x 2 Watt, 6 Volt solar panels

Lithium-ion, capacity 11,200 mAh, 3.7v (rechargeable)

MOTION SENSING:

MOTION DATA FORMAT:

WAVE FREQUENCY RANGE:

WAVE DIRECTION RESOLUTION:

SAMPLING RATE:

WAVE DISPLACEMENT ACCURACY:

CALIBRATION:

x (easting), y (northing), z (vertical, positive up), latitude (deg), longitude (deg)

0.03-1 Hz (30s to 1s)

0 - 360 degrees (full circle)

2.5 Hz (Nyquist @ 1.25Hz)

Approximately +/- 2cm accuracy depends on field of view,

weather conditions, and GPS system status.

Not needed, ever.

DATA STORAGE:

ON-BOARD (SD CARD)

CLOUD STORAGE (ONLINE DASHBOARD) Click here to demo

Records time series of 3D displacement data, ships with 16GB (256GB MAX capacity), FAT16 or FAT32 Format requried

Access to online account that includes:

Real-time and historical data outputs, Spotter configurations, alerts, maps and two-way communication.

	ക	(A)	
DATA OUTPUTS:	STANDARD MODE	SPECTRUM MODE	ON DEVICE
SIGNIFICANT WAVE HEIGHT	X	X	X*
PEAK PERIOD	X	X	X *
MEAN PERIOD	X	X	X*
PEAK DIRECTION	X	X	X*
MEAN DIRECTION	X	X	X*
PEAK DIRECTIONAL SPREAD	X	Χ	X*
MEAN DIRECTIONAL SPREAD	X	X	X*
VARIANCE DENSITY SPECTRUM		X	X
DIRECTIONAL MOMENTS (a1, b1, a2, b2)		X	X
3D DISPLACEMENT TIME SERIES @ 2.5 Hz (x,y,z)			X
WIND SPEED	X	X	
WIND DIRECTION	X	X	
DRIFT SPEED			X*
DRIFT DIRECTION			X *
GEOGRAPHICAL COORDINATES (lat, lon)	X	X	X*





 42cm (16.4in)	
(,	





OTHER

SYSTEM MONITORING	Battery power status	
ADVISED MOORING DEPTH	Any depth	
Visibility LED	1 flash every 2.5 seconds, at least 1 mile visibility under normal conditions.	
FIRMWARE UPGRADE	Standard micro-USB (cable included)	
USABILITY	Magnetic on/off switch, Run/Idle mode, user LED's and integrated grab handles.	

Technical Specifications

SMART MOORING

SENSOR OPTIONS: Fully modular and interchangeable, wide range of available sensors supported.

REAL TIME DATA: Iridium satellite, available in Spotter dashboard and Sofar API.

OPERATIONAL DEPTH: 10m - 100m

CABLE

AVAILABLE LENGTHS: 10m, 50m (interchangeable)

JACKETING: Thermoplastic polyurethane, high-visibility yellow, UV stabilized, cut and abrasion resistant.

2-conductor, 16ga (power + data)

WORKING LOAD: 2000N, kevlar reinforced

DIAMETER: 10mm
MINIMUM BEND RADIUS: 80mm

MAXIMUM POWER LENGTH: 300m

CONDUCTORS: 2-conductor, 16ga

TERMINATORS: Either Sofar OP power + data connection or mooring shackle

SENSOR NODES:

PLACEMENT: Sensor nodes can be placed in series at any smart mooring cable termination.

COMMUNICATION: Sofar OP

POWER PROVIDED: 3.3V, 5V, and 12V

NODES PER MOORING: Recommended max of 10


TEMPERATURE NODES:

 ACCURACY:
 +/- 0.1 °C

 RESOLUTION:
 0.02 °C

 RANGE:
 -5 °C to 50 °C

DEPTH RATING: 100m



Smart Mooring Elements

- A Spotter Buoy
- **B** Clump weight
- C First section cable (default 10m)
- D Temperature sensor #1
- E Adjustable line
- F Float
- **G** Second section cable (configurable)
- **H** Temperature sensor #2
- Adjustable line
- J Anchor chain
- **K** Anchor weight (not included)

FIGURE 1 RESEARCH SITE #6 USGS TOPO MAP NATIVE CONSERVANCY LATOUCHE ISLAND, PWS June 16, 2020




FIGURE 1A

RESEARCH SITE #6 NOAA CHART SCALE 2": 1000' NATIVE CONSERVANCY LATOUCHE ISLAND, PWS June 16, 2020

