



INVITATION TO BID ADDENDUM TO THE CONTRACT

Project Name: JSOB 7th and 8th Floor Renovation
Project Number: 2018-0222-3725

ADDENDUM #:	Three
CURRENT BID OPENING DATE:	August 25, 2017 2:00 pm Local Time

PREVIOUS ADDENDA:	Two
PREVIOUS BID OPENING	August 25, 2017 2:00 pm Local Time

ISSUED BY:	Statewide Facilities Physical Address: Department of Administration Shared Services of Alaska 333 Willoughby Ave 7th Floor Juneau, Alaska 99811-0210	Mailing Address: Department of Administration Shared Services of Alaska PO Box 110210 Juneau, Alaska 99811-0210
-------------------	---	--

DATE ADDENDUM ISSUED: August 24, 2017

The following items of the Contract are modified as herein indicated. All other items remain the same.

PROJECT DRAWINGS

Item No. 1: Drawing ASB5.2 ; Delete 3.7 A & B – Replace with the following:

3.7 MONITORING

- A. The abatement Subcontractor shall provide third-party on-site air monitoring for the duration of the abatement portion of the Project in accordance with the approved Pre-WORK Submittal.
- B. At a minimum the CONTRACTOR shall provide “Area Monitoring”, “Environmental Monitoring”, “Baseline (Background) Monitoring”, “Initial Exposure Assessment Monitoring”, “Personal Monitoring” and “Clearance Monitoring” all as specified in Paragraph 1.5 “DEFINITIONS”, above.

END OF ADDENDUM No. Three

By: Brent Fagerstrom, Facilities Contracting Officer

Total number of pages contained within this Addendum: 1