

STATE OF ALASKA INVITATION TO BID (ITB)



CRUSHED AGGREGATE, TAZLINA AREA – FEDERALLY FUNDED

2522N022

MARCH 10, 2022

Supply crushed aggregate to specified locations in the Tazlina area

IMPORTANT NOTICE: If you received this solicitation from the State's "Online Public Notice" web site, you must register with the Procurement Officer listed on this document to receive notification of subsequent amendments. Failure to contact the Procurement Officer may result in the rejection of your offer.

BIDDER'S NOTICE:

Contracts for purchases resulting from this bid will be made utilizing Federal Funds. As such, and per AS 36.30.890, no State of Alaska Bidder or Product Preferences may apply.

Sec. 36.30.890. Federal Assistance

If a procurement involves the expenditure of federal funds or federal assistance and there is a conflict between a provision of this chapter or a regulation adopted under a provision of this chapter and a federal statute, regulation, policy, or requirement, the federal statute, regulation, policy, or requirement shall prevail.

2 AAC 12.730. Federal Assistance

If a procurement involves the expenditure of federal funds or requires federal assistance and there is a conflict between a provision of this chapter and federal statute, regulation, policy, or requirement, the procurement officer shall comply with the federal statute, regulation, policy, or requirement.

Authority: AS 36.30.040; AS 36.30.890

 Eric Johnson Procurement Officer	_____ COMPANY SUBMITTING BID	*DOES YOUR BUSINESS QUALIFY FOR THE ALASKA BIDDER'S PREFERENCE? [] YES [] NO
	_____ AUTHORIZED SIGNATURE	*DOES YOUR BUSINESS QUALIFY FOR THE ALASKA VETERAN PREFERENCE? [] YES [] NO
Phone: (907) 451-5102 TDD: (907) 451-2363 FAX: (907) 451-2313	_____ PRINTED NAME	*SEE ITB FOR EXPLANATION OF CRITERIA TO QUALIFY
Email: eric.johnson@alaska.gov	_____ DATE	_____ TELEPHONE NUMBER
_____ ALASKA BUSINESS LICENSE NUMBER	_____ FEDERAL TAX ID NUMBER	_____ E-MAIL ADDRESS

TABLE OF CONTENTS

SECTION 1. INTRODUCTION & INSTRUCTIONS.....	3
SEC. 1.01 PURPOSE OF THE ITB	3
SEC. 1.02 DEADLINE FOR RECEIPT OF BIDS.....	3
SEC. 1.03 PRIOR EXPERIENCE	3
SEC. 1.04 INVITATION TO BID (ITB) REVIEW	3
SEC. 1.05 QUESTIONS PRIOR TO DEADLINE FOR RECEIPT OF BIDS	4
SEC. 1.06 SITE INSPECTION	4
SEC. 1.07 SUBMITTING BIDS	4
SEC. 1.08 BID FORMS	5
SEC. 1.09 PRICES	6
SEC. 1.10 ASSISTANCE TO BIDDERS WITH A DISABILITY	6
SEC. 1.11 AMENDMENTS TO BIDS	6
SEC. 1.12 AMENDMENTS TO THE ITB	6
SEC. 1.13 ITB SCHEDULE	6
SEC. 1.14 ALTERNATE BIDS	7
SEC. 1.15 SUPPORTING INFORMATION	7
SEC. 1.16 FIRM, UNQUALIFIED, AND UNCONDITIONAL OFFER	7
SECTION 2. CONTRACT INFORMATION.....	8
SEC. 2.01 CONTRACT TERM	8
SEC. 2.02 CONTRACT ADMINISTRATION	8
SEC. 2.03 CONTRACT FUNDING	8
SEC. 2.04 CONTRACT EXTENSION.....	8
SEC. 2.05 CONTRACT CHANGES – UNANTICIPATED AMENDMENTS	8
SEC. 2.06 SUBCONTRACTORS.....	8
SEC. 2.07 CONTRACT PERFORMANCE LOCATION.....	9
SEC. 2.08 RIGHT TO INSPECT PLACE OF BUSINESS.....	9
SEC. 2.09 SCOPE OF WORK AND SPECIFICATIONS	9
SEC. 2.10 F.O.B. POINT.....	9
SEC. 2.11 DELIVERY TIME	9
SEC. 2.12 INSPECTION & MODIFICATION - REIMBURSEMENT FOR UNACCEPTABLE DELIVERABLES	10
SEC. 2.13 CONTINUING OBLIGATION OF CONTRACTOR.....	10
SEC. 2.14 ESTIMATED QUANTITIES	10
SEC. 2.15 CONTRACT PRICE ADJUSTMENTS.....	10
SEC. 2.16 INDEMNIFICATION	10
SEC. 2.17 INSURANCE.....	10
SECTION 3. CONTRACT INVOICING AND PAYMENTS	12
SEC. 3.01 BILLING INSTRUCTIONS	12
SEC. 3.02 PAYMENT FOR STATE PURCHASES	12
SEC. 3.03 PROMPT PAYMENT FOR STATE PURCHASES	12
SEC. 3.04 THIRD-PARTY FINANCING AGREEMENTS NOT ALLOWED.....	12
SECTION 4. EVALUATION AND CONTRACTOR SELECTION.....	13
SEC. 4.01 EVALUATION OF BIDS.....	13
SEC. 4.02 EXTENSION OF PRICES.....	13

SEC. 4.03	METHOD OF AWARD	13
SEC. 4.04	NOTICE OF INTENT TO AWARD.....	13
SECTION 5.	GENERAL PROCESS AND LEGAL INFORMATION.....	14
SEC. 5.01	ALASKA BUSINESS LICENSE AND OTHER REQUIRED LICENSES.....	14
SEC. 5.02	AUTHORITY.....	14
SEC. 5.03	COMPLIANCE	14
SEC. 5.04	SUITABLE MATERIALS, ETC.	15
SEC. 5.05	SPECIFICATIONS.....	15
SEC. 5.06	CONTRACTOR SITE INSPECTION.....	15
SEC. 5.07	ORDER DOCUMENTS.....	15
SEC. 5.08	HUMAN TRAFFICKING	15
SEC. 5.09	RIGHT OF REJECTION	15
SEC. 5.10	STATE NOT RESPONSIBLE FOR PREPARATION COSTS.....	16
SEC. 5.11	DISCLOSURE OF BID CONTENTS.....	16
SEC. 5.12	ASSIGNMENTS.....	16
SEC. 5.13	FORCE MAJEURE (IMPOSSIBILITY TO PERFORM)	17
SEC. 5.14	DEFAULT	17
SEC. 5.15	DISPUTES	17
SEC. 5.16	SEVERABILITY	17
SEC. 5.17	CONTRACT CANCELLATION.....	17
SEC. 5.18	GOVERNING LAW; FORUM SELECTION	17
SEC. 5.19	SOLICITATION ADVERTISING	17
SEC. 5.20	QUALIFIED BIDDERS.....	18
SEC. 5.21	FEDERALLY IMPOSED TARIFFS	18
SEC. 5.22	PROTEST	19
SECTION 6.	ATTACHMENTS.....	20
SEC. 6.01	ATTACHMENTS.....	20

SECTION 1. INTRODUCTION & INSTRUCTIONS

SEC. 1.01 PURPOSE OF THE ITB

The Department of Transportation & Public Facilities, Maintenance and Operations, is soliciting bids for the purchase of crushed aggregate, stockpiled in multiple locations in the Tazlina area.

SEC. 1.02 DEADLINE FOR RECEIPT OF BIDS

Bids must be received no later than 10:00 AM Alaska Time on March 31st, 2022, at which time they will be publicly opened. Late bids or amendments will be disqualified and not opened or accepted for evaluation.

SEC. 1.03 PRIOR EXPERIENCE

No specific minimums have been set for this ITB.

SEC. 1.04 INVITATION TO BID (ITB) REVIEW

Bidders shall carefully review this ITB for defects and questionable or objectionable material. Comments concerning defects and questionable or objectionable material in the ITB should be made in writing and received

by the procurement officer at least ten days before the bid opening date. This will allow time for an amendment to be issued if one is required. It will also help prevent the opening of a defective bid, upon which award cannot be made, and the resultant exposure of bidders' prices.

SEC. 1.05 QUESTIONS PRIOR TO DEADLINE FOR RECEIPT OF BIDS

All questions must be in writing and directed to the procurement officer. The interested party must confirm telephone conversations in writing. Two types of questions generally arise. One may be answered by directing the questioner to a specific section of the ITB. These questions may be answered over the telephone. Other questions may be more complex and may require a written amendment to the ITB. The procurement officer will make that decision.

SEC. 1.06 SITE INSPECTION

Potential bidders are encouraged to visit the work site so that they can see the conditions under which the work described in this ITB will be performed. The bidder's failure to visit the work site will in no way relieve the bidder of the responsibility of performing the work in strict compliance with the true intent and meaning of the terms, conditions and specifications of this ITB. The site may be inspected by contacting Henry Cole at (907) 451-2223.

This contact person is only empowered to allow potential bidders to view the work site. The contact person cannot and will not answer potential bidder questions regarding the work to be performed under this ITB or the terms, conditions and specifications of this ITB. Any questions potential bidders have must be directed to the procurement officer as required in Section 1.04.

SEC. 1.07 SUBMITTING BIDS

If you are submitting a response through IRIS Vendor Self-Service (VSS), you may ignore the following return instructions.

Bidders may submit one hard copy of their bid, in writing, to the procurement officer in a sealed package. The sealed bid package must be addressed as follows:

Department of Transportation & Public Facilities
Procurement Office
Attention: Eric Johnson
Invitation to Bid (ITB) Number: 2522N022

ITB Title: Crushed Aggregate, Tazlina Area – Federally Funded
Department of Transportation & Public Facilities
2301 Peger Road
Fairbanks, AK 99709

If using a delivery service, please use the following address:

Department of Transportation & Public Facilities
2301 Peger Road

Fairbanks, AK 99709

If submitting a bid via email, the bid may be emailed to dotnrprocurement@alaska.gov and must contain the ITB number in the subject line of the email. The **maximum** size of a single email (including all text and attachments) that can be received by the state is **20mb (megabytes)**. If the email containing the bid exceeds this size, the bid must be sent in multiple emails that are each less than 20 megabytes and each email must comply with the requirements described above.

Please note that email transmission is not instantaneous. Similar to sending a hard copy bid, if you are emailing your bid, the state recommends sending it enough ahead of time to ensure the email is delivered by the deadline for receipt of bid.

It is the bidder's responsibility to contact the issuing agency at **(907) 451-5102** to confirm that the bid has been received. The state is not responsible for unreadable, corrupt, or missing attachments.

SEC. 1.08 BID FORMS

Bidders shall use the front page of this ITB and any other forms identified in this ITB for submitting bids. All bids must be signed by an individual authorized to bind the bidder to the provisions of the ITB.

BIDDER'S CERTIFICATION

By signature on the bid, the bidder certifies that they comply with the following:

- A. the laws of the State of Alaska;
- B. the applicable portion of the Federal Civil Rights Act of 1964;
- C. the Equal Employment Opportunity Act and the regulations issued thereunder by the state and federal government;
- D. the Americans with Disabilities Act of 1990 and the regulations issued thereunder by the state and federal government;
- E. all terms and conditions set out in this ITB;
- F. the price(s) submitted was arrived at independently arrived and without collusion, under penalty of perjury; and
- G. that the bid will remain open and valid for at least 90 days.

If any bidder fails to comply with [a] through [g] of this paragraph, the state reserves the right to disregard the bid, terminate the contract, or consider the contractor in default.

CONFLICT OF INTEREST

Each bid shall include a statement indicating whether or not the company or any individuals working on the contract has a possible conflict of interest (e.g., currently employed by the State of Alaska or formerly employed by the State of Alaska within the past two years) and, if so, the nature of that conflict. The procurement officer reserves the right to **consider a bid non-responsive and reject it** or cancel the award if any interest disclosed from

any source could either give the appearance of a conflict or cause speculation as to the objectivity of the contract to be performed by the bidder.

SEC. 1.09 PRICES

The bidder shall state prices in the units of issue on this ITB. Prices quoted in bids must be exclusive of federal, state, and local taxes. If the bidder believes that certain taxes are payable by the state, the bidder may list such taxes separately, directly below the bid price for the affected item.

SEC. 1.10 ASSISTANCE TO BIDDERS WITH A DISABILITY

Bidders with a disability may receive accommodation regarding the means of communicating this ITB or participating in the procurement process. For more information, contact the procurement officer no later than ten days prior to the deadline for receipt of bids.

SEC. 1.11 AMENDMENTS TO BIDS

Amendments to or withdrawals of bids will only be allowed if acceptable requests are received prior to the deadline that is set for receipt of bids, in accordance with 2 AAC 12.140. No amendments or withdrawals will be accepted after the deadline unless the delay is due to an error of the contracting agency, in accordance with 2 AAC 12.160.

SEC. 1.12 AMENDMENTS TO THE ITB

If an amendment is issued, it will be provided to all who were notified of the ITB and to those who have registered with the procurement officer after receiving the ITB from the State of Alaska Online Public Notice website.

SEC. 1.13 ITB SCHEDULE

The ITB schedule set out herein represents the State of Alaska's best estimate of the schedule that will be followed. If a component of this schedule, such as the deadline for receipt of bids, is delayed, the rest of the schedule may be shifted accordingly. All times are Alaska Time.

ACTIVITY	TIME	DATE
Issue Date / ITB Released		3/10/2022
Deadline for Receipt of Bids / Bid Due Date	10:00 AM	3/31/2022
Bid Evaluations Complete		4/1/2022
Notice of Intent to Award		4/1/2022
Contract Issued		4/12/2022

This ITB does not, by itself, obligate the state. The state's obligation will commence when the contract is approved by the Commissioner of the Department of Transportation & Public Facilities, or the Commissioner's designee. Upon written notice to the contractor, the state may set a different starting date for the contract. The state will not be responsible for any work done by the contractor, even work done in good faith, if it occurs prior to the contract start date set by the state.

SEC. 1.14 ALTERNATE BIDS

Bidders may only submit one bid for evaluation. In accordance with 2 AAC 12.830 alternate bids (bids that offer something different than what is asked for) will be rejected.

SEC. 1.15 SUPPORTING INFORMATION

Bidders shall submit all required technical, specification, and other supporting information with their bid, so that a detailed analysis and determination can be made by the procurement officer that the product offered meets the ITB specifications and that other requirements of the ITB have been met. However, provided a bid meets the requirements for a definite, firm, unqualified, and unconditional offer, the state reserves the right to request supplemental information from the bidder, after the bids have been opened, to ensure that the products or services offered completely meet the ITB requirements. The requirement for such supplemental information will be at the reasonable discretion of the state and may include the requirement that a bidder will provide a sample product(s) so that the state can make a first-hand examination and determination.

A bidder's failure to provide this supplemental information or the product sample(s), within the time set by the state, will cause the state to consider the offer non-responsive and reject the bid.

SEC. 1.16 FIRM, UNQUALIFIED, AND UNCONDITIONAL OFFER

Bidders must provide enough information with their bid to constitute a definite, firm, unqualified and unconditional offer. To be responsive a bid must constitute a definite, firm, unqualified and unconditional offer to meet all the material terms of the ITB. Material terms are those that could affect the price, quantity, quality, or delivery. Also included as material terms are those which are clearly identified in the ITB and which, for reasons of policy, must be complied with at risk of bid rejection for non-responsiveness.

SECTION 2. CONTRACT INFORMATION

SEC. 2.01 CONTRACT TERM

The length of the contract will be from the date of award, approximately April 12, 2022 until completion.

SEC. 2.02 CONTRACT ADMINISTRATION

The administration of this contract is the responsibility of the procurement officer or person appointed by the Department of Transportation & Public Facilities, M & O Administration.

SEC. 2.03 CONTRACT FUNDING

Department of Transportation & Public Facilities, Maintenance & Operations, estimates a budget of between \$880,000.00 and \$1,200,000.00 dollars for this contract. Bids priced at more than **\$1,200,000.00** will be considered non-responsive.

Payment for the contract is subject to funds already appropriated and identified.

SEC. 2.04 CONTRACT EXTENSION

Unless otherwise provided in this ITB, the state and the successful bidder/contractor agree: (1) that any extension of the contract excluding any exercised renewal options, will be considered as a month-to-month extension, and all other terms and conditions shall remain in full force and effect and (2) the procurement officer will provide written notice to the contractor of the intent to cancel the month-to-month extension at least thirty (30) days before the date of cancellation. A month-to-month extension may only be executed by the procurement officer via a written contract amendment.

SEC. 2.05 CONTRACT CHANGES – UNANTICIPATED AMENDMENTS

During the course of this contract, the contractor may be required to perform additional work. That work will be within the general scope of the initial contract. When additional work is required, the state will provide the contractor a written description of the additional work and request the contractor to submit a firm time schedule for accomplishing the additional work and a firm price for the additional work. Cost and pricing data must be provided to justify the cost of such amendments per AS 36.30.400.

The contractor will not commence additional work until the procurement officer has secured required state approvals necessary for the amendment and issued a written contract amendment.

SEC. 2.06 SUBCONTRACTORS

Subcontractors may be used to perform work under this contract. If a bidder intends to use subcontractors, the bidder must identify in the bids the names of the subcontractors and the portions of the work the subcontractors will perform.

If a bid with subcontractors is selected, the bidder must provide the following information concerning each prospective subcontractor within five working days from the date of the state's request:

- complete name of the subcontractor;
- complete address of the subcontractor;
- type of work the subcontractor will be performing;
- percentage of work the subcontractor will be providing;
- evidence that the subcontractor holds a valid Alaska business license; and
- a written statement signed by each proposed subcontractor that clearly verifies that the subcontractor is committed to render the services required by the contract.

A bidder's failure to provide this information, within the time set, may cause the state to consider their bid non-responsive and reject it.

Note that if the subcontractor will not be performing work within Alaska, they will not be required to hold an Alaska business license.

SEC. 2.07 CONTRACT PERFORMANCE LOCATION

By signature on their bid, the bidder certifies that all services provided under this contract by the contractor and all subcontractors shall be performed in the United States.

If the bidder cannot certify that all work will be performed in the United States, the bidder must contact the procurement officer in writing to request a waiver at least 10 days prior to the deadline for receipt of bids.

The request must include a detailed description of the portion of work that will be performed outside the United States, where, by whom, and the reason the waiver is necessary.

Failure to comply with these requirements may cause the state to reject the bid as non-responsive, or cancel the contract.

SEC. 2.08 RIGHT TO INSPECT PLACE OF BUSINESS

At reasonable times, the state may inspect those areas of the contractor's place of business that are related to the performance of a contract. If the state makes such an inspection, the contractor must provide reasonable assistance.

SEC. 2.09 SCOPE OF WORK AND SPECIFICATIONS

See Attachment 1 for Special Provisions

SEC. 2.10 F.O.B. POINT

The F.O.B. point for this ITB will be each location listed on the Bid Schedule

SEC. 2.11 DELIVERY TIME

Indicate, in the space provided on the Bid Schedule, the date (s) for completion of each location after receipt of an order. Failure to make an entry in the space provided will be construed as an offer to deliver by the required by date listed on the Bid Schedule. Bids that specify completion beyond the required by dates after the receipt of an order will be considered non-responsive and those bids will be rejected.

SEC. 2.12 INSPECTION & MODIFICATION - REIMBURSEMENT FOR UNACCEPTABLE DELIVERABLES

The contractor is responsible for proving all products or the completion of all work set out in the contract. All products or work is subject to inspection, evaluation, and approval by the state. The state may employ all reasonable means to ensure that the work is progressing and being performed in compliance with the contract. The state may instruct the contractor to make corrections or modifications if needed in order to accomplish the contract's intent. The contractor will not unreasonably withhold such changes.

Substantial failure of the contractor to perform the contract may cause the state to terminate the contract. In this event, the state may require the contractor to reimburse monies paid (based on the identified portion of unacceptable products or work received) and may seek associated damages.

SEC. 2.13 CONTINUING OBLIGATION OF CONTRACTOR

Notwithstanding the expiration date of a contract resulting from this ITB, the contractor is obligated to fulfill its responsibilities until warranty, guarantee, maintenance, and parts availability requirements have completely expired.

SEC. 2.14 ESTIMATED QUANTITIES

The quantities referenced in this ITB are an estimate of the of the state's initial purchase. The state expects to make this purchase approximately April 12th, 2022. The state does not guarantee any minimum or maximum purchase.

SEC. 2.15 CONTRACT PRICE ADJUSTMENTS

Prices shall remain firm through the completion of this project.

SEC. 2.16 INDEMNIFICATION

The contractor shall indemnify, hold harmless, and defend the contracting agency from and against any claim of, or liability for error, omission or negligent act of the contractor under this agreement. The contractor shall not be required to indemnify the contracting agency for a claim of, or liability for, the independent negligence of the contracting agency. If there is a claim of, or liability for, the joint negligent error or omission of the contractor and the independent negligence of the contracting agency, the indemnification and hold harmless obligation shall be apportioned on a comparative fault basis.

"Contractor" and "contracting agency", as used within this and the following article, include the employees, agents and other contractors who are directly responsible, respectively, to each. The term "independent negligence" is negligence other than in the contracting agency's selection, administration, monitoring, or controlling of the contractor and in approving or accepting the contractor's work.

SEC. 2.17 INSURANCE

Without limiting the contractor's indemnification, it is agreed that the contractor shall purchase at its own expense and maintain in force at all times during the performance of services under this agreement the following policies of insurance. Where specific limits are shown, it is understood that they shall be the minimum acceptable limits.

If the contractor's policy contains higher limits, the state shall be entitled to coverage to the extent of such higher limits.

Certificates of Insurance must be furnished to the procurement officer prior to contract approval and must provide for a notice of cancellation, non-renewal, or material change of conditions in accordance with policy provisions. Failure to furnish satisfactory evidence of insurance or lapse of the policy is a material breach of this contract and shall be grounds for termination of the contractor's services. All insurance policies shall comply with and be issued by insurers licensed to transact the business of insurance under AS 21.

Proof of insurance is required for the following:

- Workers' Compensation Insurance: The contractor shall provide and maintain, for all employees engaged in work under this contract, coverage as required by AS 23.30.045, and; where applicable, any other statutory obligations including but not limited to Federal U.S.L. & H. and Jones Act requirements. The policy must waive subrogation against the state.
- Commercial General Liability Insurance: covering all business premises and operations used by the contractor in the performance of services under this agreement with minimum coverage limits of \$300,000 combined single limit per occurrence.
- Commercial Automobile Liability Insurance: covering all vehicles used by the contractor in the performance of services under this agreement with minimum coverage limits of \$300,000 combined single limit per occurrence.

SECTION 3. CONTRACT INVOICING AND PAYMENTS

SEC. 3.01 BILLING INSTRUCTIONS

Invoices must be billed to the ordering agency's address shown on the individual Purchase Order, Contract Award or Delivery Order. The state will make payment after it receives the goods or services and the invoice. Questions concerning payment must be addressed to the ordering agency.

SEC. 3.02 PAYMENT FOR STATE PURCHASES

Payment for agreements under \$500,000 for the undisputed purchase of goods or services provided to a state agency, will be made within 30 days of the receipt of a proper billing or the delivery of the goods or services to the location(s) specified in the agreement, whichever is later. A late payment is subject to 1.5% interest per month on the unpaid balance. Interest will not be paid if there is a dispute or if there is an agreement that establishes a lower interest rate or precludes the charging of interest.

Any single contract payments of \$1 million or higher must be accepted by the contractor via Electronic Funds Transfer (EFT).

SEC. 3.03 PROMPT PAYMENT FOR STATE PURCHASES

The state is eligible to receive a **5%** discount for all invoices paid within **15** business days from the date of receipt of the commodities or services and/or a correct invoice, whichever is later. The discount shall be taken on the full invoice amount. The state shall consider payment being made as either the date a printed warrant is issued or the date an electronic funds transfer (EFT) is initiated.

SEC. 3.04 THIRD-PARTY FINANCING AGREEMENTS NOT ALLOWED

Because of the additional administrative and accounting time required of the state when third party financing agreements are permitted, they will not be allowed under this contract.

SECTION 4. EVALUATION AND CONTRACTOR SELECTION

SEC. 4.01 EVALUATION OF BIDS

After bid opening, the procurement officer will evaluate the bids for responsiveness. Bids deemed non-responsive will be eliminated from further consideration. An evaluation may not be based on discrimination due the race, religion, color, national origin, sex, age, marital status, pregnancy, parenthood, disability, or political affiliation of the bidder.

SEC. 4.02 EXTENSION OF PRICES

In case of error in the extension of prices in the bid, the unit prices will govern; in a lot bid, the lot prices will govern.

SEC. 4.03 METHOD OF AWARD

Award will be made as one lot to the lowest responsive and responsible bidder. In order to be considered responsive, bidders must bid on all items.

SEC. 4.04 NOTICE OF INTENT TO AWARD

After the responses to this ITB have been opened and evaluated, a tabulation of the bids will be prepared. This tabulation, called a Notice of Intent to Award, serves two purposes. It lists the name of each company or person that offered a bid and the price they bid. It also provides notice of the state's intent to award a contract(s) to the bidder(s) indicated. A copy of the Notice of Intent will be mailed to each company or person who responded to the ITB. Bidders identified as the apparent low responsive bidders are instructed not to proceed until a Purchase Order, Contract Award, Lease, or some other form of written notice is given by the procurement officer. A company or person who proceeds prior to receiving a Purchase Order, Contract Award, Lease, or some other form of written notice from the procurement officer does so without a contract and at their own risk.

SECTION 5. GENERAL PROCESS AND LEGAL INFORMATION

SEC. 5.01 ALASKA BUSINESS LICENSE AND OTHER REQUIRED LICENSES

Prior to the award of a contract, a bidder must hold a valid Alaska business license. ~~However, in order to receive the Alaska Bidder Preference and other related preferences, such as the Alaska Veteran Preference and Alaskans with Disabilities Preference, a bidder must hold a valid Alaska business license prior to the deadline for receipt of bids.~~ Bidders should contact the **Department of Commerce, Community and Economic Development, Division of Corporations, Business, and Professional Licensing, PO Box 110806, Juneau, Alaska 99811-0806**, for information on these licenses. Acceptable evidence that the bidder possesses a valid Alaska business license may consist of any one of the following:

- copy of an Alaska business license;
- certification on the bid that the bidder has a valid Alaska business license and has included the license number in the bid;
- a canceled check for the Alaska business license fee;
- a copy of the Alaska business license application with a receipt stamp from the state's occupational licensing office; or
- a sworn and notarized statement that the bidder has applied and paid for the Alaska business license.

You are not required to hold a valid Alaska business license at the time bids are opened if you possess one of the following licenses and are offering services or supplies under that specific line of business:

- fisheries business licenses issued by Alaska Department of Revenue or Alaska Department of Fish and Game,
- liquor licenses issued by Alaska Department of Revenue for alcohol sales only,
- insurance licenses issued by Alaska Department of Commerce, Community and Economic Development, Division of Insurance, or
- Mining licenses issued by Alaska Department of Revenue.

Prior to the deadline for receipt of bids, all bidders must hold any other necessary applicable professional licenses required by Alaska Statute.

SEC. 5.02 AUTHORITY

This ITB is written in accordance with AS 36.30 and 2 AAC 12.

SEC. 5.03 COMPLIANCE

In the performance of a contract that results from this ITB, the contractor must comply with all applicable federal, state, and borough regulations, codes, and laws; be liable for all required insurance, licenses, permits and bonds; and pay all applicable federal, state, and borough taxes.

SEC. 5.04 SUITABLE MATERIALS, ETC.

Unless otherwise specified in this ITB, all materials, supplies or equipment offered by a bidder shall be new, unused, and of the latest edition, version, model or crop and of recent manufacture.

SEC. 5.05 SPECIFICATIONS

Unless otherwise specified in this ITB, product brand names or model numbers specified in this ITB are examples of the type and quality of product required, and are not statements of preference. If the specifications describing an item conflict with a brand name or model number describing the item, the specifications govern. Reference to brand name or number does not preclude an offer of a comparable or better product, if full specifications and descriptive literature are provided for the product. Failure to provide such specifications and descriptive literature may be cause for rejection of the offer.

SEC. 5.06 CONTRACTOR SITE INSPECTION

The state may conduct on-site visits to evaluate the bidder's capacity to perform the contract. A bidder must agree, at risk of being found non-responsive and having its bid rejected, to provide the state reasonable access to relevant portions of its work sites. Individuals designated by the procurement officer at the state's expense will make site inspection.

SEC. 5.07 ORDER DOCUMENTS

Except as specifically allowed under this ITB, an ordering agency will not sign any vendor contract. The state is not bound by a vendor contract signed by a person who is not specifically authorized to sign for the state under this ITB. Unless otherwise specified in this ITB, the State of Alaska Purchase Order, Contract Award and Delivery Order are the only order documents that may be used to place orders against the contract(s) resulting from this ITB.

SEC. 5.08 HUMAN TRAFFICKING

By signature on their bid, the bidder certifies that the bidder is not established and headquartered or incorporated and headquartered in a country recognized as Tier 3 in the most recent United States Department of State's Trafficking in Persons Report.

The most recent United States Department of State's Trafficking in Persons Report can be found at the following website: <http://www.state.gov/j/tip/>

Failure to comply with this requirement will cause the state to reject the bid as non-responsive, or cancel the contract.

SEC. 5.09 RIGHT OF REJECTION

Bidders must comply with all of the terms of the ITB, the State Procurement Code (AS 36.30), and all applicable local, state, and federal laws, codes, and regulations. The procurement officer may reject any bid that does not comply with all of the material and substantial terms, conditions, and performance requirements of the ITB.

Bidders may not qualify the bid nor restrict the rights of the state. If a bidder does so, the procurement officer may determine the bid to be a non-responsive counter-offer and the bid may be rejected.

Minor informalities that:

- do not affect responsiveness;
- are merely a matter of form or format;
- do not change the relative standing or otherwise prejudice other offers;
- do not change the meaning or scope of the RFP;
- are trivial, negligible, or immaterial in nature;
- do not reflect a material change in the work; or
- do not constitute a substantial reservation against a requirement or provision;

may be waived by the procurement officer.

The state reserves the right to refrain from making an award if it determines that to be in its best interest.

A bid from a debarred or suspended bidder shall be rejected.

SEC. 5.10 STATE NOT RESPONSIBLE FOR PREPARATION COSTS

The state will not pay any cost associated with the preparation, submittal, presentation, or evaluation of any bid.

SEC. 5.11 DISCLOSURE OF BID CONTENTS

All bid prices become public information at the bid opening. After the deadline for receipt of bids, all other bid material submitted become the property of the State of Alaska and may be returned only at the state's option. AS 40.25.110 requires public records to be open to reasonable inspection. All other bid information will be held in confidence during the evaluation process and prior to the time a Notice of Intent to Award is issued. Thereafter, bids will become public information.

Trade secrets and other proprietary data contained in bids may be held confidential if the bidder requests, in writing, that the procurement officer does so, and if the procurement officer agrees, in writing, to do so. The bidder's request must be included with the bid, must clearly identify the information they wish to be held confidential, and include a statement that sets out the reasons for confidentiality. Unless the procurement officer agrees in writing to hold the requested information confidential, that information will also become public after the Notice of Intent to Award is issued.

SEC. 5.12 ASSIGNMENTS

Per 2 AAC 12.480, the contractor may not transfer or assign any portion of the contract without prior written approval from the procurement officer. Bids that are conditioned upon the state's approval of an assignment will be rejected as non-responsive.

SEC. 5.13 FORCE MAJEURE (IMPOSSIBILITY TO PERFORM)

The parties to a contract resulting from this ITB are not liable for the consequences of any failure to perform, or default in performing, any of its obligations under the contract, if that failure or default is caused by any unforeseeable Force Majeure, beyond the control of, and without the fault or negligence of, the respective party.

For the purposes of this ITB, Force Majeure will mean war (whether declared or not); revolution; invasion; insurrection; riot; civil commotion; sabotage; military or usurped power; lightning; explosion; fire; storm; drought; flood; earthquake; epidemic; quarantine; strikes; acts or restraints of governmental authorities affecting the project or directly or indirectly prohibiting or restricting the furnishing or use of materials or labor required; inability to secure materials, machinery, equipment or labor because of priority, allocation or other regulations of any governmental authorities.

SEC. 5.14 DEFAULT

In case of default by the contractor, for any reason whatsoever, the state may procurement the goods or services from another source and hold the contractor responsible for any resulting excess cost and may seek other remedies under law or equity.

SEC. 5.15 DISPUTES

If the contractor has a claim arising in connection with the contract that it cannot resolve with the state by mutual agreement, it shall pursue the claim, if at all, in accordance with the provisions of AS 36.30.620 – AS 36.30.632.

SEC. 5.16 SEVERABILITY

If any provision of the contract or agreement is found to be invalid or declared by a court to be illegal or in conflict with any law, the validity of the remaining terms and provisions will not be affected; and, the rights and obligations of the parties will be construed and enforced as if the contract did not contain the particular provision held to be invalid.

SEC. 5.17 CONTRACT CANCELLATION

The state reserves the right to cancel the contract at its convenience upon Thirty (30) calendar days written notice to the contractor. The state is only liable for payment in accordance with the payment provisions of this contract for supplies or services provide before the effective date termination.

SEC. 5.18 GOVERNING LAW; FORUM SELECTION

A contract resulting from this ITB is governed by the laws of the State of Alaska. To the extent not otherwise governed by Section 5.15 of this ITB, any claim concerning the contract shall be brought only in the Superior Court of the State of Alaska and not elsewhere.

SEC. 5.19 SOLICITATION ADVERTISING

Public notice has been provided in accordance with 2 AAC 12.220.

SEC. 5.20 QUALIFIED BIDDERS

Per 2 AAC 12.875, unless provided for otherwise in the ITB, to qualify as a bidder for award of a contract issued under AS 36.30, the bidder must:

- 1) Add value in the contract by actually performing, controlling, managing, or supervising the services to be provided; or
- 2) Be in the business of selling and have actually sold on a regular basis the supplies that are the subject of the ITB.

If the bidder leases services or supplies or acts as a broker or agency in providing the services or supplies in order to meet these requirements, the procurement officer may not accept the bidder as a qualified bidder under AS 36.30.

SEC. 5.21 FEDERALLY IMPOSED TARIFFS

Changes in price (increase or decrease) resulting directly from a new or updated federal tariff, excise tax, or duty, imposed after contract award may be adjusted during the contract period or before delivery into the United States via contract amendment.

- **Notification of Changes:** The contractor must promptly notify the procurement officer in writing of any new, increased, or decreased federal excise tax or duty that may result in either an increase or decrease in the contract price and shall take appropriate action as directed by the procurement officer.
- **After-imposed or Increased Taxes and Duties:** Any federal excise tax or duty for goods or services covered by this contract that was exempted or excluded on the contract award date but later imposed on the contractor during the contract period, as the result of legislative, judicial, or administrative action may result in a price increase provided:
 - a) The tax or duty takes effect after the contract award date and isn't otherwise addressed by the contract;
 - b) The contractor warrants, in writing, that no amount of the newly imposed federal excise tax or duty or rate increase was included in the contract price, as a contingency or otherwise.
- **After-relieved or Decreased Taxes and Duties:** The contract price shall be decreased by the amount of any decrease in federal excise tax or duty for goods or services under the contract, except social security or other employment [taxes](#), that the contractor is required to pay or bear, or does not obtain a refund of, through the contractor's fault, negligence, or failure to follow instructions of the procurement officer.
- **State's Ability to Make Changes:** The state reserves the right to request verification of federal excise tax or duty amounts on goods or services covered by this contract and increase or decrease the contract price accordingly.
- **Price Change Threshold:** No adjustment shall be made in the contract price under this clause unless the amount of the adjustment exceeds \$250.

SEC. 5.22 PROTEST

AS 36.30.560 provides that an interested party may protest the content of the ITB.

An interested party is defined in 2 AAC 12.990(a) (7) as "an actual or prospective bidder or offeror whose economic interest might be affected substantially and directly by the issuance of a contract solicitation, the award of a contract, or the failure to award a contract."

If an interested party wishes to protest the content of a solicitation, the protest must be received, in writing, by the procurement officer at least ten days prior to the deadline for receipt of bids.

AS 36.30.560 also provides that an interested party may protest the award of a contract or the proposed award of a contract.

If a bidder wishes to protest the award of a contract or the proposed award of a contract, the protest must be received, in writing, by the procurement officer within ten days after the date the Notice of Intent to Award the contract is issued.

A protester must have submitted a bid in order to have sufficient standing to protest the proposed award of a contract. Protests must include the following information:

- the name, address, and telephone number of the protester;
- the signature of the protester or the protester's representative;
- identification of the contracting agency and the solicitation or contract at issue;
- a detailed statement of the legal and factual grounds of the protest including copies of relevant documents; and the form of relief requested.

Protests filed by telex or telegram are not acceptable because they do not contain a signature. Fax copies containing a signature are acceptable.

The procurement officer will issue a written response to the protest. The response will set out the procurement officer's decision and contain the basis of the decision within the statutory time limit in AS 36.30.580. A copy of the decision will be furnished to the protester by certified mail, fax or another method that provides evidence of receipt.

All bidders will be notified of any protest. The review of protests, decisions of the procurement officer, appeals, and hearings, will be conducted in accordance with the State Procurement Code (AS 36.30), Article 8 "Legal and Contractual Remedies."

SECTION 6. ATTACHMENTS

SEC. 6.01 ATTACHMENTS

Attachments:

- 1) Special Provisions – 14 Pages
- 2) Bid Schedule – 1 page
- 3) Material Site Inspection Report – MS 52-1-079-5 – 11 pages
- 4) Site Approval Email – MS 52-1-034-5 – 1 page
- 5) Material Sale Contract – MS 52-1-034-5 – 16 pages
- 6) Material Site Inspection Report – MS 52-1-034-5 – 13 pages
- 7) Material Site Inspection Report – MS 850-032-5 – 11 pages
- 8) Material Site Inspection Report – MS 71-1-014-5 – 11 pages
- 9) Project Maps – 6 Pages
- 10) Contract Provisions for Federal Aid – 13 Pages

SECTION 101 DEFINITIONS AND TERMS

101-1.03 DEFINITIONS.

ENGINEER. The authorized representative of the Contracting Officer who is responsible for administering the Contract shall be Henry Cole, P.E., or his designee; phone 907-451-2223 or email Henry.Cole@Alaska.gov. This project takes place in the Tazlina Maintenance and Operations District; the Superintendent of which is Chad Heller; phone 907-822-3222 or email chad.heller@Alaska.gov.

SECTION 104 SCOPE OF WORK

104-1.01 INTENT OF CONTRACT. The intent of the Contract is to provide for the production, transport and/or stockpiling of processed aggregate, as described herein. The site listed below is the location of the final stockpile only; this does not indicate the source or the quality of the material.

The Contractor is responsible for the means, methods, techniques, sequence and procedures or construction, safety and quality control, and is responsible to perform and furnish the work in accordance with the Contract documents and any applicable Federal, State and local laws, rules, regulations and ordinances. In addition, the Contractor must acquire the material sources and all necessary permits, process and stockpile the required aggregate, and pay all associated fees and royalties. Proof of royalty payments shall be required prior to final payment under this Contract.

The location and quantity required are as follows:

TABLE 104-1

Material Site No.	Location	Quantity (CY)	Royalty	Completion Date
52-1-079-5	Denali Highway mile 42	10,000	\$0	7/31/2022
52-1-034-5	Denali Highway mile 55.5	5,000	\$0	8/15/2022
N/A	Denali Highway mile 65*	2,500	N/A	8/20/2022
850-032-5	Edgerton Highway mile 23.8	10,000	\$0	6/30/2022
71-1-014-5	Richardson Highway mile 74	10,000	\$0	6/15/2022

* This is a stockpile site only. Material shall be mined and processed elsewhere and hauled to this location.

The Contractor shall take all necessary precautions not to contaminate the materials. Final gradations and quantity measurements for acceptance and payment will be taken at the final location of the completed stockpile.

All stockpiles shall be stacked so that they are easily accessible on all sides with heavy hauling equipment, and, if located in a State Material Site, situated so as not to impact future mining operations in the site.

Geotechnical reports for State material sites may be available from the Engineer. State material reports and geotechnical data are for informational purposes only, and may not accurately represent the conditions found onsite. Any information provided should not substitute for personal investigation, research and judgment of the bidders.

The bidder is expected to examine carefully the sites of the proposed work and all contract documents before submitting a bid. The submission of a bid shall be considered prima facie evidence that the bidder has made such examination and is satisfied as to the conditions to be encountered in performing the work and the requirements of the Contract.

SECTION 105 CONTROL OF WORK

105-1.01 AUTHORITY OF THE ENGINEER. The Engineer has immediate charge of the engineering details of the project and is responsible for Contract administration. The Engineer has authority to reject defective material and

suspend work being performed improperly. The Engineer has authority to accept completed work, issue Directives, issue Interim Work Authorizations, issue Change Orders, and recommend Contract payments.

The Engineer will decide all questions about the quality and acceptability of the materials furnished and the work performed by the Contractor, the Contractor's rate of progress, Contract interpretation and all other questions relating to Contract performance.

The Engineer has authority to suspend work. If the suspension is to protect workers or the public from imminent harm, the Engineer may orally order the suspension of work. Following an oral order of suspension, the Engineer will promptly give written notice of suspension. In other circumstances, the Engineer will give the Contractor written notice of suspension before suspension of work. A notice of suspension will state the defects or reasons for a suspension, the corrective actions required to stop suspension, and the time allowed to complete corrective actions. If the Contractor fails to take the corrective action within the specified time, the Engineer may:

1. Suspend the work until it is corrected; and
2. Employ others to correct the condition and deduct the cost from the Contract amount.

The Engineer may, at reasonable times, inspect any part of the plant or place of business of the Contractor or any subcontractor that is related to Contract performance, including private or commercial plants, shops, offices, or other places of business.

The Engineer may audit all books and records related to performance of the Contract, whether kept by the Contractor or a subcontractor.

105-1.03 CONFORMITY WITH PLANS AND SPECIFICATIONS. Work performed and materials furnished shall conform to the Specifications and approved Mining Plan and be within specified tolerances. When tolerances are not specified, the Engineer will determine the limits allowed in each case.

All work or material not conforming to the Specifications and approved Mining Plan is considered unacceptable unless the Engineer finds that reasonably acceptable work has been produced. In this event, the Engineer may allow non-conforming work or material to remain in place, but at a reduced price. The Engineer will document the basis of acceptance and payment by Change Order.

The failure of the Department to strictly enforce the Contract in one or more instances does not waive its right to do so in other or future instances.

If the Contractor fails to promptly correct, remove, or replace unacceptable or unauthorized work as ordered by the Engineer, the Engineer may employ others to remedy or remove and replace the work and will deduct the cost from the Contract payment.

105-1.05 COOPERATION BY CONTRACTOR. The Contractor shall give the work the constant attention necessary for its progress, and shall cooperate fully with the Engineer, Department staff, and other contractors in every way possible. Either the Contractor's Superintendent or an acting Superintendent with authority to represent and act for the Contractor shall be available within the proximity of the project whenever work is occurring. The Contractor shall employ, as its agent, a competent superintendent thoroughly experienced in the type of work being performed and capable of reading and thoroughly understanding the Plans and Specifications. The Contractor shall provide 24-hour contact information for the Superintendent. The Contractor shall ensure that the superintendent is available at all times to receive and execute Directives and other instructions from the Engineer, to supervise workers and to coordinate the work of subcontractors. The Contractor shall give the superintendent full authority to supply the resources required. The Contractor shall furnish superintendence regardless of the amount of work sublet.

105-1.12 LOAD RESTRICTIONS. The Contractor shall comply with all vehicle legal size and weight regulations of 17 AAC 25 and the Administrative Permit Manual, and shall obtain permits from the DOT&PF Division of Measurement Standards & Commercial Vehicle Enforcement before moving oversize or overweight equipment on a state highway.

SECTION 106 CONTROL OF MATERIAL

106-1.02 MATERIAL SOURCES.

1. General. The Contractor shall:

- a. produce a sufficient quantity of materials meeting the specifications to complete the project;
- b. as a subsidiary cost: clear and grub, strip, drill and blast, excavate, crush, sort, blend, screen, wash, stockpile, haul, and rehandle material as needed to produce and deliver the specified product;
- c. determine the type of equipment and methods to be used;
- d. expect variations in material quality within the deposits, and procure material only from acceptable portions of the deposit, regardless of source ownership; and
- e. prevent erosion, sedimentation, and pollution within a materials source.

The Contractor agrees that:

- a. the costs to explore and develop material sources, including all production effort, are subsidiary to the cost of providing the specified material;
- b. the Engineer may order the Contractor to procure material only from certain portions of the source and may reject material from other portions of the source that does not conform to the specifications; and
- c. all material required may not be procurable from any one source and the Contractor may need to change between sources. That contingency is to be factored into the unit bid price for the Contract Item.

2. Inspection and Acceptance. The Contractor shall perform sampling and testing during materials processing and placement in accordance with its Process Control Plan (Subsection 106-1.03-1) and shall obtain acceptable material samples from locations designated within the source.

The Department will sample and test materials to determine the quality of the source, at its expense, as part of its Acceptance Testing (Subsection 106-1.03.2). The Department will reject materials when the samples do not meet specifications. The Department may reject a proposed materials site when samples do not meet specifications.

3. Awareness Training. The operator of the Contractor's sand and gravel surface mine or other similar materials source shall provide Site-Specific Hazard Awareness Training in compliance with 30 CFR 46.11 for all the Engineer's personnel before beginning operations. All other workers shall be given training in compliance with 30 CFR 46 before exposure to mine hazards. The training must be offered at each surface mine that will be used to supply processed aggregates. A qualified person must provide the training. The training shall be in accordance with the operator's written training plan approved by the Mine Safety and Health Administration, covering the following items:

- a. Site-specific health and safety risks;
- b. Recognition and avoidance of hazards;
- c. Restricted areas;
- d. Warning and evacuation signals;
- e. Evacuation and emergency procedures;
- f. Other special safety procedures; and
- g. A site tour.

The Contractor shall require the Engineer's personnel to sign the Visitor's Log Book upon completion of the training to indicate that training was provided. Training is a subsidiary cost.

4. Type of Sources. The location(s) identified in Section 104-1.01 are to be the site of the finished stockpile only and do not specify the source or quality of the material to be produced. The Contractor shall supply the required material from one or more of the following types of sources:

- a. Department Furnished Material Sites. The Contractor shall obtain approval from the Engineer prior to any construction activities. Existing stockpiles of material in State sites are not available to the Contractor without prior approval from the Engineer. All stockpiled aggregate including rejected material is property of the State and shall be handled or stockpiled as described in the Contractor's approved Mining Plan, unless directed otherwise by the Engineer. At no time does the Contractor have any ownership of material, including reject, produced under this Contract. The materials in this site are not available for any use other than required by this Contract, unless approved by the Engineer. The Contractor shall be responsible for paying any mineral royalty due, as

indicated in Section 104-1.01. Geotechnical information may be available, but should not be considered to be authoritative. All work and development in a Department-Furnished material site shall be in line with the Department's existing site-specific Mining Plan.

- b. Contractor-Furnished Sources. The Contractor is encouraged to use State furnished material sites or work within an approved Right of Way for both mining and for the final stockpile locations. The use of private sources for mining and stockpile storage will require the Contractor to make all necessary agreements (See Subsection 106-1.02.5). When the Contractor elects to use a material site not furnished by the Department, including State-owned land not under the Department's control, the Contractor shall:
- 1) Acquire the necessary rights and permits to obtain material;
 - 2) Pay as subsidiary costs all related costs to obtain and use material from the source, including, but not limited to, permit fees, mineral royalties and associated hauling costs;
 - 3) Be solely responsible for the quality and quantity of material; and
 - 4) Obtain all necessary rights, permits and plan approvals before clearing or disturbing the ground in the material source. The Contractor shall certify in writing to the Engineer that all permits and clearances relating to the use of the material source have been obtained prior to any work in the material source.

No price adjustment or other compensation will be made for any costs, including increased length of haul, if the Contractor:

- 1) Chooses to change material sources for any reason;
 - 2) Is unable to produce a sufficient quality or quantity of materials from Contractor-Furnished sources; or
 - 3) Encounters unexpected, unforeseen or unusual conditions within a Contractor-Furnished source.
5. Rights, Permits and Plan Approvals for Material Sources. Before disturbing the site of a material source, the Contractor shall acquire, pay for and provide to the Engineer all necessary rights, permits, and plan approvals indicated in this Subsection and elsewhere in this Contract. For each material site, the Contractor shall:
- a. All other sites: Submit for the Engineer's comment and approval, no fewer than 30 days prior to mobilization, a mining and reclamation plan (MRP). During development of each MRP, the Contractor shall consider future activities in the material site and shall maintain access to usable material. The MRP shall include:
- (1) Approval from the landowner (if a Contractor-Furnished source, see Subsection 106-1.02-4-b-2);
 - (2) A process control plan (see Subsection 106-1.03-1);
 - (3) Plan and cross-sectional views of the site (this includes both the mining and disposal areas);
 - (4) Applicable boundary lines, property lines and buffer zones;
 - (5) Areas and Depths to be developed (note, development of Department-Furnished sources shall be in accordance with the Department's Mining Plan for that site);
 - (6) Locations of access roads, stripping, sorting, waste piles, crushing and plant sites, stockpile sites (including reject material), buffer zones, drainage features, erosion and pollution control features;
 - (7) Condition the Contractor will leave the site in after the materials extraction is completed, including reseeding if necessary;
 - (8) A Construction General Permit-compliant Storm Water Pollution Prevention Plan, if required by Section 641; and
 - (9) Other information as required by any and all attachments included with bid (ie BLM Mining Plan Review checklist, DOT MRP and/or any site-specific stipulations that may be included).
- b. If the material is to be stockpiled in a Contractor-Furnished site or otherwise on private property, the Contractor shall supply the following information in addition to the MRP:
- (1) A notarized agreement with the property owner allowing the State full and unfettered access to the stockpile until 12/31/2025. The owner shall certify that they have the authority to sell mineral materials from the property, and shall acknowledge the Department's ownership of the stockpiled material;

- (2) A property map of the material site identifying property boundaries, access routes and stockpile location.

106-1.03 TESTING AND ACCEPTANCE. Materials are subject to inspection and testing by the Department at any time before, during or after their incorporation into the stockpile. The Contractor shall remove and replace unacceptable material according to Subsection 105-1.03.

1. Quality Control. The Contractor is responsible for the quality of materials produced under this Contract. Quality Control is process control, and includes all activities needed to ensure that the product meets Contract specifications. Quality control work is subsidiary to the applicable pay items. The Contractor shall perform quality control as follows:
 - a. Develop and submit a Process Control plan as part of the MRP (Subsection 106-1.02-5), including testing and frequency, personnel qualifications, equipment descriptions and criteria for corrective actions.
 - b. Sample material during production and perform quality control testing, as needed, to ensure materials produced to Contract Specifications. Document all quality control testing and make the results available to the Engineer within three days of sampling.
 - c. Due to the nature of this work, it is recommended that the Contractor maintain an on-site materials lab and a WAQTC-certified technician to perform process control. If testing will be done off-site, material processing may need to be suspended pending receipt of results.
2. Acceptance Testing. The Department reserves the right to conduct its own testing of the acceptability of the materials. This testing will be performed at the Department's expense, and copies of the test results may be furnished to the Contractor upon request. The Engineer may elect, at his discretion, to retest materials that have failed the Department's acceptance testing.
3. Minimum Testing Requirements. Tests shall be performed at minimum according to Table 106-1 below. Failing test results not in substantial conformance may be the basis of the Engineer's rejection of the represented material, and no payment will be made for unacceptable material, as outlined in Subsection 105-1.03. The Contractor shall produce and test additional material until the Contract quantity has been fully accepted and completed. Failing test results shall not be a basis for any time extension or modification to Contract requirements.

TABLE 106-1

Item	Test	Test Number	Specifications	Frequency (min.)
Crushed/ Stockpiled Aggregate	Process Control Gradation & Fracture, by Contractor	AASHTO T27/T11	Refer to 703	1/Source, 1/1,000 C.Y.
	Acceptance, by Engineer	AASHTO T27/T11	Refer to 703	1/ Source, 1/10,000 C.Y.

SECTION 107 LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC

107-1.01 LAWS TO BE OBSERVED. The Contractor shall keep fully informed of, observe, and comply with all federal, state, and local laws, ordinances, and regulations, and all orders and decrees of bodies or tribunals having any jurisdiction or authority, that in any manner affect those engaged or employed on the work or which in any way affect the conduct of the work.

The Contractor and the Surety shall defend, indemnify, and hold harmless the State and its representatives against any claim or liability related to violations of any laws, regulations or decrees by the Contractor, the Contractor's agents, the Contractor's employees, a subcontractor at any tier, or a supplier or service provider.

The Contractor has the affirmative duty to keep informed of and comply with all laws. The Contractor is not entitled to and shall not rely on any Department employee's interpretation, whether oral or written, of any law, ordinance, or regulation.

The Contractor is responsible for conspicuously displaying required posters in an area readily accessible to workers.

1. For wholly state-funded projects, display all posters listed on the Department of Labor and Workforce Development website at <http://www.labor.alaska.gov/lss/posters.htm>.
2. On projects using federal funds, display posters required by law or funding agency including posters listed on the FHWA website <http://www.fhwa.dot.gov/programadmin/contracts/poster.cfm>.

107-1.02 PERMITS, LICENSES, AND TAXES. The terms, conditions, and stipulations in permits obtained either by the Department or by the Contractor are made a part of this Contract. Permits obtained by the Department for this project are attached to these Specifications as appendices. Contact names and phone numbers for permits obtained by the Department are shown on the individual permits.

The Department will:

1. Secure permits and licenses that the Department determines are required for the construction of the proposed project, and the use of mandatory sources, designated sources and designated material disposal areas for the proposed project; and
2. Modify Department-acquired permits during the performance of the Contract, if deemed necessary by the Engineer.

The Contractor shall:

1. Acquire any permits and licenses required to complete the project that are not acquired by the Department;
2. Provide qualified professionals to collect data or perform studies necessary to acquire permits for the use of sites not previously permitted;
3. Give all notices required for the prosecution of the work;
4. Abide by all permits and licenses whether acquired by the Department or by the Contractor;
5. Notify the Engineer promptly if any activity cannot be performed as specified in the permits, and cease conducting the activity until permit modifications or any required additional permits are obtained;
6. Obtain modifications to permits acquired by the Contractor; SECTION 107 48 ALASKA 2020
7. Pay all charges, fees and taxes;
8. Provide proof of payment of all taxes before the Department makes final payment; and,
9. Provide the information necessary to comply with the Alaska Department of Environmental Conservation, Alaska Pollutant Discharge Elimination System (APDES) to discharge stormwater from the construction site. Requirements for this permit are given under Section 641, Erosion, Sediment, and Pollution Control.

The provisions of permits acquired by the Contractor, and of notices and information under this section does not shift or create responsibility for compliance with Federal or State law to the Department, or otherwise impose a duty for oversight or review. In addition, before using an area on or off project site not previously permitted for use by the Contract, the Contractor shall:

1. Contact all government agencies having possible or apparent permit authority over that area;
2. Obtain all required permits, clearances, and licenses from those agencies;
3. Obtain permission from any property owners or lessees with an interest in the property; and
4. Provide all of the following to the Engineer:
 - a. All permits or clearances necessary to use the site for its intended purpose(s);
 - b. A written statement that all permits or clearances necessary have been obtained;
 - c. Written evidence that the Contractor has contacted all of the relevant agencies and that no additional permits are required on the part of the Contractor, including at a minimum the name of the agency and staff person contacted, the date contacted, and result of coordination; and
 - d. A plan that identifies how the site will be finally stabilized and protected.

The Engineer may reject a proposed site if the Contractor fails to provide any of the above information or to demonstrate that a proposed site can be finally stabilized to eliminate future adverse impacts on natural resources and the environment.

107-1.03 PATENTED DEVICES, MATERIALS AND PROCESSES. If the Contractor employs any design, device, material, or process covered by patent, trademark, or copyright, the Contractor shall obtain and provide the Engineer with a copy of a suitable legal agreement with the patentee or owner. The Contractor and the Surety shall defend, indemnify, and hold harmless the State and its representatives and any affected third party or political subdivision from any claim, cause of action, and damages for infringement arising from or relating to the Contractor's use of a patented design, device, material, process, trademark, or copyright.

107-1.06 SANITARY, HEALTH, AND SAFETY PROVISIONS. The Contractor shall provide and maintain neat and sanitary accommodations for employees that meet all federal, state and local requirements. The Contractor shall comply with federal, state, and local laws, rules, and regulations concerning construction safety and health standards, including U.S. Mine Safety and Health Administration rules when the project includes pit or quarry operations. The Contractor shall not expose the public to, or require any workers to work under, conditions that are unsanitary, hazardous, or dangerous to health or safety. The Contractor is responsible for ensuring all workers are adequately protected. The Contractor shall have a safety and health management program that complies with AKOSH requirements, and includes:

1. A worksite hazard analysis;
2. A hazard prevention and control plan including personal protective equipment and safe work procedures required for specific tasks;
3. New employee training and periodic worker training regarding safety and health;
4. Regular safety meetings with written documentation of attendance, safety topics discussed, worker safety complaints, and corrective actions taken; and
5. A designated safety officer, employed by the Contractor, who monitors the construction site and is responsible for implementing the safety and health management program.

The Contractor and Surety shall defend, indemnify and hold harmless the State of Alaska from all claims, causes of action and judgments arising from or relating to the Contractor's failure to comply with any applicable federal, state or local safety requirement, regulation or practice, whether or not listed above.

107-1.07 ARCHAEOLOGICAL OR HISTORICAL DISCOVERIES. If the Contractor's operation encounters prehistoric artifacts, burials, remains of dwelling sites, paleontological remains, shell heaps, land or sea mammal bones, tusks or other items potentially of historical significance, the Contractor shall:

1. Immediately cease operations at the site of the find;
2. Immediately notify the Engineer of the find; and
3. Not disturb or remove the finds or perform any further operations at the site until directed by the Engineer.

The Engineer will issue an appropriate Change Order if operations are to be suspended, or extra work is needed to protect the find.

107-1.09 CONSTRUCTION OVER OR ADJACENT TO WATERS. The Contractor shall fully comply with all laws, regulations and permits issued by agencies of the United States and the State of Alaska when working in, over or adjacent to wetlands, tidelands, anadromous fish streams, eagle nests, navigable waters, or coastal waters.

107-1.10 USE OF EXPLOSIVES. The Contractor shall obey all laws, regulations and permits applicable to using, handling, loading, transporting, or storing explosives. When using explosives, the Contractor shall take utmost care not to endanger life, property, new construction, or existing portions of the project and facilities that are to remain in place after the project is complete.

The Contractor shall provide notice to property owners, the traveling public, and utility companies in the vicinity before using explosives. The Contractor shall provide notice to the Federal Aviation Administration when required by law. The Contractor shall notify police and fire authorities in the vicinity before transporting or using explosives. The Contractor shall provide notice sufficiently in advance to enable all potentially affected parties to take whatever steps they may deem necessary to protect themselves and their property from injury or damage.

The Contractor is liable for all property damage, injury, or death resulting from the use of explosives on the project. The Contractor shall indemnify, hold harmless, and defend the State of Alaska from all claims related to the use of explosives on the project, including claims from government agencies alleging that explosives were handled, loaded, transported, used, or stored improperly.

107-1.12 FOREST PROTECTION. The Contractor shall:

1. Comply with all laws and regulations of the United States and the State of Alaska, local governments, or other authorities governing the protection of forests and the carrying out of work within forests;
2. Keep forest areas in an orderly condition;
3. Dispose of all refuse and obtain permits for the construction and maintenance of all construction camps, stores, warehouses, residences, latrines, cesspools, septic tanks, and other structures in accordance with the requirements of the supervising authorities;
4. Take all reasonable precautions to prevent and suppress forest fires;

5. Require workers and subcontractors, both independently and at the request of officials, to do all reasonably within their power to prevent and suppress and to assist in preventing and suppressing forest fires; and
6. Make every possible effort to notify the appropriate forestry agency at the earliest moment of the location and extent of any forest fire.

107-1.13 RESPONSIBILITY FOR DAMAGE CLAIMS. The Contractor shall indemnify, hold harmless, and defend the State of Alaska and its agents and employees from any and all claims or actions for injuries or damages whatsoever sustained by any person or property that arise from or relate to, directly or indirectly, the Contractor's performance of the Contract; however, this provision has no effect if, but only if, the sole proximate cause of the injury or damage is the Department's negligence.

This Contract does not create a third party benefit to the public or any member of the public, nor does it authorize any person or entity not a party to this Contract to maintain a suit based on this Contract or any term or provision of the Contract, whether for personal injuries, property damage, or any other claim or cause of action.

107-1.15 CONTRACTOR'S RESPONSIBILITY FOR WORK. The Contractor shall be responsible for implementing all preventative measures necessary to protect, prevent damage, and repair damage to the work from all causes at no additional cost to the Department. This duty continues from the date construction begins until the date specified in a letter of Substantial Completion or Partial Acceptance of a specific section of the project. Where there is a Partial Acceptance, the duty ends only as to the accepted portion of the work. This duty continues during periods of suspended work, except in specific sections the Department has agreed to maintain.

The Contractor shall rebuild, repair, restore, and make good all losses or damages to any portion of the work including that caused by vandalism, theft, accommodation of public traffic, and weather. The Department will only be responsible for loss or damage due to unforeseeable causes beyond the control of and without the Contractor's fault or negligence, such as Acts of God, the public enemy, and governmental authorities.

In case of suspension of work from any cause, the Contractor shall take such precautions as may be necessary to prevent damage to the work or facilities affected by the work. This will include providing for drainage and erecting any necessary temporary structures, signs, or other facilities and maintaining all living material such as plantings, seedings, and soddings.

107-1.11 PROTECTION AND RESTORATION OF PROPERTY AND LANDSCAPE.

1. Restoring Areas. Areas used by the Contractor, including haul routes, shall be restored to their original condition after the Contractor's operations are completed. The original condition of an area shall be determined as follows: Prior to commencement of operations, the Engineer and the Contractor shall inspect each area and haul route that will be used by the Contractor and take photographs to document their condition. After construction operations are completed, the condition of each area and haul route will be compared to the earlier photographs. Prior to demobilization the Contractor shall repair damages attributed to its operations. The Contractor agrees that all costs associated with repairs shall be subsidiary to other items of work and will not be paid for directly.
2. Material Disposal Sites. Offsite disposal areas may be at locations of the Contractor's choice, provided the Contractor obtains written permission from the land owner for such disposal and a waiver of all claims against the State for any damage to such land which may result therefrom, together with all permits required by law for such disposal. A copy of such permission, waiver of claims, and permits shall be filed with the Engineer before commencing work on private property. The Contractor's selected disposal sites shall also be inspected and approved by the Engineer prior to use of the sites.
3. Property Marks. The Contractor shall:
 - a. Be responsible for and protect from disturbance all land monuments and property marks until the Engineer has approved the witnessing or otherwise referenced their locations; and
 - b. Not move such monuments or marks without the Engineer's approval.
4. Damage to property. The Contractor shall:
 - a. Be responsible for all damage to public or private property resulting from any act, omission, neglect, or misconduct in the manner or method of executing the work;

- b. Be responsible for all damage to public or private property resulting from defective work or materials at any time, before, during, or after project completion; and
 - c. Restore all such damaged property to a condition similar or equal to that existing before the damage occurred, at no additional cost to the Department.
5. Protection of Natural Resources. The Contractor shall:
- a. Conduct work in a manner that minimizes disturbance to and protects natural resources in compliance with all federal, state, and local laws and regulations;
 - b. When working near designated wetlands, as defined by the Corps of Engineers, place no fill, nor operate equipment outside the permitted area;
 - c. When working in or near designated anadromous fish streams, as defined by AS 41.14.840 and AS 41.14.870, place no fill or dredge material, nor operate equipment, within or on the banks of the stream (including fording) except as permitted by a Alaska Department of Fish and Game Fish Habitat Permit issued for the project;
 - d. Upon completion, all disturbed slopes, cuts, and banked material shall be flattened to a slope no steeper than a 2:1 or as specified in the Material Sales Agreement governing use of the site. No vertical cuts or slopes shall remain;
 - e. Existing approaches to material sites and recreational trails shall not be disturbed or obstructed at any time.
6. Hazardous materials. Hazardous materials include but are not limited to petroleum products, oils, solvents, paints, lead based paints, asbestos, and chemicals that are toxic, corrosive, explosive, or flammable. Except as otherwise specified in this Contract, the Contractor shall:
- c. Not excavate, nor use for fill, any material at any site suspected of or found to contain hazardous materials or petroleum fuels;
 - d. Not raze and remove, or dispose of structures that contain asbestos or lead-based paints;
 - e. Not stockpile, nor dispose of, any material at any site suspected of or found to contain hazardous materials or petroleum;
 - f. Report immediately to the Engineer any known or suspected hazardous material discovered, exposed, or released into the air, ground, or water during construction of the project;
 - g. Report any containment, cleanup, or restoration activities anticipated or performed as a result of such release or discovery;
7. Protected areas. The Contractor shall not use land from any park, recreation area, wildlife or waterfowl refuge, or any historical site located inside or outside of the project limits for excess fill disposal, staging activities, equipment or material storage, or for any other purposes unless permitted by the Contract or unless all permits and clearances necessary for such work have been obtained by the Contractor.
8. Solid waste. The Contractor shall remove all debris, trash, and other solid waste from the project site as soon as possible and in accordance with the Alaska Department of Environmental Conservation Solid Waste Program.

107-1.13 RESPONSIBILITY FOR DAMAGE CLAIMS. The Contractor shall indemnify, hold harmless, and defend the State of Alaska and its agents and employees from any and all claims or actions for injuries or damages whatsoever sustained by any person or property that arise from or relate to, directly or indirectly, the Contractor's performance of the Contract; however, this provision has no effect if, but only if, the sole proximate cause of the injury or damage is the Department's negligence.

This Contract does not create a third party benefit to the public or any member of the public, nor does it authorize any person or entity not a party to this Contract to maintain a suit based on this Contract or any term or provision of the Contract, whether for personal injuries, property damage, or any other claim or cause of action.

107-1.15 CONTRACTOR'S RESPONSIBILITY FOR WORK. The Contractor shall be responsible for implementing all preventative measures necessary to protect, prevent damage, and repair damage to the work from all causes at no additional cost to the Department. This duty continues from the date construction begins until the date specified in a letter of Substantial Completion or Partial Acceptance of a specific section of the project. Where there is a Partial Acceptance, the duty ends only as to the accepted portion of the work. This duty continues during periods of suspended work, except in specific sections the Department has agreed to maintain under Subsection 643-3.07. The Contractor shall rebuild, repair, restore, and make good all losses or damages to any portion of the work including that caused by vandalism, theft, accommodation of public traffic, and weather. The Department will only

be responsible for loss or damage due to unforeseeable causes beyond the control of and without the Contractor's fault or negligence, such as Acts of God, the public enemy, and governmental authorities. In case of suspension of work from any cause, the Contractor shall take such precautions as may be necessary to prevent damage to the work or facilities affected by the work. This will include providing for drainage and erecting any necessary temporary structures, signs, or other facilities and maintaining all living material such as plantings, seedings, and soddings.

107-1.17 FURNISHING RIGHT-OF-WAY. The Department will secure all necessary right-of-way or property in advance of construction. Any exceptions will be indicated in the Contract.

107-1.18 PERSONAL LIABILITY OF PUBLIC OFFICIALS. There shall be no liability upon the Engineer and their authorized representatives, either personally or as officials of the state, in carrying out any of the provisions of this Contract, or in exercising any power or authority granted to them by or within the scope of the Contract, it being understood that in all such matters the Engineer and their authorized representatives act solely as agents and representatives of the State. The Contractor shall bring no suit related to or arising under this Contract naming as defendants any State officer, employee or representative in either their personal or official capacities, and shall include a prohibition to that effect in all subcontracts entered into for this Project.

107-1.19 NO WAIVER OF LEGAL RIGHTS. The Department shall not be precluded nor estopped by any measurement, estimate, or certificate made either before or after the completion and acceptance of the work and payment, from showing the true amount and character of the work performed and materials furnished by the Contractor, nor from showing that any measurement, estimate, or certificate is untrue or is incorrectly made, nor that the work or materials do not in fact conform to the Contract.

The Department shall not be precluded nor estopped, notwithstanding any measurement, estimate, or certificate and payment, from recovering from the Contractor or the Contractor's Sureties, or both, such damages as it may sustain by reason of the Contractor's failure to comply with the terms of the Contract.

Neither the acceptance by the Department, or by any representative of the Department, nor any payment for or acceptance of the whole or any part of the work, nor any extension of time, nor any possession taken by the Department, shall operate as a waiver by the Department of any portion of the Contract or of any right of the Department to damages. A waiver by the Department of any breach of the Contract shall not be held to be a waiver of any other subsequent breach.

107-1.20 GRATUITY AND CONFLICT OF INTEREST. The Contractor shall not extend any loan, gratuity, or gift of money of any form whatsoever to any employee of the Department, nor will the Contractor rent or purchase any equipment or materials from any employee of the Department or to the best of the Contractor's knowledge from any agent of any employee of the Department.

SECTION 108 PROSECUTION AND PROGRESS

108-1.03 PROSECUTION AND PROGRESS. The Contractor shall meet with the Engineer or his designee at either the district maintenance and operations station for which the Contract is for (see Subsection 101-1.03 Engineer) or schedule a teleconference with the Engineer 14 days before mobilization to the project site. The Contractor shall submit the following documents to the Engineer at least three working days before the referenced meeting:

1. A progress schedule in a format acceptable to the Engineer, showing the order in which the Contractor proposes to carry out the work and the contemplated dates on which the Contractor and the subcontractor will start and finish each of the salient features of the work, including any scheduled periods of shutdown. The schedule shall indicate the anticipated hours of operation and any anticipated periods of multiple-shift work;
2. A letter designating the Contractor's Project Superintendent, defining that person's responsibility and authority, and providing a specimen signature;
3. A Mining and Reclamation Plan, as outlined in Subsection 106-1.02-5;
4. A SWPPP, if one is required by Subsection 641, and designated field representatives; and
5. A Process Control Plan, as outlined in Subsection 106-1.03-1.

The Contractor shall provide adequate materials, labor and equipment to ensure the completion of the project according to the Plans and Specifications. The work shall be performed as vigorously and as continuously as weather conditions or other interferences may permit. The Contractor shall take into consideration and make due allowances at the Contractor's expense for foreseeable delays and interruptions to the work such as unfavorable weather, frozen ground, equipment breakdowns, shipping delays, quantity overruns, utility work, permit restrictions, and other foreseeable delays and interruptions. The Contractor shall identify these allowances on the progress schedule.

The Contractor shall adjust forces, equipment and work schedules as necessary to ensure completion of the work within the Contract time, and shall notify the Engineer at least 24 hours before resuming suspended operations. Upon a substantial change to the work schedule or when directed by the Engineer, the Contractor shall submit a revised progress schedule in the form required, including a written explanation for each revision made in the schedule or methods of operation.

The Engineer's review or approval of the documents, plans, and schedules provided by the Contractor under this section shall not change the Contract requirements, release the Contractor of the responsibility for successful completion of the work or relieve the Contractor of the duty to comply with applicable laws. The Engineer's review or approval of schedules shall not indicate agreement with any assertions of delay or claims by the Contractor.

It is the Contractor's responsibility to prepare and submit documents that satisfy all applicable contract requirements. By reviewing and approving the Contractor's documents, the Department does not warrant that following the Contractor's documents will result in successful performance of the work. The Department's failure to discover defects in the Contractor's documents, the assumptions upon which they are based or conditions that prevent the Contractor from performing the work as indicated in the documents will not entitle the Contractor to additional compensation or time. If the Contractor becomes aware of any act or occurrence that may form the basis of a claim for additional compensation or an extension of time, it must specifically advise the Engineer of these conditions as soon as possible.

108-1.04 LIMITATION OF OPERATIONS. The Contractor shall not open up work to the detriment of work already started. The Contractor shall minimize interference with traffic within the project. The Contractor shall not stop or otherwise impede traffic outside the project limits without the Engineer's prior written permission. The Engineer may require the Contractor to finish a section of work in progress before starting additional sections if the Engineer determines it is necessary for the convenience of the public or the Department.

108-1.05 CHARACTER OF WORKERS, METHODS, AND EQUIPMENT. The Contractor shall employ sufficient labor and equipment to complete the work required under the Contract and to complete it on time. The Contractor shall ensure that all workers on the project have the skills and experience necessary to properly perform their assigned work. Workers engaged in special work or skilled work shall have sufficient experience in that work and in the operation of the equipment required to properly perform that work.

The Contractor shall comply with any written order by the Engineer to remove workers, who, in the opinion of the Engineer, perform the work in an unskilled manner, who are intemperate or disorderly, create risk of imminent harm for the traveling public, or who fail to perform the work in accordance with the Contract and any and all applicable federal, state, and local laws, rules, regulations, and ordinances. The Contractor shall allow removed workers to return to the project only with the Engineer's written permission. The Engineer may suspend the work if the Contractor fails to furnish suitable and sufficient personnel necessary to perform the work, or fails to remove any worker at the Engineer's order.

The Contractor shall not use prisoner labor on the project.

The Contractor shall use equipment of the appropriate size and mechanical condition to produce the specified quality and quantity of work by the means specified in the Contract, if any, and shall ensure that the equipment does not damage roadways or property. The Contractor shall ensure all equipment, materials, and articles incorporated into the work are new and of the specified quality, unless the Contract specifically permits otherwise. The Contractor shall provide the Engineer with a list of all powered equipment that will be used on the project, showing the make, model, year, capacity, horsepower, and related information. The Contractor shall update this list when equipment is added or removed from the work site, but need not update more frequently than weekly.

When the methods and equipment to be used by the Contractor are not prescribed by the contract, the Contractor is free to use any method, means or equipment that is satisfactory to produce the specified work in conformity with the Contract, except as provided above. At the request of the Engineer, the Contractor shall demonstrate that the method, means and equipment chosen will produce the work specified in the Contract in the time allowed under the Contract. The Contractor shall bear all costs and impacts associated with any means, methods and equipment chosen by the Contractor. No suggestion, statement or observation from the Engineer or other Department representatives shall alter this responsibility.

If the Contract specifies a particular method, means or type of equipment for performance of the work, the Contractor must use that method, means or equipment unless the Contractor first requests, in writing, permission to alter the Contract requirement and receives prior written approval from the Engineer.

108-1.06 CONTRACT TIME, EXTENSION OF CONTRACT TIME AND SUSPENSION OF WORK. Contract time will be specified by completion date. All work at a specified location must be completed by the completion date.

108-1.07 FAILURE TO COMPLETE ON TIME. For each calendar day that the work is not substantially complete after the completion date has passed, the Engineer shall deduct the full daily charge corresponding to the original Contract amount shown in Table 108-1 from the remaining value of the Contract.

If no money is due the Contractor, the Department may recover these sums from the Contractor, the Surety or both. These are Liquidated Damages, and not penalties. These charges shall reimburse the Department for additional expenses incurred due to the Contractor's failure to complete the work within the time specified.

**TABLE 108-1:
DAILY CHARGE FOR LIQUIDATED DAMAGES
FOR EACH CALENDAR DAY OF DELAY**

Original Contract Amount		Daily charge
From More Than:	Up to and Including:	
\$0	\$100,000	\$300
\$100,000	\$500,000	\$550
\$500,000	\$1,000,000	\$750
\$1,000,000	\$2,000,000	\$1,000
\$2,000,000	\$5,000,000	\$1,500
\$5,000,000	----	\$2,500

Permitting the Contractor to continue work after the completion date has passed does not waive the Department's right to collected Liquidated Damages under this section.

SECTION 201 CLEARING AND GRUBBING

201-1.01 DESCRIPTION. Clear, grub, remove, and dispose of all vegetation and debris within designated areas of the project, except such objects as are designated to remain or are to be removed under other sections of these Specifications. Preserve from injury or defacement all vegetation and objects designated to remain. Clearing and grubbing and all associated activities are subsidiary to aggregate production pay items and will not be separately measured for payment. Erosion must be kept to a minimum.

201-3.06 DISPOSAL. Dispose of all vegetation and debris removed by clearing or grubbing by incorporation into the vegetative buffer or other approved method. Saleable timber remains the property of the site landowner and may be sold only with written approval from the Engineer.

SECTION 305 STOCKPILED MATERIALS

305-1.01 DESCRIPTION. Produce and stockpile the specified material at the designated stockpile locations shown in Subsection 104-1.01.

305-2.01 MATERIALS. Meet the materials requirements of Section 611 and Section 703.

305-3.01 CONSTRUCTION REQUIREMENTS. Clear and grub the stockpile sites and dispose of all trees, stumps, brush and debris in accordance with the approved Mining and Reclamation Plan. Make the floor of each stockpile site flat and uniform in cross-section, compacted and well-drained. Construct the stockpiles to occupy the smallest feasible areas.

Avoid contamination and segregation of the various sizes of aggregate in each stockpile. Do not push up stockpiled material with a track-type dozer; only rubber-tired vehicles are allowed on the stockpile. Make the completed stockpiles neat and generally tent shaped in form with a single ridge. Stockpiles shall be relatively compact as the stockpile area allows, with side slopes between 1:1 and 2:1.

When using a radial stacker, material must be stockpiled in lifts not greater than 4 feet in thickness to minimize segregation. A static conveyor may not be used for stockpiling. The Engineer may require the Contractor to demonstrate that a finished stockpile is not segregated prior to final acceptance, at the Contractor's expense. If material has noticeably segregated, the Contractor is responsible for any and all corrective actions necessary for it to meet applicable specifications.

The Contractor, in the presence of the Engineer or designee, shall verify material site boundaries and work areas as demarcated on the approved mining and reclamation plan prior to commencement of work. All expenses required for above work to produce the materials specified in this Contract shall be subsidiary to other items of work.

305-4.01 METHOD OF MEASUREMENT. Stockpiled quantities shall be measured at the direction of the Engineer, by one of the following methods:

1. Average End Area, by the Engineer;
2. Three-Dimensional, by the Engineer;
3. Weight, by the Contractor, with a complete series of scale tickets from a certified and calibrated scale, and using a weight-to-volume ratio approved by the Engineer;
4. The Engineer, at his sole discretion, may require the Contractor to conduct a final measurement under the supervision of a registered Professional Land Surveyor, at no additional cost to the Department. A stamped and signed volume report will be required, along with a description of the method used.

No allowance will be made for settlement, swell or shrinkage. If the Contractor chooses to demobilize off of the project site prior to final measurements being taken by the Department the Contractor is responsible for assuring that the quantity and quality of material produced meets those required by the Contract.

305-5.01 BASIS OF PAYMENT. All work involved in preparing the stockpile site is subsidiary.

Payment will be made under:

Pay Item	Location	Item Description	Quantity (CY)
1	Denali Highway mile 42	Crushed Aggregate, D-1, modified	10,000
2	Denali Highway mile 55.5	Crushed Aggregate, D-1, modified	5,000
3	Denali Highway mile 65	Crushed Aggregate, D-1, modified	2,500
4	Edgerton Highway mile 23.8	Crushed Aggregate, D-1, modified	10,000
5	Richardson Highway mile 74	Crushed Aggregate, D-1, modified	10,000

SECTION 641

EROSION, SEDIMENT, AND POLLUTION CONTROL

641-1.01 DESCRIPTION. This Project is not anticipated to require a SWPPP, as all work in the material site(s) should be planned so that no runoff may discharge to Waters of the U.S. Appropriate Best Management Practices (BMPs) should be employed to ensure that no discharge is possible. In the event that runoff discharges occur, the Contractor shall take immediate action to stop them, and shall notify the Engineer. In the event that runoff cannot be prevented from leaving the site, the Engineer may require the Contractor to design

and implement a SWPPP under the Alaska Construction General Permit. All work necessary in this section is subsidiary to the production of aggregate.

SECTION 703 AGGREGATES

703-2.03 AGGREGATE FOR BASE AND SURFACE COURSE. Crushed stone or crushed gravel, consisting of sound, tough, durable pebbles or rock fragments of uniform quality; free from clay balls, vegetable matter or other deleterious matters. Meet the following requirements:

TABLE 703-1

PROPERTY	THRESHOLD	TEST METHOD
L.A. Wear	45% max	AASHTO T96
Degradation Value	45 min	ATM 313
Fracture %	70% min	ATM 305
Liquid Limit	35 max	ATM 204
Plastic Index	10 max	ATM 205
Sodium Sulfate Loss	9 max (5 cycle)	AASHTO T104

Meet the following gradation(s), as determined by AASHTO T27/T11:

TABLE 703-2

Pay Item No.	All
	Percent Passing by Weight
Sieve	D-1 Modified
1.5 in.	
1 in.	
3/4 in.	100
1/2 in.	63 – 89
3/8 in.	54 – 76
No. 4	36 – 56
No. 8	18 – 38
No. 16	12 – 30
No. 50	4 – 18
No. 200	3 – 8

Bid Schedule - ITB 2522N022
Crushed Aggregate, Tazlina Area

<u>Pay Item</u>	<u>Quantity</u>	<u>Unit of Measure</u>	<u>Description</u>	<u>Required By Date</u>	<u>Unit Price</u>	<u>Extended Price</u>	<u>Completion Date</u>
1	10,000	CUYD	Crushed Aggregate, D-1, modified, stockpiled. Denali Highway MP 42	7/31/2022	\$	\$	
2	5,000	CUYD	Crushed Aggregate, D-1, modified, stockpiled. Denali Highway MP 55.5	8/15/2022	\$	\$	
3	2,500	CUYD	Crushed Aggregate, D-1, modified, stockpiled. Denali Highway MP 65	8/20/2022	\$	\$	
4	10,000	CUYD	Crushed Aggregate, D-1, modified, stockpiled. Edgerton Highway MP 23.8	6/30/2022	\$	\$	
5	10,000	CUYD	Crushed Aggregate, D-1, modified, stockpiled. Richardson Highway MP 74	6/15/2022	\$	\$	
				Total All Items		\$	

Company Name:	
Company Address	
Contact Person:	
Email:	
Phone Number	

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE **INSPECTION REPORT**

Federal Project No. STP-000S(823)
AKSAS Project No. 76149

DENALI HIGHWAY

MS 52-1-079-5
Maclaren River Site

June 19, 2013


<u>CONTENTS</u>	<u>PAGE</u>
COVER SHEET.....	1
LOCATION MAP	2
SITE MAP	3A & 3B
INSPECTION FORM.....	4 thru 10

CATEGORY:

ACTIVE – OPEN

There was no information found in the DOT&PF EDMS system in January 2009. According to BLM and DNR case file abstracts, this site lies on State of Alaska lands managed by DOT&PF. DOT&PF acquired this site under the 1959 Omnibus Act as an administrative site (OSL 224). BLM issued a quick claim deed (F-29349) to DOT&PF for this site in 1960. The site is legally described as Lot 3 USS 4242 containing 6.47 acres. The site adjoins the Denali Highway right-of-way and there is one access road into the pit. The site appears to contain significant quantities of sand and gravel and should be retained by DOT&PF for future use. A MSB conditional land use permit may be required prior to mining the site.

LOCATION MAP



U.S.G.S. QUADRANGLE: MT HAYES (A-5) & (A-6)

GPS COORDINATES FROM GOOGLE EARTH

UTM (WGS84-METERS)
 ZONE 6: N6,999,130 E523,698
 AK STATE PLANE (NAD83-US SURVEY FT)
 ZONE 3: N3,333,118 E1,552,645

ACTIVE - OPEN


GRAPHIC SCALE IN MILES

BASE MAP CREATED WITH TERRAIN NAVIGATOR PRO

Prepared By:
 R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 52-1-079-5			
SCALE AS SHOWN	DESIGNED P.K.H. CHECKED C.H.R.	DRAWN P.K.H. DATE SEPT 2013	PAGE 2

SITE MAP



BASE MAP IS SEPTEMBER 4, 1980 AERIAL PHOTOGRAPHY. THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

NOTE: THE SITE HAS BEEN WORKED EXTENSIVELY SINCE THE PHOTO WAS TAKEN IN 1980.


ACTIVE - OPEN



Prepared By:
R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 52-1-079-5			
SCALE AS SHOWN	DESIGNED P.K.H. CHECKED C.H.R.	DRAWN P.K.H. DATE JUNE 2013	PAGE 3A

SITE MAP



BASE MAP IS SEPTEMBER 4, 1980 AERIAL PHOTOGRAPHY. THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

NOTE: THE SITE HAS BEEN WORKED EXTENSIVELY SINCE THE PHOTO WAS TAKEN IN 1980.

ACTIVE - OPEN



GRAPHIC SCALE IN FEET

Prepared By:
R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 52-1-079-5			
SCALE AS SHOWN	DESIGNED P.K.H. CHECKED C.H.R.	DRAWN P.K.H. DATE JUNE 2013	PAGE 3B

STATEWIDE MATERIAL SITE INVENTORY MATERIAL SITE INSPECTION FORM

THIS REPORT IS BASED ON A REVIEW OF EXISTING DATA AND BRIEF FIELD INSPECTIONS. THUS THE DATA CONTAINED HEREIN SHOULD BE CONSIDERED PRELIMINARY AND USED FOR PLANNING PURPOSES ONLY. USERS OF THIS DATA SHOULD VERIFY THE INFORMATION PRIOR TO USING IT FOR DESIGN OR CONSTRUCTION PURPOSES.

**IF OTHER IS SELECTED FOR A SECTION, EXPLAIN IT IN SECTION 44. NOTES.
IF AN ANSWER IS UNKNOWN SELECT "UNKNOWN" OR LEAVE BLANK**

1. **MS_ID** 52-1-079-5
Enter the full material site number e.g.. 31-3-045-2
2. **DATE_INSPECT** 8/2/2013
Date of field inspection
3. **FLD_INSPEC_ORG** ABE SCHMIDT / R&M CONSULTANTS
Name of inspector / Organization or Company

4. **REGION** NORTHERN
5. **LOCATION** DENALI HIGHWAY
Name of Highway Enter Name of Facility or Secondary Route Name (i.e. Kotzebue Airport, Nash Road, etc.)
6. **MILEPOST** 42
List the closest main highway milepost
7. **NAME** Maclaren River Site
Enter commonly used name (s), e.g. Hess pit, Gobblers Knob, Midway. List all that apply separated by commas.
8. **MAINT_DIST/STAT** District TAZLINA Station PAXSON
Highway Maintenance District and Station, for locations not on highways select other.
9. **QUAD** MT HAYES A-6
U.S.G.S. Quad. Map
10. **TOWNSHIP/RANGE** T#S R#E T21S R6E & Meridian FM
Section 2
11. **COOR_UTM** ZONE 6
NORTHING 6,999,130
EASTING 523,698
UTM WGS84 - Meters
12. **COOR_STATE_PLANE** ZONE 3
NORTHING 3,333,118
EASTING 1,552,645
Alaska State Plane NAD83 - Survey Feet
13. **BOROUGH/CITY** MAT-SU BOROUGH **TAX ID NO.** NA
14. **DNR_LAND_USE_PLAN** SUSITNA AREA PLAN

15. **CATEGORY** (To be filled in the office)
- 15a. **CLASSIFICATION** ACTIVE
- 15b. **STATUS** OPEN

STATEWIDE MATERIAL SITE INVENTORY MATERIAL SITE INSPECTION FORM

16. **POTENTIAL_STATUS** SIGNIFICANT

Estimated quantity of material in the site at the time of inspection.

NONE	There appeared to be no useable material in the site.
LIMITED	There appeared to be less than 25,000 c.y. available within the developed site.
SIGNIFICANT	There appeared to be greater than 25,000 c.y. available within the developed site.
EXPANDABLE	There was limited material within the developed site, but there appeared to be significant material outside existing site limits.
UNDEVELOPED	The pit has not been mined/explored (used only for proposed sites).
CLOSED	There may be useable material left in the pit but it is not available.
UNKNOWN	
OTHER	The site does not fit any of the categories above. Explain in Section 44, Notes.

17. **PRESENT_USERS**

17a. **PRESENT_USER_1** DOT&PF MAINTENANCE

17b. **PRESENT_USER_2** _____

17c. **PRESENT_USER_3** _____

18. **PERMITTED_ACREAGE** 6.5

Area within site permit or R.O.W. boundaries, from permit application or property plat.

19. **DEVELOPED_ACREAGE** 3.1

Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below.

Area includes an existing pit, excluding spoil berms and an access road lying outside of the pit.

20. **ACREAGE_COMP_METHOD** FROM MAP/PHOTO

Method used to determine developed acreage.

21. **EST_QUAN_AVAIL** 36,000 ROUGH ESTIMATE

Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area.

Explain computation assumptions and calculations below.

Area	Developed Area	Undeveloped Area	Other Area
Acres	<u>3.1</u>	<u>2.0</u>	_____
Est. Depth (ft.)	<u>5</u>	<u>8</u>	_____
Factor (b.c.y. / acre-foot)	<u>1,000</u>	<u>1,000</u>	<u>1,000</u>
Est. Quant. (c.y.)	<u>16,000</u>	<u>16,000</u>	_____

Estimated quantity assumes the existing pit can be worked an additional 5 ft. in depth. It also assumes that the undeveloped portion of the site can be worked to an average depth of 10 ft., including an average overburden depth of 2 ft.

STATEWIDE MATERIAL SITE INVENTORY MATERIAL SITE INSPECTION FORM

22. ACCESS_TYPEEXISTING ROAD / OPEN

NONE

No access road has been built.

EXISTING ROAD / OPEN

Drivable. May have gate.

EXISTING ROAD / REVEG

Can be reopened with little effort.

EXISTING ROAD / CLOSED W/BERMS

Can be reopened with little effort.

EXISTING ACCESS / REMOVED

Can be reopened with much effort.

SNOW ROAD

Can only be accessed during winter.

ICE ROAD

Requires crossing river or lake ice in the winter.

BARGE

Material can only be moved by barge.

OTHER

The site does not fit any of the categories above. Describe in Section 44, Notes.

23. ACCESS_LENGTH50

Approx. length from edge of pit to highway/secondary route (ft.)

24. VEGETATION

Vegetation on the site consisted of willow and dwarf birch up to 10 ft. in height. Smaller shrubs comprised the understory. The site is adjacent to a floodplain and the corresponding riparian ecosystem and vegetation.

25. TYPE_1BORROW PIT**26. TYPE_2**

Dominant type

Subordinate type

General Types of Materials Available

Enter data in Type_2 only if two types of material site available

QUARRY

Bedrock sources requiring blasting

BORROW PIT

Soils or soft bedrock (rippable), above water table

BAILING

Requires production below the water table

RIVER BAR

Sand/gravel bars in active channels

27. OB_CLASS_1<3 FT.**28. OB_CLASS_2**<3 FT.

New Site or expansion Area

Existing Pit (Spoil)

A site may have both. Data should be based on actual subsurface exploration, otherwise unknown.

Estimated average depth over the area.

NONE

3 TO 6 FT.

UNKNOWN

<3 FT.

>6 FT.

OTHER

29. OB_TYPE_1SILT**30. OB_TYPE_2**SPOIL

New Site or expansion Area

Existing Pit (Spoil)

A site may have both.

SILT

PEAT

SOLID WASTE

OTHER

COLLUVIUM

SPOIL

UNKNOWN

STATEWIDE MATERIAL SITE INVENTORY MATERIAL SITE INSPECTION FORM

31. MAT_TYPE_1 Dominant type	FLUVIAL	32. MAT_TYPE_2 Subordinate type
BEDROCK WEATHER. BEDROCK FLUVIAL GLACIAL COLLUVIAL EOLIAN SILT	Bedrock sources requiring blasting Bedrock sources requiring ripping Water deposited sand and gravel, includes glaciofluvial Glacial till Talus slopes, etc. Sand Dunes, etc. Silt deposits, loess, fluvial, etc.	

33. PERMAFROST_1 New Site or Expansion Area	UNKNOWN
34. PERMAFROST_2 Existing Site DETECTED IN MOST TEST HOLES DETECTED IN SOME TEST HOLES DETECTED IN IMMEDIATE VICINITY DETECTED IN NO TEST HOLES DATA OUTDATED UNKNOWN OTHER	UNKNOWN

35. GROUNDWATER	The depth to groundwater underlying the pit is unknown. Depth to groundwater may correspond with the river level/ change in the river level. River level was observed at approximately 7 to 12 ft. below the current pit floor.
------------------------	--

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION FORM

36. LITHOLOGY_1**FLUVIAL****37. LITHOLOGY_2**

Dominant type

Subordinate type

IGNEOUS ROCK

Undifferentiated Igneous Rocks

GRANITIC

Granite/Monzonite/Granodiorite

DIORITE/GABBRO

Diorite/Gabbro

BASALT

Dark colored fine-grained Igneous Rocks

GREENSTONE

Altered Volcanic Rocks w/green tint

METAMORPHIC ROCK

Undifferentiated Metamorphic Rocks

SCHIST/PHYLLITE

Includes rocks ranging from slate to schist

GNEISS

Includes hard schistose rocks

MARBLE

CATACLASTIC

Incl. Valdez Formation Rocks, Kenai Penn.

MÉLANGE

Incl. McHugh Formation Rocks, Kenai Penn.

SEDIMENTARY ROCK

Undifferentiated Sedimentary Rocks

CONGLOMERATE

SANDSTONE

Includes greywacke, etc.

SHALE/MUDSTONE

LIMESTONE

FLUVIAL

River and stream deposits (floodplain), includes outwash.

ALLUVIAL

Alluvial / Debris Fan deposits

GLACIOFLUVIAL

Eskers, kames, etc.

GLACIAL

Till

COLLUVIAL

Talus, etc.

EOLIAN

Sand Dunes, etc.

SILT

Loess, fluvial silts, etc.

OTHER

Explain in Section 44.

38. MATERIAL_CLASSIFICATION

ASTM Classification, generally they should range from coarse to fine.

38a. GP

38c. _____

38e. _____

38g. _____

38b. SP

38d. _____

38f. _____

38h. _____

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION FORM

39. COBBLES AND BOULDERS

Test Boring Callout / ASTM Classification, either a. or b. and c. not both (Can use ranges i.e. 0 to 20)

39a.	CONTAINS		
39b.	Est. % by VOL.	0 to 25	(Est. From Visual Observations)
39c.	MAX. SIZE (in.)	24	(Observed Size)

40. AGG TEST RESULTS

Year of test or report- Test result / Year of test or report- Test Results

40a. SG APP COARSE	1974- 2.93
40b. SG APP FINE	1974- 2.81
40c. ABSORPTION CRSE	
40d. ABSORPTION FINE	
40e. NORDIC ABRASION	
40f. L.A. ABRASION	1974- 15
40g. DEGRADATION (T-13)	1974- 66
40h. NASO4 LOSS COARSE	1974- 0.6
40i. NASO4 LOSS FINE	1974- 1.1

41. POTENTIAL_USABILITY**TYPES A AND B MATERIAL AVAILABLE**

Best known potential use of the material, based on records, exploration and laboratory data.

CONCRETE AGGREGATE PRODUCED	The site has produced concrete aggregate
PAVING AGGREGATE PRODUCED	The site has produced paving aggregate
CRUSHED PRODUCTS PRODUCED	Base, Surface Coarse, Subbase, etc. has been produced.
TYPE A AND B MATERIAL AVAILABLE	0 to 10 percent passing 200
TYPE C AVAILABLE	Compactable material
TYPE C NOT AVAILABLE	Uncompactable material (Lower Kuskokwim and Yukon River, etc.)
UNKNOWN	
OTHER	Explain in Section 44.

42. SPECIAL_PROBLEMS

Special problems encountered or anticipated with use of the material, based on records, exploration and laboratory data.

ORGANIC CONTENT	The material is very difficult to compact.
HIGHLY WEATHERED GRAVEL	The gravel is highly weathered and may break down when handled.
BREAKS DOWN UNDER USE	Material breaks down on grade.
SENSITIVE TO WATER CONTENT	Material is sensitive to water content, i.e.. some glacial tills, soft bedrock.
VARIABLE MATERIAL	Deposit contains mixture of suitable and unsuitable material.
POSSIBLE CONTAMINATION	Site may be contaminated by petroleum products or hazardous materials.
CONTAINS ASBESTOS	Site contains naturally occurring asbestos.
POTENTIAL ASBESTOS	Site in area where naturally occurring asbestos is mapped.
ACID ROCK DRAINAGE	Site contains rock susceptible to producing acid rock drainage.
OTHER	Explain in Section 44, Notes.

**STATEWIDE MATERIAL SITE INVENTORY
MATERIAL SITE INSPECTION FORM****43. RIPRAP****NOT POSSIBLE**

Class II or larger. Does not include production for erosion control riprap for ditches or culverts.

PREVIOUS PRODUCTION

There is a record of production.

POSSIBLE FURTHER INVESTIGATION NEEDED

The site is a bedrock quarry containing hard rock

NOT POSSIBLE

The site has soft rock or soil.

UNKNOWN

OTHER

Explain in Section 44, Notes.

44. NOTES

Note number of item being discussed.

30. Minor concrete and metal scrap on site.

Wilson, Kahlil A (DOT)

From: Susan Lee <Susan.Lee@matsugov.us>
Sent: Wednesday, August 13, 2014 11:58 AM
To: Wilson, Kahlil A (DOT)
Cc: Bohner, Christina M (DNR)
Subject: RE: MS 52-1-034-5, ADL 231676, MP 56 Denali Hwy

Kahlil:

Based on the information you provided, a MSB earth materials extraction permit for using the material site at MP 56 Denali Highway will not be required. According to the Material Sale Contract filed with the Division of Mining, Land & Water, this material site is approximately 34 acres in size located within Township 22 South, Range 5 East, Section 6, Fairbanks Meridian. MSB 17.30.020(A) states *"This chapter shall not apply to earth material extraction activities on land owned by the state of Alaska that are in existence as of the date of adoption of the ordinance codified in this chapter except for such operations that extract materials within four feet of the water table. Where a site is exempt under this subsection the exemption is revoked if operations proceed to within four feet of the water table"*.

Should you have any questions or require additional information please let me know.

Susan

Susan Lee
Planner II
Matanuska-Susitna Borough
907-861-7862 (Direct Line)
907-861-7876 (FAX)
PLEASE NOTE NEW DIRECT LINE PHONE NUMBER

From: Wilson, Kahlil A (DOT) [<mailto:kahlil.wilson@alaska.gov>]
Sent: Wednesday, July 30, 2014 3:41 PM
To: Susan Lee
Subject: MS 52-1-034-5, ADL 231676, MP 56 Denali Hwy

Hello Susan,

DOT received a BLM Material Site Permit , F-025135, for MS 52-1-034-5 MP 56 Denali Highway which was recorded 3/23/1963 (see attached). The site has been used since that date for the construction and maintenance of the Denali highway. We received a Material Sale Contract from DNR in May 2014. Although the boundaries of site were reconfigured for the DNR Contract, all of the acreage included in our application had been disturbed for material extraction related to the development of the federal permitted site over the last 50 years. I wanted to verify with your office that DOT does not need a permit from MSB for this site.

Thanks for your time.

Kahlil Wilson
ROW Agent
DOT&PF
2301 Peger Road
Fairbanks, AK 99709

STATE OF ALASKA
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF MINING, LAND & WATER
Southcentral Region
550 W. 7th, Suite 900C
Anchorage, Alaska 99501-3577

NEGOTIATED MATERIAL SALE CONTRACT
ADOT Material Sale ADL 231676
MS 521-034-5
MP 56 Denali Highway
Expires May 31, 2024

Under AS 38.05.550-38.05.565 (Disposal of Materials) AS 38.05.125 and AS 38.05.810(a) and the regulations implementing these statutes, the State of Alaska, Department of Natural Resources, the seller, whose address is 550 W. 7th Avenue, Suite 900C, Anchorage, AK 99501-3577, agrees to sell, and the State of Alaska, Department of Transportation and Public Facilities (DOT&PF), the buyer, whose address is 2301 Peger Road Fairbanks Alaska 99709, agrees to buy, the material designated in this contract, subject to the provisions which follow:

1. Description: Location, Material, Quantity, and Price.

(a) The material sale area covered by this contract contains approximately 34 acres within Township 22 South Range 5 East Section 6: that portion of the N1/2NW1/4 lying south of the Denali Highway and north of Oscar Creek, Fairbanks Meridian. **(ADNR MATERIAL SITE ADL 231680)** for the removal of materials. The area is further designated by the boundaries shown on the attached sale area map, which is made part of this contract, or as designated on the ground by the seller.

(b) The material to be removed and the price are:

Kind of Material	No. Of Units	Unit Price	Total Price
Gravel	up to 500,000 cy	\$.50/cubic yard	See 2(a) below

2. Payments and Deposits. No part of the materials sold under this contract may be extracted from the sale area by the buyer except in accordance with the following terms:

(a) In accordance with Director's Policy File 93-06, Fee Schedule Section (17), Material Sales for Public Projects, Sale of materials to be used in constructing, reconstructing or maintaining a public project:

(1) for the first 5,000 cubic yards of material to be removed there will be no charge; for maintenance on an ongoing basis, a project is considered to last one year.

(2) for each cubic yard of material beyond 5,000 cubic yards, the base fee listed in the annual base price schedule under 11 AAC 71.090 will be charged. For the fiscal years 2014, the base price has been set at \$0.50 per cubic yard.

MP 56 Denali Hwy Material Sale
ADL 231676
Page 2 of 11

(b) Payment becomes due and payable on **December 31 of each subsequent year this contract is in effect**, without prior notice to the buyer, for the value of material extracted as of that date. The payment must be based on records required in paragraph 3 of this contract and must be submitted to the seller no later than the fifth working day following the date the installment is due.

(c) A final accounting and payment for material removed must be made no later than 30 days following contract completion or termination of the contract by the seller or by operation of law. The Director of the Division of Mining, Land and Water will decide whether completion is satisfactory within 30 days after receiving the final accounting report.

(d) If the buyer fails to make a payment provided for in this contract, the seller may, under paragraph 8(b) of this contract, order all material extraction suspended immediately. Materials extracted by the buyer during any period of suspension are considered taken in trespass and are to be charged to and paid for by the buyer at triple the unit contract price. Resumption of the lawful taking of material may be authorized, in writing, by the Division of Mining, Land and Water only after the payments in arrears plus the penalty provided for in paragraph 2(f) have been made.

(e) A late-payment penalty equal to one and one-half percent of the amount due will be assessed for each month, or portion thereof, of any period a payment is delinquent.

(f) All payments and deposits must be remitted to the Division of Mining, Land and Water, Southcentral Region Office, 550 W. 7th Avenue, Suite 900c, Anchorage, AK 99501-3577 and must be made payable to the Alaska Department of Revenue.

(g) Special Provisions. The following special provisions also apply to payments and deposits under this contract: **N/A.**

3. Method of Volume Determination.

(a) Use records will be due to the Division of Mining, Land and Water, Southcentral Region Office, 550 W. 7th Avenue, Suite 900C, Anchorage, AK 99501-3577, with the final use records due 30 days following contract completion.

(b) The buyer shall keep accurate and up-to-date records of all materials extracted. These records are subject to verification by check measure and inspection of the buyer's books by the seller at any time without notice.

(c) Special Provisions. The following special provisions also apply to volume determinations under this contract: **N/A.**

4. Operating Requirements.

(a) Boundary Lines and Survey Monuments. No boundary mark of the sale area nor any survey line or witness tree for any survey corner or monument, may be severed or removed, nor may any survey corner or monument be damaged or destroyed. Any violation of this clause requires the buyer to bear the expense of re-establishing the line, corner, or monument by a registered surveyor in a manner approved by the seller.

(b) Standard of Operations. The buyer shall properly locate himself and his improvements within the sale area, and may not commit waste, whether ameliorated or otherwise. In addition to complying with all laws, regulations, ordinances, and orders, the buyer shall maintain the land in a reasonably neat and clean condition, and shall take all prudent precautions to prevent or suppress grass, brush, or forest fires, and to prevent erosion or destruction of the land.

(c) Erosion Control and Protection of Waters. Road construction or operations in connection with this contract must be conducted so as to avoid damage to streams, lakes, or other water areas and land adjacent to them. Vegetation and materials may not be deposited into any stream or other water area. Locations and improvements necessary for stream crossings for haul roads must be approved in advance by the seller. All roads to be abandoned must be treated with measures necessary to prevent erosion in a manner acceptable to the seller. Any damage resulting from failure to perform these requirements must be repaired by the buyer to the satisfaction of the seller. This includes waters defined in 5 AAC 95.010 - 5 AAC 95.050, Protection of Fish and Game Habitat.

(d) Fire Protection. The buyer shall take all necessary precautions for the prevention of wild fires and is responsible for the suppression, and must bear the suppression costs, of all destructive or uncontrolled fires occurring in or outside the sale area resulting from any of the buyer's operations under this contract. The buyer shall comply with all laws, regulations, and ordinances promulgated by all governmental agencies responsible for fire protection in the area.

(e) Roads. Before constructing any mainhaul, secondary, or spur road across state land, the buyer shall obtain written approval of the proposed location and construction standards of the road from the seller.

(f) Supervision. The buyer shall maintain adequate supervision at all times when operations are in progress to insure that the provisions of this contract and all applicable federal, state, and local laws, regulations, and operations are in progress, the buyer or a person authorized by him to assume the responsibilities imposed by this contract, shall be present on the sale area.

(g) Agents. The provisions of this contract apply with equal force upon an agent, employee, or contractor designated by the buyer to perform any of the operations relating to extraction of the materials sold under this contract. The buyer is liable for noncompliance caused by any such agent, employee, or contractor.

(h) Location. The buyer is responsible for the accurate location of operations under this contract, including any survey that may be necessary for accurate location unless otherwise specified in this contract.

(i) Access. The seller makes no representations that it will construct or maintain access to the land. Access over any route not under the seller's control is the responsibility of the buyer. The buyer agrees that any permanent access or right-of-way obtained over privately owned property will provide a permanent easement to the seller.

5. Indemnity of Seller and Bonding. N/A

(a) The buyer shall indemnify and hold the seller harmless from:

1. all claims and demands for loss or damage, including property damage, personal injury, wrongful death, and wage or employment claims, arising out of or in connection with the use or occupancy of the land or operations by the buyer or his successors, or at his invitation; and
2. any accident or fire on the land; and
3. any nuisance on the land; and
4. any failure of the buyer to keep the land in a safe and lawful condition consistent with applicable laws, regulations, ordinances, or orders; and
5. any assignment, sublease, or conveyance, attempted or successful, by the buyer which is contrary to the provisions of this contract.

The buyer will keep all goods, materials, furniture, fixtures, equipment, machinery, and other property on the land at his sole risk, and will hold the seller harmless from any claim of loss or damage to them by any cause.

(b) The buyer will be required to file a bond to insure the buyer's performance and to help protect the seller against any liability that may arise as a result of the activities of the buyer. The bond will also be applicable to the development/reclamation plan submitted to the state. A bond acceptable to the seller in the amount of \$ N/A must be filed with the seller at the time of execution of this contract to insure the buyer's performance and financial responsibility.

6. Improvements and Occupancy.

(a) Any improvements or facilities including crushers, mixing plants, buildings, bridges, roads, etc., constructed by the buyer in connection with this sale and within the sale area must be in accordance with plans approved by the seller.

(b) The buyer must, within 60 days after contract completion or termination of the contract by the seller or by operation of law, remove his equipment and other personal property from the sale area. After removal, the buyer must leave the land in a safe and clean condition, which is acceptable to the seller. If the buyer can demonstrate undue hardship, the time for removal of the improvements under this paragraph may be extended at the seller's discretion.

(c) If any of the buyer's property having an appraised value in excess of \$10,000, as determined by the seller, is not removed within the time allowed, that property may, upon 30 days notice to the buyer, be sold at public auction under the direction of the seller. The proceeds of the sale will inure to the buyer after satisfaction of the expense of the sale and deduction of all amounts then owed to the seller. If there are no other bidders at the sale, the seller may bid on the property, and the seller will acquire all rights, both legal and equitable, which any other purchaser could acquire through a sale and purchase.

(d) If any of the buyer's property having an appraised value of \$10,000 or less, as determined by the seller, is not removed within the time allowed, title to that property automatically vests in the seller.

MP 56 Denali Hwy Material Sale
ADL 231676
Page 5 of 11

(e) Special Provisions. The following special provisions also apply to improvements and occupancy under this contract: **N/A**

7. Inspection.

(a) The seller must be accorded access, at all times, to the sale area and to the books and records of the buyer, his contractors, and any subcontractors relating to operations under this contract for purposes of inspection to assure the faithful performance of the provisions of this contract and other lawful requirements.

(b) At all times when construction or operations are in progress, the buyer shall have a representative readily available to the area of operations who is authorized to receive, on behalf of the buyer, any notices and instructions given by the seller in regard to performance under this contract, and to take appropriate action as is required by this contract.

8. Termination and Suspension.

(a) The seller may terminate the buyer's rights under this contract if the buyer breaches the contract and fails to correct this breach within 30 days after written notice of the breach is served upon the buyer.

(b) If the buyer fails to comply with any of the provisions of this contract, the seller may shut down the buyer's operations upon issuance of written notice, until corrective action, as specified by the seller in its notice, is taken. If this corrective action is not taken within 30 days after written notice is served upon the buyer, the seller may terminate the contract under paragraph 8(a) of this contract. The buyer's failure to take immediate corrective action when ordered to remedy dangerous conditions or unwarranted damage to natural resources may be corrected by the seller to prevent danger or additional damage. Any cost incurred by the seller as a result of this corrective action, or by the buyer's failure to take corrective action, must be paid by the buyer.

(c) This contract may also be terminated by mutual agreement of both parties on terms agreed to in writing by both parties.

9. Reservations. The seller reserves the right to permit other compatible uses, including the sale of materials, on the land in the sale area if the seller determines that those uses will not unduly impair the buyer's operations under this contract. Under AS 38.05.125 the seller further expressly reserves to itself, and its successors, forever,

(a) All oil, gas, coal, ores, minerals, fissionable materials, geothermal resources, and fossils of every kind, which may be in or upon the land described above, or any part of it; and

(b) The right to explore the land for oil, gas, coal, ores, minerals, fissionable materials, geothermal resources, and fossils; and

(c) The right to enter by itself or its agents, attorneys, and servants on the land, or any part of it, at any time for the purpose of opening, developing, drilling, and working mines or wells on this or other land and taking out and removing from it all oil, gas, coal, ores, minerals, fissionable materials, geothermal resources, and fossils; and

- (1) to construct, maintain, and use all buildings, machinery, roads, pipelines, power lines, and railroads;
- (2) to sink shafts, drill wells, and remove soil; and
- (3) to occupy as much of the land as may be necessary or convenient for these purposes; and

10. Inclusion of Application Laws and Regulations. The buyer shall comply with all laws and regulations applicable to operations under this contract, including the Alaska Fire Control Act, the provisions of AS 38.05.110 - 38.05.120, material sale regulations 11 AAC Chapter 71, state fish and game regulations pertaining to the protection of wildlife and wildlife habitat, and state regulations pertaining to safety, sanitation, and the use of explosives. These laws and regulations are, by this reference, made a part of this contract, and a violation of them is cause for termination or suspension of this contract in addition to any penalties prescribed by law. These laws and regulations control if the terms of this contract are in conflict with them in any regard.

12. Permits. Any permits necessary for operations under this contract must be obtained by the buyer before commencing those operations.

14. **Expiration and Extension.** This contract expires **May 31, 2024** unless an extension is granted by the seller in accordance with 11 AAC 71.210 (Material Sale Regulations).

16. Valid Existing Rights. This contract is entered into and made subject to all valid existing rights, including easements, rights-of-way, reservations, or other interests in land, in existence on the date the contract is entered into.

17. Notices. All notices and other writings required or authorized under this contract must be made by certified mail, postage prepaid, to the parties at the following address:

To the Seller: Alaska Department of Natural Resources
Southcentral Region, Division of Mining, Land and Water
550 W. 7th Avenue, Suite 900C
Anchorage, Alaska 99501-3577

MP 56 Denali Hwy Material Sale
ADL 231676
Page 7 of 11

To the Buyer: Alaska Department of Transportation and Public Facilities
2301 Peger Road
Fairbanks AK 99709

18. Integration and Modification. This contract, including all laws and documents which by reference are incorporated in it or made a part of it, contains the entire agreement between the parties.

This contract may not be modified or amended except by a document signed by both parties to this contract. Any amendment or modification which is not in writing, signed by both parties, and notarized is of no legal effect.

19. Severability of Clauses of Sale Contract. If any provision of this contract is adjudged to be invalid, that judgment does not affect the validity of any other provision of this contract, nor does it constitute any cause of action in favor of either party as against the other.

20. Construction. Words in the singular number include the plural, and words in the plural number include the singular.

21. Headings. The headings of the numbered paragraphs in this contract shall not be considered in construing any provision of this contract.

22. "Extracted", "Extraction". In this contract, use of the terms "extracted" and "extraction" encompasses the severance or removal, as well as extraction, by the buyer of any materials covered by this contract.

23. Waiver. No agent, representative or employee of the seller has authority to waive any provision of this contract unless expressly authorized to do so in writing by the director of the Division of Mining, Land and Water.

**ADL 231676 ADOT&PF Contract Special Stipulations
Attachment "B"**

The Material Sale Contract will be subject to the following Special Stipulations:

1. **Extraction Area.** This contract authorizes removal of material only from the area defined in Section 1(a) of this contract. The buyer is responsible for properly locating the material site area and the working limits within that area.
2. **Use of Material.** This contract authorizes the excavation and use of up to **500,000 CY** of material for the express purpose of ***providing material for reconstruction and maintenance of Denali Highway.*** The buyer is required to provide DNR with records of material usage.
3. **Site Operations.** The buyer is responsible for all aspects of material extraction and transport. Any survey stakes or markers that are removed must be replaced at the buyer's expense. The work area will be maintained in a neat, clean condition, free of any solid waste, debris or litter. The disposal of hazardous substances or hydrocarbons is prohibited. After completion, expiration, or termination of the contract, the site will be left in a condition that is acceptable to the seller, and reclaimed in accordance with the approved reclamation plan.
4. **Screening:** Material sites along the Denali Highway should be screened from roads, residential areas, recreational areas and other areas of significant human use. ADNR Material Site ADL 231680 shall have the following screenings: a 100 foot- treed buffer shall be maintained along the Denali Highway right-of-way and the southern boundary which includes a riparian/creek buffer along Oscar Creek. Maintain a 50 foot wide buffer on the east and west boundaries.
5. **Compliance.** All operations of the buyer, including completion, must comply with the contract and with the approved Mining and Reclamation Plan for this material site. The Special Stipulations of the contract take precedence over the approved Mining and Reclamation plan should a contradiction exist. The buyer shall inform and ensure compliance with the provisions of this contract by its agents, employees and contractors, including subcontractors, at any level.
6. **Reclamation.** Upon completion, expiration, or termination of the contract, the site will be left in a condition that is acceptable to the Division of Mining, Land and Water and reclaimed in accordance with the approved Mining and Reclamation plan. Reclamation shall be to the standards of the Division and shall include repair of access roads to and within the site, disposal of remaining stockpiles, other procedures that will be used to stabilize and reclaim the area and any other site specific measures that may be necessary. During the term of the contract, mining activities shall occur as described in the buyer's DNR-approved Mining and Reclamation plan.
7. **Fill.** No construction material, fill, waste asphalt, damaged culverts, pavement planning or any other debris shall be stockpiled, stored or disposed of within pit boundaries. Stockpiled material shall not be placed in wetlands.
8. **Alaska Historic Preservation Act.** The buyer will consult the Alaska Heritage Resources Survey (907) 269-8721 so that known historic, archaeological and paleontological sites may be avoided. The Alaska Historic Preservation Act (AS 41.35.200) prohibits the appropriation, excavation, removal, injury or destruction of any state-owned historic, prehistoric (paleontological) or archaeological site without a permit from the commissioner. Should any sites be discovered during the course of field operations, activities that may damage the site will cease and the Office of History and Archaeology in the Division of Parks and Outdoor Recreation (907) 269-8721 and will be notified immediately. Alaska Statute also prohibits the removal or disturbing of human remains or burial artifacts (AS 11.46.482(3)(B)). If human remains are discovered, immediately contact the Alaska State Troopers and the Office of History and Archaeology.

9. **Vehicle Maintenance.** Vehicle maintenance will be performed only over an effective impermeable barrier.
10. **Fuel and Hazardous Substances.** Secondary containment shall be provided for fuel or hazardous substances.
- a. **Container marking.** All independent fuel and hazardous substance containers shall be marked with the contents and the permittee's or contractor's name using paint or a permanent label.
 - b. **Fuel or hazardous substance transfers.** Secondary containment or a surface liner must be placed under all container or vehicle fuel tank inlet and outlet points, hose connections, and hose ends during fuel or hazardous substance transfers. Appropriate spill response equipment must be on hand during any transfer or handling of fuel or hazardous substances to respond to a spill of up to five gallons. Trained personnel shall attend transfer operations at all times. Vehicle refueling shall not occur within the annual floodplain or tidelands.
 - c. **Storing containers within 100 feet of water bodies.** Containers with a total capacity larger than 55 gallons, which contain fuel or hazardous substances, shall **NOT** be stored within 100 feet of a water body.
 - d. **Exceptions.** The Authorized Officer may under unique or special circumstances grant exceptions to this stipulation on a case-by-case basis. Requests for exceptions should be made to the Authorized Officer.
 - e. **Definitions.**
 - "Containers"** means any item that is used to hold fuel or hazardous substances. This includes tanks, drums, double-walled tanks, portable testing facilities, fuel tanks on small equipment such as light plants and generators, flow test holding tanks, slop oil tanks, bladders, and bags. Manifolded tanks or any tanks in a series must be considered as single independent containers. Vehicles, including mobile seismic tanks, are not intended to be included under this definition.
 - "Hazardous substances"** are defined under AS 46.03.826(5) as (a) an element or compound which, when it enters the atmosphere, water, or land, presents an imminent and substantial danger to the public health or welfare, including fish, animals, or vegetation; (b) oil; or (c) a substance defined as a hazardous substance under 42 U.S.C. 9601(14).
 - "Secondary containment"** means an impermeable diked area or portable impermeable containment structure capable of containing 110 percent of the volume of the largest independent container. Double-walled tanks do not qualify as secondary containment unless an exception is granted for a particular tank.
 - "Surface liner"** means any safe, non-permeable container (e.g., drips pans, fold-a-tanks, etc.) designed to catch and hold fluids for the purpose of preventing spills. Surface liners should be of adequate size and volume based on worst-case spill risk.
11. **Spill Notification.** The permittee shall notify the Department of Natural Resources of all spills that must be reported under 18 AAC 75.300 under timelines of 18.AAC 75.300. These requirements can be found at the following website: <http://www.dec.state.ak.us/spar/spillreport.htm#requirements>.

MP 56 Denali Hwy Material Sale
ADL 231676
Page 10 of 11

All fires and explosions must be reported to DNR immediately. The DNR 24 hour spill report number is (907) 451-2678; the fax number is (907) 451-2751. The DEC oil spill report number is (800) 478-9300. DNR and DEC shall be supplied with all follow-up incident reports.

12. **Destruction of Markers.** All survey monuments, witness corners, reference monuments, mining claim posts, bearing trees, and un-surveyed lease corner posts shall be protected against damage, destruction and obliteration. The permittee shall notify the Authorized Officer of any damaged, destroyed or obliterated markers and shall reestablish the markers at the permittee's expense in accordance with accepted survey practices of the Division of Mining, Land and Water.
13. **Water Quality.** The buyer shall comply with the State of Alaska water quality standards pursuant to 18 AAC 70, including discharge standards when conducting material washing operations.
14. **SWPP and APDES.** The buyer shall comply with the requirement of the Alaska Pollutant Discharge Elimination System (APES), and if applicable, to maintain and operate the site in accordance with an approved Storm Water Pollution Prevention Plan (SWPPP).
15. **Potential Processing Activities and Other Authorizations.** The issuance of this authorization does not alleviate the necessity of the purchaser to obtain authorizations required by other agencies for this activity. Any asphalt processing or related activities and associated structures will not be allowed without prior approval from DNR, the Department of Environmental Conservation and other agencies that require authorizations from the buyer.
16. **Survey.** If a survey is requested by the SCRO manger, the contract holder shall submit a material site boundary survey acceptable to the standards of the Division of Mining, Land and Water. This survey shall depict the dimensions of each side of the material site, and the acreage of the modified material site boundaries.
17. **Failure to Report.** An annual report is due by January 31st of each year, without prior notice to the buyer that details the volume of material removed during the calendar year of January 1 through December 31. This report shall be filed regardless of whether material was removed during the reporting period. Failure to submit the required report may subject the permitted site to a final inspection. The contract holder shall be assessed a fee for this inspection per 11 AAC 05.010(a)(7)(M).

MP 56 Denali Hwy Material Sale
ADL 231876
Page 11 of 11

BY SIGNING THIS CONTRACT, the State of Alaska, as seller, and the buyer, agree to be bound by its provisions as set out above.

Date: 5/27/14

Date: 5-30-14

BUYER: STATE OF ALASKA
Right of Way
Northern Region

SELLER: STATE OF ALASKA
Regional Manager, Southcentral Region
Division of Mining, Land and Water

STATE OF ALASKA)
Fourth)ss.
~~Third~~ Judicial District)

This is to certify that on May 27, 2014, before me appeared Kevin L. Smith known by me to be the person named in and who executed this Negotiated Material Sale Contract and acknowledged voluntarily signing it as **buyer**.


Veronica L. Garrison
Notary Public in and for the State of Alaska
My commission expires: with office




STATE OF ALASKA)
)ss.
Third Judicial District)



This is to certify that on May 30, 2014, before me appeared Clark Oox known by me to be the RM, Southcentral Regional Office, Division of Mining, Land and Water, Department of Natural Resources, and who executed this Negotiated Material Sale Contract voluntarily signing it on behalf of the State of Alaska as **seller**.

Notary Public in and for the State of Alaska
My commission expires: with office





MS LOCATION

M.S. 52-1-034-5

T22S, R5E, FM

Section 6: That portion of the $N\frac{1}{2}$ NW $\frac{1}{4}$ lying south of the Denali Highway and north of Oscar Creek.

The material site contains ~33.6 acres.

STATE OF ALASKA
DEPARTMENT OF TRANSPORTATION
AND PUBLIC FACILITIES

MATERIAL SITE PLAN

M.S. 52-1-034-5
MP 56 DENALI HIGHWAY

PARCEL NO. M.S. 52-1-034-5

NORTHERN REGION DATE: 3/7/14

SCALE NTS

DRAWN BY: BAM

**State of Alaska
Department of Transportation & Public Facilities
Mining and Reclamation Guidelines**

**Material Site 52-1-034-2
Denali Highway Mile 56**

These guidelines are subject to Alaska Department of Natural Resources (DNR) Material Sale Contract ADL _____ and stipulations contained therein. For each new use or project, the user or contractor shall submit a Project Mining and Reclamation Plan to DNR for approval, subject to DOT&PF review, prior to any mining activities.

Legal Description

T22S, R5E, FM, Section 6: that portion of the N½ NW¼ lying south of the Denali Highway and north of Oscar Creek. The material site contains approximately 33.6 acres.

General Information

This site lies south of the Denali Highway near Mile 56. This site was on federal land when first developed during construction of the Denali Highway. There are two developed pits within the site boundaries. DOT&PF Maintenance & Operations (M&O) have used the site sporadically for borrow and crushed aggregate.

DOT&PF conducted site exploration in 1974. The target material consists of terraced alluvial sand and gravel with silt, cobbles and boulders. A groundwater table was not observed within depth drilled. The site is partially screened from the highway by vegetation. Limited site information is available at the DOT&PF Materials office, 2301 Peger Road, Fairbanks, Alaska 99709.

Development Plan

Continue mining within the developed pit area, staying at least 2 feet above any water table that may be present. The site shall remain a dry borrow pit, no ponding. Once one cell is mined out, reclaim concurrently to development of the next adjacent cell.

1. The contractor or user shall locate the material site boundaries to verify work areas are within the site.
2. Maintain undisturbed buffers and mark buffer lines in work areas. Maintain a 100-ft-wide buffer along Denali Highway R/W and the southern boundary (which includes a riparian/creek buffer along Oscar Creek). Maintain a 50-ft buffer on the east and west boundaries.
3. Stockpile surface vegetation and organic soils separately, if possible, from overburden and place for future reclamation or use directly for reclamation of mined-out areas.
4. Do not place organics or overburden piles in future mining area or where they would have to be moved again.

5. Do not excavate within 2 feet of groundwater table.
6. Grade pit floor to a gently-sloping shape to match surrounding terrain. Do not allow drainage to escape the site
7. Maintain work areas in a clean, neat condition. After each use, remove all equipment and man-made debris from the site.
8. All mining and stockpiling activities shall be in accordance with applicable Construction General Permits and Storm Water Pollution Prevention Plans.

Reclamation Objectives and Guidelines

The reclamation plan has several objectives:

1. To not preclude or hinder future development of un-mined areas.
2. To blend with surrounding topography.
3. To prevent erosion and sediment transport to surrounding, undisturbed areas.
4. To allow reestablishment of native vegetation and wildlife habitat.
5. To leave the site in a safe condition that does not endanger people or wildlife.

Reclamation activities will include:

1. Grading final slopes to 3H: 1V, including adjacent to buffers or where future development is not anticipated.
2. Grade pit floor smooth and gently sloping into the pit. Do not allow drainage to exit the pit.
3. Spread available overburden and then organic material on reclaimed slopes. Allow to revegetate naturally; do not reseed.

Project Mining and Reclamation Plan

Prior to use of the site for any project, the contractor or user shall submit a Project Mining and Reclamation Plan, in accordance with A.S. 27.19 and 11 AAC 97 to DNR for approval by DNR, subject to DOT&PF review. The Plan describes the proposed plan of operation and shall be in compliance with guidelines listed here. Upon approval, the Plan will be followed by the contractor or user and if applicable, the DOT&PF Project Engineer. The plan should include the following:

Sketch Map

The sketch map shall include:

1. Site boundaries and proposed working limits, to be marked on the ground
2. Organic debris and overburden stockpile areas
3. Work pad, material stockpile locations, processing facilities.
4. Scale of drawing, north arrow, and specific dimensions as appropriate

Narrative

The narrative shall include:


1. Methods of operation
2. Length and times of operation (day, month, year, and working hours)

3. Air and water pollution control measures
4. Reclamation measures

Supplements and amendments

Supplements and amendments to an approved mining and reclamation plan may be initiated by the contractor, user or the DOT&PF Project Engineer, when conditions warrant such action. Supplements and amendments must be mutually agreed upon and proper approval obtained prior to commencement of work of a changed nature.

1. Minor changes are those that affect details of the operation, but remain in compliance with the development guidelines. These changes may be authorized by the DOT&PF Project Engineer.
2. Major changes are those which cause the final outcome of the site to be significantly different from the approved mining and reclamation plan or are not in compliance with the development guidelines. These require approval by DNR, subject to review by the DOT&PF Project Engineer.



STATE OF ALASKA
DEPARTMENT OF TRANSPORTATION
AND PUBLIC FACILITIES

DATA:	MINING RECLAMATION TYPICAL SECTION
DRAWN:	
APPROVED:	PROJECT NO.
DATE: AUGUST 2010	

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE **INSPECTION REPORT**

Federal Project No. STP-000S(823)
AKSAS Project No. 76149

DENALI HIGHWAY

MS 52-1-034-5
Clearwater Creek Site

October 3, 2014

<u>CONTENTS</u>	<u>PAGE</u>
COVER SHEET.....	1A & 1B
LOCATION MAP	2
SITE MAP	3A thru 3C
INSPECTION FORM.....	4 thru 10

CATEGORY:

ACTIVE – OPEN


According to information found in the DOT&PF EDMS system in January 2009 as well as DNR and BLM case file abstracts, this site lies on State of Alaska lands managed by DNR. The Denali Highway right-of-way originally cut through the site which formed two parts on either side of the road. A FUP (F-24283) was issued in 1959 to DOT&PF which expired in 1964. An indefinite right-of-way grant (F-25135) was awarded to DOT&PF by the BLM in 1960. The original site was surveyed in 1974. An amendment for a proposed expansion to the right-of-way on the north side of the highway was denied in 1981, as at that time Ahtna, Inc. had selected the land. The proposed expansion is still shown as a “Mat Site Apln” on the BLM plat. (It should be noted that the original site and expansion are shown shifted to the west of the surveyed location on the BLM MTP’s). The case file abstract indicates F-25135 is still open.

MS 52-1-034-5

The land underlying the site was tentatively approved (TA 2010-0062) to the State of Alaska in 2010 (AA-60356 / GS 5255). DOT&PF was issued a material site contract that expires on May 31, 2024 (ADL 231676). The site appears to contain significant amounts of sand and gravel and should be retained by DOT&PF for future use. A MSB conditional land use permit may be required prior to mining the site.

The site is currently a DMLW Southcentral Region Office (SCRO) Designated Master Material Site (ADL 231680) under AS 38.05.550(b) for the use and operation for the long-term sale and extraction of materials until closed by DNR. It was not on the November 29, 2012 list of sites selected for the DNR program.

LOCATION MAP



U.S.G.S. QUADRANGLE: MT HAYES (A-6)

GPS COORDINATES FROM GOOGLE EARTH

UTM (WGS84-METERS)
 ZONE 6: N6,990,330 E506,351
 AK STATE PLANE (NAD83-US SURVEY FT)
 ZONE 3: N3,305,017 E1,495,254

ACTIVE - OPEN


GRAPHIC SCALE IN MILES

BASE MAP CREATED WITH TERRAIN NAVIGATOR PRO

Prepared By:
 R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 52-1-034-5			
SCALE AS SHOWN	DESIGNED P.K.H. CHECKED C.H.R.	DRAWN P.K.H. DATE SEPT 2012	PAGE 2

SITE MAP



BASE MAP IS SEPTEMBER 4, 1980 AERIAL PHOTOGRAPHY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.


ACTIVE - OPEN



Prepared By:
R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 52-1-034-5			
SCALE AS SHOWN	DESIGNED P.K.H. CHECKED C.H.R.	DRAWN P.K.H. DATE JULY 2014	PAGE 3A

SITE MAP



BASE MAP IS SEPTEMBER 4, 1980 AERIAL PHOTOGRAPHY. THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.


ACTIVE - OPEN



Prepared By:
R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 52-1-034-5			
SCALE AS SHOWN	DESIGNED P.K.H. CHECKED C.H.R.	DRAWN P.K.H. DATE JULY 2014	PAGE 3B

SITE MAP



BASE MAP IS SEPTEMBER 4, 1980 AERIAL PHOTOGRAPHY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

ACTIVE - OPEN



Prepared By:
R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 52-1-034-5			
SCALE AS SHOWN	DESIGNED P.K.H. CHECKED C.H.R.	DRAWN P.K.H. DATE JULY 2014	PAGE 3C

THIS REPORT IS BASED ON A REVIEW OF EXISTING DATA AND BRIEF FIELD INSPECTIONS. THUS THE DATA CONTAINED HEREIN SHOULD BE CONSIDERED PRELIMINARY AND USED FOR PLANNING PURPOSES ONLY. USERS OF THIS DATA SHOULD VERIFY THE INFORMATION PRIOR TO USING IT FOR DESIGN OR CONSTRUCTION PURPOSES.

IF OTHER IS SELECTED FOR A SECTION, EXPLAIN IT IN SECTION 44. NOTES.
IF AN ANSWER IS UNKNOWN SELECT "UNKNOWN" OR LEAVE BLANK

1. **MS_ID** 52-1-034-5
Enter the full material site number e.g., 31-3-045-2

2. DATE_INSPECT	8/3/2013
Date of field inspection	

3. **FLD INSPEC_ORG** ABE SCHMIDT / R&M CONSULTANTS
 Name of inspector / Organization or Company

4. REGION NORTHERN

5. **LOCATION** DENALI HIGHWAY

Name of Highway Enter Name of Facility or Secondary Route Name (i.e. Kotzebue Airport, Nash Road, etc.)

6. MILEPOST	55.5
List the closest main highway milepost	

7. **NAME** Clearwater Creek Site

Enter commonly used name (s), e.g. Hess pit, Gobblers Knob, Midway. List all that apply separated by commas.

8. **MAINT_DIST/STAT** District TAZLINA Station PAXSON
 Highway Maintenance District and Station, for locations not on highways select other.

9. QUAD	MT HAYES	A-6
U.S.G.S. Quad. Map		

10. **TOWNSHIP/RANGE** T#S R#E T22S R5E & _____ Meridian _____
 Section 6

11. COOR_UTM		12. COOR_STATE_PLANE	
ZONE	6	ZONE	3
NORTHING	6,990,330	NORTHING	3,305,017
EASTING	506,351	EASTING	1,496,254
UTM WGS84 - Meters		Alaska State Plane NAD83 - Survey Feet	

13. BOROUGH/CITY	MAT-SU BOROUGH	TAX ID NO.	NA
-------------------------	----------------	-------------------	----

14. **DNR LAND USE PLAN** SUSITNA AREA PLAN

15. **CATEGORY** (To be filled in the office)15a. **CLASSIFICATION** ACTIVE

15b. STATUS	OPEN
-------------	------

16. POTENTIAL_STATUS SIGNIFICANT

Estimated quantity of material in the site at the time of inspection.

NONE	There appeared to be no useable material in the site.
LIMITED	There appeared to be less than 25,000 c.y. available within the developed site.
SIGNIFICANT	There appeared to be greater than 25,000 c.y. available within the developed site.
EXPANDABLE	There was limited material within the developed site, but there appeared to be significant material outside existing site limits.
UNDEVELOPED	The pit has not been mined/explored (used only for proposed sites).
CLOSED	There may be useable material left in the pit but it is not available.
UNKNOWN	
OTHER	The site does not fit any of the categories above. Explain in Section 44, Notes.

17. PRESENT_USERS

17a. **PRESENT_USER_1** DOT&PF MAINTENANCE

17b. **PRESENT_USER_2** DOT&PF CONSTRUCTION

17c. **PRESENT_USER_3** _____

18. **PERMITTED_ACREAGE** 20.2

Area within site permit or R.O.W. boundaries, from permit application or property plat.

19. **DEVELOPED_ACREAGE** 3.3

Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below.

Area includes a pit that mainly lies outside of the site limits, as well as an old inactive runway. The developed area within the site limits is 0.4 acres.

20. **ACREAGE_COMP_METHOD** FROM MAP/PHOTO

Method used to determine developed acreage.

21. **EST_QUAN_AVAIL** 350,000 ROUGH ESTIMATE

Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area.

Explain computation assumptions and calculations below.

Area	Existing Pits	Undeveloped Area	
Acres	<u>3.6</u>	<u>16.6</u>	<u>0.0</u>
Est. Depth (ft.)	<u>14</u>	<u>18</u>	
Factor (b.c.y. / acre-foot)	<u>1,000</u>	<u>1,000</u>	<u>1,000</u>
Est. Quant. (c.y.)	<u>50,000</u>	<u>299,000</u>	<u>0</u>

Estimated quantity assumes average working depths of 20 ft. and 15 ft. for the south and north portions respectively. The estimated quantity takes into account an average overburden depth of 2 ft.

22. ACCESS_TYPE EXISTING ROAD / OPEN

NONE	No access road has been built.
EXISTING ROAD / OPEN	Drivable. May have gate.
EXISTING ROAD / REVEG	Can be reopened with little effort.
EXISTING ROAD / CLOSED W/BERMS	Can be reopened with little effort.
EXISTING ACCESS / REMOVED	Can be reopened with much effort.
SNOW ROAD	Can only be accessed during winter.
ICE ROAD	Requires crossing river or lake ice in the winter.
BARGE	Material can only be moved by barge.
OTHER	The site does not fit any of the categories above. Describe in Section 44, Notes.

23. ACCESS_LENGTH 150

Approx. length from edge of pit to highway/secondary route (ft.)

24. VEGETATION

The vegetation cover consists of light brush up to 4 ft. in height. The ground cover consists of about 1/2 ft. of organics.

25. TYPE_1 BORROW PIT **26. TYPE_2** _____

Dominant type

Subordinate type

General Types of Materials Available

Enter data in Type_2 only if two types of material site available

QUARRY	Bedrock sources requiring blasting
BORROW PIT	Soils or soft bedrock (rippable), above water table
BAILING	Requires production below the water table
RIVER BAR	Sand/gravel bars in active channels

27. OB_CLASS_1 <3 FT. **28. OB_CLASS_2** <3 FT.

New Site or expansion Area

Existing Pit (Spoil)

A site may have both. Data should be based on actual subsurface exploration, otherwise unknown.

Estimated average depth over the area.

NONE	3 TO 6 FT.	UNKNOWN
<3 FT.	>6 FT.	OTHER

29. OB_TYPE_1 SILT **30. OB_TYPE_2** SPOIL

New Site or expansion Area

Existing Pit (Spoil)

A site may have both.

SILT	PEAT	SOLID WASTE	OTHER
COLLUVIUM	SPOIL	UNKNOWN	

31. MAT_TYPE_1 Dominant type	FLUVIAL	32. MAT_TYPE_2 Subordinate type
BEDROCK WEATHER. BEDROCK FLUVIAL GLACIAL COLLUVIAL EOLIAN SILT	Bedrock sources requiring blasting Bedrock sources requiring ripping Water deposited sand and gravel, includes glaciofluvial Glacial till Talus slopes, etc. Sand Dunes, etc. Silt deposits, loess, fluvial, etc.	

33. PERMAFROST_1 New Site or Expansion Area	UNKNOWN
---	----------------

34. PERMAFROST_2 Existing Site DETECTED IN MOST TEST HOLES DETECTED IN SOME TEST HOLES DETECTED IN IMMEDIATE VICINITY DETECTED IN NO TEST HOLES DATA OUTDATED UNKNOWN OTHER	DATA OUTDATED
--	----------------------

35. GROUNDWATER	The depth to groundwater underlying the site is unknown.
------------------------	---

36. LITHOLOGY_1**FLUVIAL****37. LITHOLOGY_2**

Dominant type

Subordinate type

IGNEOUS ROCK

Undifferentiated Igneous Rocks

GRANITIC

Granite/Monzonite/Granodiorite

DIORITE/GABBRO

Diorite/Gabbro

BASALT

Dark colored fine-grained Igneous Rocks

GREENSTONE

Altered Volcanic Rocks w/green tint

METAMORPHIC ROCK

Undifferentiated Metamorphic Rocks

SCHIST/PHYLLITE

Includes rocks ranging from slate to schist

GNEISS

Includes hard schistose rocks

MARBLE

CATACLASTIC

Incl. Valdez Formation Rocks, Kenai Penn.

MÉLANGE

Incl. McHugh Formation Rocks, Kenai Penn.

SEDIMENTARY ROCK

Undifferentiated Sedimentary Rocks

CONGLOMERATE

SANDSTONE

Includes greywacke, etc.

SHALE/MUDSTONE

LIMESTONE

FLUVIAL

River and stream deposits (floodplain), includes outwash.

ALLUVIAL

Alluvial / Debris Fan deposits

GLACIOFLUVIAL

Eskers, kames, etc.

GLACIAL

Till

COLLUVIAL

Talus, etc.

EOLIAN

Sand Dunes, etc.

SILT

Loess, fluvial silts, etc.

OTHER

Explain in Section 44.

38. MATERIAL_CLASSIFICATION

ASTM Classification, generally they should range from coarse to fine.

38a. GP38c. GP-GM38e. ML38g. 38b. GW-GM38d. SM38f. 38h.

39. COBBLES_AND_BOULDERS

Test Boring Callout / ASTM Classification, either a. or b. and c. not both (Can use ranges i.e. 0 to 20)

39a.	CONTAINS	<u>CONTAINS COBBLES AND BOULDERS</u>	
39b.	Est. % by VOL.	_____	(Est. From Visual Observations)
39c.	MAX. SIZE (in.)	_____	(Observed Size)

40. AGG_TEST_RESULTS

Year of test or report- Test result / Year of test or report- Test Results

40a. SG APP COARSE	1974- 2.85
40b. SG APP FINE	1974- 2.80
40c. ABSORPTION CRSE	
40d. ABSORPTION FINE	
40e. NORDIC ABRASION	
40f. L.A. ABRASION	1974- 18
40g. DEGRADATION (T-13)	1974- 70
40h. NASO4 LOSS COARSE	1974- 0.675
40i. NASO4 LOSS FINE	1974- 1.79

41. POTENTIAL_USABILITY**TYPES A AND B MATERIAL AVAILABLE**

Best known potential use of the material, based on records, exploration and laboratory data.

CONCRETE AGGREGATE PRODUCED	The site has produced concrete aggregate
PAVING AGGREGATE PRODUCED	The site has produced paving aggregate
CRUSHED PRODUCTS PRODUCED	Base, Surface Coarse, Subbase, etc. has been produced.
TYPE A AND B MATERIAL AVAILABLE	0 to 10 percent passing 200
TYPE C AVAILABLE	Compactable material
TYPE C NOT AVAILABLE	Uncompactable material (Lower Kuskokwim and Yukon River, etc.)
UNKNOWN	
OTHER	Explain in Section 44.

42. SPECIAL_PROBLEMS

Special problems encountered or anticipated with use of the material, based on records, exploration and laboratory data.

ORGANIC CONTENT	The material is very difficult to compact.
HIGHLY WEATHERED GRAVEL	The gravel is highly weathered and may break down when handled.
BREAKS DOWN UNDER USE	Material breaks down on grade.
SENSITIVE TO WATER CONTENT	Material is sensitive to water content, i.e.. some glacial tills, soft bedrock.
VARIABLE MATERIAL	Deposit contains mixture of suitable and unsuitable material.
POSSIBLE CONTAMINATION	Site may be contaminated by petroleum products or hazardous materials.
CONTAINS ASBESTOS	Site contains naturally occurring asbestos.
POTENTIAL ASBESTOS	Site in area where naturally occurring asbestos is mapped.
ACID ROCK DRAINAGE	Site contains rock susceptible to producing acid rock drainage.
OTHER	Explain in Section 44, Notes.

43. **RIPRAP**

NOT POSSIBLE

Class II or larger. Does not include production for erosion control riprap for ditches or culverts.

PREVIOUS PRODUCTION

There is a record of production.

POSSIBLE FURTHER INVESTIGATION NEEDED

The site is a bedrock quarry containing hard rock

NOT POSSIBLE

The site has soft rock or soil.

UNKNOWN

OTHER

Explain in Section 44, Notes.

44. **NOTES**

Note number of item being discussed.

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE **INSPECTION REPORT**

Federal Project No. STP-000S(823)
AKSAS Project No. 76149

EDGERTON HIGHWAY

MS 850-032-5
South Liberty Falls Pit

May 13, 2014

<u>CONTENTS</u>	<u>PAGE</u>
COVER SHEET.....	1
LOCATION MAP	2
SITE MAP	3A & 3B
INSPECTION FORM.....	4 thru 10


CATEGORY:

ACTIVE – OPEN

According to information found in the DOT&PF EDMS system in January 2009 and BLM and DNR case file abstracts, this site lies on private lands owned by Chitina Native Corporation (surface estate) and Ahtna, Inc. (subsurface estate). In 1961, an indefinite right-of-way grant (A-53476) was issued to DOT&PF by BLM. The surface estate was interim conveyed to Chitina Native Corporation (IC 947 / 2291) and Ahtna, Inc. (IC 948 / 2292) in 1984 / 2009. The conveyance was subject to A-53476. Administration of the site was transferred to Ahtna, Inc. in 1986. The site limits were surveyed in 1997 and the survey recorded on Plat 98-02. A portion of the northwest corner was within the campground and was removed from the site.

The site adjoins the Edgerton Highway right-of-way and there is an existing access road into the pit. The site appears to contain significant quantities of sand and gravel and should be retained by DOT&PF for future use.

LOCATION MAP



U.S.G.S. QUADRANGLE: VALDEZ (C-2)

GPS COORDINATES FROM GOOGLE EARTH

UTM (WGS84-METERS)
 ZONE 6: N6,834,455 E630,250
 AK STATE PLANE (NAD83-US SURVEY FT)
 ZONE 3: N2,787,379 E1,893,908

ACTIVE - OPEN


GRAPHIC SCALE IN MILES

BASE MAP CREATED WITH TERRAIN NAVIGATOR PRO

Prepared By:
 R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 850-032-5			
SCALE AS SHOWN	DESIGNED CHECKED T.G.H. C.H.R.	DRAWN DATE T.G.H. MAR. 2014	PAGE 2

SITE MAP



BASE MAP IS JULY 19, 2004 DIGITALGLOBE SATELLITE IMAGERY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

ACTIVE - OPEN




BASE MAP FROM GOOGLE EARTH PRO 3/19/14

Prepared By:
R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 850-032-5			
SCALE AS SHOWN	DESIGNED T.G.H. CHECKED C.H.R.	DRAWN T.G.H. DATE MAR. 2014	PAGE 3A

SITE MAP



BASE MAP IS JULY 19, 2004 DIGITALGLOBE SATELLITE IMAGERY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

ACTIVE - OPEN



GRAPHIC SCALE IN FEET

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 850-032-5			
SCALE AS SHOWN	DESIGNED T.G.H. CHECKED C.H.R.	DRAWN T.G.H. DATE MAR. 2014	PAGE 3B

STATEWIDE MATERIAL SITE INVENTORY MATERIAL SITE INSPECTION FORM

THIS REPORT IS BASED ON A REVIEW OF EXISTING DATA AND BRIEF FIELD INSPECTIONS. THUS THE DATA CONTAINED HEREIN SHOULD BE CONSIDERED PRELIMINARY AND USED FOR PLANNING PURPOSES ONLY. USERS OF THIS DATA SHOULD VERIFY THE INFORMATION PRIOR TO USING IT FOR DESIGN OR CONSTRUCTION PURPOSES.

**IF OTHER IS SELECTED FOR A SECTION, EXPLAIN IT IN SECTION 44. NOTES.
IF AN ANSWER IS UNKNOWN SELECT "UNKNOWN" OR LEAVE BLANK**

1. **MS_ID** 850-032-5
Enter the full material site number e.g.. 31-3-045-2
2. **DATE_INSPECT** 8/11/2014
Date of field inspection
3. **FLD_INSPEC_ORG** TREVOR HUDSON / R&M CONSULTANTS
Name of inspector / Organization or Company

4. **REGION** NORTHERN
5. **LOCATION** EDGERTON HIGHWAY
Name of Highway Enter Name of Facility or Secondary Route Name (i.e. Kotzebue Airport, Nash Road, etc.)
6. **MILEPOST** 24
List the closest main highway milepost
7. **NAME** South Liberty Falls Pit
Enter commonly used name (s), e.g. Hess pit, Gobblers Knob, Midway. List all that apply separated by commas.
8. **MAINT_DIST/STAT** District TAZLINA Station CHITINA
Highway Maintenance District and Station, for locations not on highways select other.
9. **QUAD** VALDEZ C-2
U.S.G.S. Quad. Map
10. **TOWNSHIP/RANGE** T#S R#E T3S R5E & Meridian CRM
Section 8
11. **COOR_UTM** ZONE 6
NORTHING 6,834,455
EASTING 630,250
UTM WGS84 - Meters
12. **COOR_STATE_PLANE** ZONE 3
NORTHING 2,787,379
EASTING 1,893,908
Alaska State Plane NAD83 - Survey Feet
13. **BOROUGH/CITY** UNORGANIZED **TAX ID NO.** NA
14. **DNR_LAND_USE_PLAN** COPPER RIVER BASIN AREA PLAN

15. **CATEGORY** (To be filled in the office)

15a. **CLASSIFICATION** ACTIVE

15b. **STATUS** OPEN

STATEWIDE MATERIAL SITE INVENTORY MATERIAL SITE INSPECTION FORM

16. **POTENTIAL_STATUS** SIGNIFICANT

Estimated quantity of material in the site at the time of inspection.

NONE	There appeared to be no useable material in the site.
LIMITED	There appeared to be less than 25,000 c.y. available within the developed site.
SIGNIFICANT	There appeared to be greater than 25,000 c.y. available within the developed site.
EXPANDABLE	There was limited material within the developed site, but there appeared to be significant material outside existing site limits.
UNDEVELOPED	The pit has not been mined/explored (used only for proposed sites).
CLOSED	There may be useable material left in the pit but it is not available.
UNKNOWN	
OTHER	The site does not fit any of the categories above. Explain in Section 44, Notes.

17. **PRESENT_USERS**

17a. **PRESENT_USER_1** DOT&PF MAINTENANCE

17b. **PRESENT_USER_2** DOT&PF CONSTRUCTION

17c. **PRESENT_USER_3** _____

18. **PERMITTED_ACREAGE** 15.7

Area within site permit or R.O.W. boundaries, from permit application or property plat.

19. **DEVELOPED_ACREAGE** 3.0

Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below.

20. **ACREAGE_COMP_METHOD** FROM MAP/PHOTO

Method used to determine developed acreage.

21. **EST_QUAN_AVAIL** 220,000 ROUGH ESTIMATE

Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area.

Explain computation assumptions and calculations below.

Area	Existing Pit	Undeveloped Area	
Acres	<u>2.8</u>	<u>10.4</u>	
Est. Depth (ft.)	<u>10</u>	<u>18</u>	
Factor (b.c.y. / acre-foot)	<u>1,000</u>	<u>1,000</u>	
Est. Quant. (c.y.)	<u>28,000</u>	<u>187,000</u>	

The estimate for the existing pit assumes an average 10 feet of material with 0 feet of overburden. For the undeveloped area to the southwest, an average working depth of 20 feet was used with 2 feet of overburden. Bedrock was observed outcropping to the west of the site along the Liberty Creek Canyon but was not included in the quantity estimate. A 25-foot buffer against the surrounding private property was utilized around the site, except along Liberty Creek where a 200-foot buffer was utilized.

STATEWIDE MATERIAL SITE INVENTORY MATERIAL SITE INSPECTION FORM

22. ACCESS_TYPEEXISTING ROAD / OPEN

NONE

No access road has been built.

EXISTING ROAD / OPEN

Drivable. May have gate.

EXISTING ROAD / REVEG

Can be reopened with little effort.

EXISTING ROAD / CLOSED W/BERMS

Can be reopened with little effort.

EXISTING ACCESS / REMOVED

Can be reopened with much effort.

SNOW ROAD

Can only be accessed during winter.

ICE ROAD

Requires crossing river or lake ice in the winter.

BARGE

Material can only be moved by barge.

OTHER

The site does not fit any of the categories above. Describe in Section 44, Notes.

23. ACCESS_LENGTH40

Approx. length from edge of pit to highway/secondary route (ft.)

24. VEGETATION

Vegetation surrounding the pit consisted mostly of mature black spruce. The trees had diameters between 6 to 15 inches on 5 to 15-foot centers with heights up to 65 feet. The understory consisted of scattered low bushes with a groundcover of moss and peat.

25. TYPE_1BORROW PIT**26. TYPE_2**

Dominant type

Subordinate type

General Types of Materials Available

Enter data in Type_2 only if two types of material site available

QUARRY

Bedrock sources requiring blasting

BORROW PIT

Soils or soft bedrock (rippable), above water table

BAILING

Requires production below the water table

RIVER BAR

Sand/gravel bars in active channels

27. OB_CLASS_1<3 FT.**28. OB_CLASS_2**<3 FT.

New Site or expansion Area

Existing Pit (Spoil)

A site may have both. Data should be based on actual subsurface exploration, otherwise unknown.

Estimated average depth over the area.

NONE

3 TO 6 FT.

UNKNOWN

<3 FT.

>6 FT.

OTHER

29. OB_TYPE_1SILT**30. OB_TYPE_2**SPOIL

New Site or expansion Area

Existing Pit (Spoil)

A site may have both.

SILT

PEAT

SOLID WASTE

OTHER

COLLUVIUM

SPOIL

UNKNOWN

STATEWIDE MATERIAL SITE INVENTORY MATERIAL SITE INSPECTION FORM

31. MAT_TYPE_1 Dominant type	FLUVIAL	32. MAT_TYPE_2 Subordinate type
BEDROCK WEATHER. BEDROCK FLUVIAL GLACIAL COLLUVIAL EOLIAN SILT	Bedrock sources requiring blasting Bedrock sources requiring ripping Water deposited sand and gravel, includes glaciofluvial Glacial till Talus slopes, etc. Sand Dunes, etc. Silt deposits, loess, fluvial, etc.	

33. PERMAFROST_1 New Site or Expansion Area	DETECTED IN NO TEST HOLES OR PITS
---	--

34. PERMAFROST_2 Existing Site	DATA OUTDATED
--	----------------------

35. GROUNDWATER	No evidence of water was observed during the August 2014 inspection. No groundwater was noted to total depths in the test holes or test pits to 35 feet in depth during May 1970 and March 1997.
------------------------	---

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION FORM

36. LITHOLOGY_1**FLUVIAL****37. LITHOLOGY_2**

Dominant type

Subordinate type

IGNEOUS ROCK

Undifferentiated Igneous Rocks

GRANITIC

Granite/Monzonite/Granodiorite

DIORITE/GABBRO

Diorite/Gabbro

BASALT

Dark colored fine-grained Igneous Rocks

GREENSTONE

Altered Volcanic Rocks w/green tint

METAMORPHIC ROCK

Undifferentiated Metamorphic Rocks

SCHIST/PHYLLITE

Includes rocks ranging from slate to schist

GNEISS

Includes hard schistose rocks

MARBLE

CATACLASTIC

Incl. Valdez Formation Rocks, Kenai Penn.

MÉLANGE

Incl. McHugh Formation Rocks, Kenai Penn.

SEDIMENTARY ROCK

Undifferentiated Sedimentary Rocks

CONGLOMERATE

SANDSTONE

Includes greywacke, etc.

SHALE/MUDSTONE

LIMESTONE

FLUVIAL

River and stream deposits (floodplain), includes outwash.

ALLUVIAL

Alluvial / Debris Fan deposits

GLACIOFLUVIAL

Eskers, kames, etc.

GLACIAL

Till

COLLUVIAL

Talus, etc.

EOLIAN

Sand Dunes, etc.

SILT

Loess, fluvial silts, etc.

OTHER

Explain in Section 44.

38. MATERIAL_CLASSIFICATION

ASTM Classification, generally they should range from coarse to fine.

38a. GP38c. SP38e. GW

38g. _____

38b. GP-GM38d. SP-SM38f. GW-GM

38h. _____

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION FORM

39. COBBLES_AND_BOULDERS

Test Boring Callout / ASTM Classification, either a. or b. and c. not both (Can use ranges i.e. 0 to 20)

39a.	CONTAINS		
39b.	Est. % by VOL.	30	(Est. From Visual Observations)
39c.	MAX. SIZE (in.)	15	(Observed Size)

40. AGG_TEST_RESULTS

Year of test or report- Test result / Year of test or report- Test Results

40a. SG APP COARSE	1970- 2.83 / 1997- 2.90
40b. SG APP FINE	1997- 2.84
40c. ABSORPTION CRSE	
40d. ABSORPTION FINE	
40e. NORDIC ABRASION	1997- 20, 21
40f. L.A. ABRASION	1985- 17, 17, 17 / 1980- 23, 20, 22
40g. DEGRADATION (T-13)	1970- 21 / 1985- 26, 27, 29 / 1986- 44, 25 / 1997-39 / 1980- 43, 52, 61
40h. NASO4 LOSS COARSE	1970- 4.98 / 1985- 1.40
40i. NASO4 LOSS FINE	1985- 1.39

41. POTENTIAL_USABILITY**TYPES A AND B MATERIAL AVAILABLE**

Best known potential use of the material, based on records, exploration and laboratory data.

CONCRETE AGGREGATE PRODUCED	The site has produced concrete aggregate
PAVING AGGREGATE PRODUCED	The site has produced paving aggregate
CRUSHED PRODUCTS PRODUCED	Base, Surface Coarse, Subbase, etc. has been produced.
TYPE A AND B MATERIAL AVAILABLE	0 to 10 percent passing 200
TYPE C AVAILABLE	Compactable material
TYPE C NOT AVAILABLE	Uncompactable material (Lower Kuskokwim and Yukon River, etc.)
UNKNOWN	
OTHER	Explain in Section 44.

42. SPECIAL_PROBLEMS

Special problems encountered or anticipated with use of the material, based on records, exploration and laboratory data.

ORGANIC CONTENT	The material is very difficult to compact.
HIGHLY WEATHERED GRAVEL	The gravel is highly weathered and may break down when handled.
BREAKS DOWN UNDER USE	Material breaks down on grade.
SENSITIVE TO WATER CONTENT	Material is sensitive to water content, i.e.. some glacial tills, soft bedrock.
VARIABLE MATERIAL	Deposit contains mixture of suitable and unsuitable material.
POSSIBLE CONTAMINATION	Site may be contaminated by petroleum products or hazardous materials.
CONTAINS ASBESTOS	Site contains naturally occurring asbestos.
POTENTIAL ASBESTOS	Site in area where naturally occurring asbestos is mapped.
ACID ROCK DRAINAGE	Site contains rock susceptible to producing acid rock drainage.
OTHER	Explain in Section 44, Notes.

**STATEWIDE MATERIAL SITE INVENTORY
MATERIAL SITE INSPECTION FORM**

43. RIPRAP**NOT POSSIBLE**

Class II or larger. Does not include production for erosion control riprap for ditches or culverts.

PREVIOUS PRODUCTION

There is a record of production.

POSSIBLE FURTHER INVESTIGATION NEEDED

The site is a bedrock quarry containing hard rock

NOT POSSIBLE

The site has soft rock or soil.

UNKNOWN

OTHER

Explain in Section 44, Notes.

44. NOTES

Note number of item being discussed.

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE **INSPECTION REPORT**

Federal Project No. STP-000S(530)
AKSAS Project No. 76174

RICHARDSON HIGHWAY

MS 71-1-014-5
Tonsina River Pit

February 7, 2010


<u>CONTENTS</u>	<u>PAGE</u>
COVER SHEET.....	1
LOCATION MAP	2
SITE MAP	3A & 3B
INSPECTION FORM.....	4 thru 10

CATEGORY:

ACTIVE – OPEN

According to information found in the DOT&PF EDMS system in January 2009 and BLM case file abstracts, this site lies on Chugach Alaska Corporation lands. The site is an indefinite right-of-way granted to DOT&PF by BLM in 1964 (AA-61476). The lands and all interests in the site were conveyed to Chugach in 1991, subject to the material site right-of-way. The site was used as a material site by Alyeska and as a staging area for the Tonsina River Crossing. Both the Alyeska Pipeline and the Burma Road right-of-ways cross through the site. A portion of the existing Burma Road embankment may lie outside the original right-of-way (to MS 71-1-006-5) as it leaves the southwest corner of the site. This site appears to contain significant quantities of sand and gravel and should be retained by DOT&PF for future use. The existing site may be close to depletion but there may be significant gravel reserves on the private parcel (USS 5111) along the south side of the site. A small gravel pit has apparently been opened on this property by Alyeska. There may also be material on the northwest side of the pipeline workpad. A test boring stake (TH09-592) was found there, but no data was available. There may be other pockets of useable material scattered throughout the site.

LOCATION MAP



U.S.G.S. QUADRANGLE: VALDEZ (C-3) & (C-4)


GPS COORDINATES FROM GOOGLE EARTH
 UTM (WGS84-METERS)
 ZONE 6: N6,829,608 E593,854
 AK STATE PLANE (NAD83-US SURVEY FT)
 ZONE 3: N2,773,309 E1,774,246

ACTIVE - OPEN

GRAPHIC SCALE IN MILES

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 71-1-014-5			
SCALE AS SHOWN	DESIGNED P.K.H. CHECKED C.H.R.	DRAWN P.K.H. DATE JULY 2009	PAGE 2

SITE MAP



BASE MAP IS AUGUST 15, 2005 DIGITALGLOBE SATELLITE IMAGERY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

ACTIVE - OPEN



BASE MAP FROM GOOGLE EARTHPRO 9/16/09

Prepared By:
R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 71-1-014-5			
SCALE AS SHOWN	DESIGNED P.K.H.	DRAWN P.K.H.	PAGE 3A
	CHECKED C.H.R.	DATE AUG. 2009	

SITE MAP



BASE MAP IS AUGUST 15, 2005 DIGITALGLOBE SATELLITE IMAGERY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

ACTIVE - OPEN



BASE MAP FROM GOOGLE EARTHPRO 9/16/05

Prepared By:
R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES			
STATEWIDE MATERIAL SITE INVENTORY			
MS 71-1-014-5			
SCALE AS SHOWN	DESIGNED P.K.H. CHECKED C.H.R.	DRAWN P.K.H. DATE AUG. 2009	PAGE 3B

STATEWIDE MATERIAL SITE INVENTORY MATERIAL SITE INSPECTION FORM

THIS REPORT IS BASED ON A REVIEW OF EXISTING DATA AND BRIEF FIELD INSPECTIONS. THUS THE DATA CONTAINED HEREIN SHOULD BE CONSIDERED PRELIMINARY AND USED FOR PLANNING PURPOSES ONLY. USERS OF THIS DATA SHOULD VERIFY THE INFORMATION PRIOR TO USING IT FOR DESIGN OR CONSTRUCTION PURPOSES.

**IF OTHER IS SELECTED FOR A SECTION, EXPLAIN IT IN SECTION 44. NOTES.
IF AN ANSWER IS UNKNOWN SELECT "UNKNOWN" OR LEAVE BLANK**

1. **MS_ID** 71-1-014-5
Enter the full material site number e.g.. 71-3-045-2
2. **DATE_INSPECT** 10/3/2009
Date of field inspection
3. **FLD INSPEC_ORG** WILL RHODES / R&M CONSULTANTS
Name of inspector / Organization or Company

4. **REGION** NORTHERN
5. **LOCATION** RICHARDSON HIGHWAY
Name of Highway Enter Name of Facility or Secondary Route Name (i.e. Kotzebue Airport, Nash Road, etc.)
6. **MILEPOST** 74
List the closest main highway milepost
7. **NAME** TONSINA RIVER PIT
Enter commonly used name (s), e.g. Hess pit, Gobblers Knob, Midway. List all that apply separated by commas.
8. **MAINT_DIST/STAT** District SOUTHCENTRAL/TAZLINA Station ERNESTINE
Highway Maintenance District and Station, for locations not on highways select other.
9. **QUAD** VALDEZ C-4
U.S.G.S. Quad. Map
10. **TOWNSHIP /RANGE** T#S R#E T3S R1E Meridian CRM
Section 21 & 28
11. **COOR_UTM** ZONE 6
NORTHING 6,829,608
EASTING 593,854
UTM WGS84 - Meters
12. **COOR_STATE_PLANE** ZONE 3
NORTHING 2,773,309
EASTING 1,774,246
Alaska State Plane NAD83 - Survey Feet
13. **BOROUGH/CITY** UNORGANIZED **TAX ID NO.** _____
14. **DNR_LAND_USE_PLAN** COPPER RIVER BASIN AREA PLAN

15. **CATEGORY** (To be filled in the office)
- 15a. **CLASSIFICATION** ACTIVE
- 15b. **STATUS** OPEN

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION FORM

16. **POTENTIAL_STATUS** SIGNIFICANT

Estimated quantity of material in the site at the time of inspection.

NONE	There appeared to be no useable material in the site.
LIMITED	There appeared to be less than 25,000 c.y. available within the developed site.
SIGNIFICANT	There appeared to be greater than 25,000 c.y. available within the developed site.
EXPANDABLE	There was limited material within the developed site, but there appeared to be significant material outside existing site limits.
UNDEVELOPED	The pit has not been mined/explored (used only for proposed sites).
CLOSED	There may be useable material left in the pit but it is not available.
UNKNOWN	
OTHER	The site does not fit any of the categories above. Explain in Section 44, Notes.

17. **PRESENT_USERS**

17a. **PRESENT_USER_1** DOT&PF MAINTENANCE

17b. **PRESENT_USER_2** _____

17c. **PRESENT_USER_3** _____

18. **PERMITTED_ACREAGE** 106

Area within site permit or R.O.W. boundaries, from permit application or property plat.

19. **DEVELOPED_ACREAGE** 50

Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below.

Includes those parts of the existing pit within the site limits.

20. **ACREAGE_COMP_METHOD** FROM MAP/PHOTO

Method used to determine developed acreage.

21. **EST_QUAN_AVAIL** 40,000 ROUGH ESTIMATE

Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area.

Explain computation assumptions and calculations below.

The bottom of the pit has reportedly been worked down to the glacial till, but there was no evidence of the till in the bottom of the existing pit in 2009. The cleared area to the northwest of the pipeline workpad was demarcated as a waste area on some site maps; however, there are indications from pieces of the old material site reports available that there may be useable material there. A test boring location (TH09-592) was observed northwest of the pipeline workpad, although the data was unavailable. There is a small area in the southeast corner of the site that contains some minable material. Assuming an average of one foot of overburden and a 16-foot working depth there was approx. 41,000 c.y. of material available (2.7 acres x 15 feet x 1,000 c.y. per acre-foot). There may be other pockets of useable material scattered throughout the site.

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION FORM

22. ACCESS_TYPE	EXISTING ROAD / OPEN NONE EXISTING ROAD / OPEN EXISTING ROAD / REVEG EXISTING ROAD / CLOSED W/BERMS EXISTING ACCESS / REMOVED SNOW ROAD ICE ROAD BARGE OTHER No access road has been built. Drivable. May have gate. Can be reopened with little effort. Can be reopened with little effort. Can be reopened with much effort. Can only be accessed during winter. Requires crossing river or lake ice in the winter. Material can only be moved by barge. The site does not fit any of the categories above. Describe in Section 44, Notes.	
23. ACCESS_LENGTH	1,500 Approx. length from edge of pit to highway/secondary route (ft.)	
24. VEGETATION Vegetation in the undeveloped portion of the site consisted of spruce and aspen trees to 8 in. diameter spaced 5 to 8 ft. apart, moderately dense willow brush and low ground cover. Most of the existing pit was sparsely vegetated with spruce and aspen saplings and grasses.		
25. TYPE_1	BORROW PIT	26. TYPE_2
Dominant type General Types of Materials Available Subordinate type Enter data in Type_2 only if two types of material site available QUARRY BORROW PIT BAILING RIVER BAR Bedrock sources requiring blasting Soils or soft bedrock (rippable), above water table Requires production below the water table Sand/gravel bars in active channels		
27. OB_CLASS_1	<3 FT.	28. OB_CLASS_2 OTHER
New Site or expansion Area A site may have both. Data should be based on actual subsurface exploration, otherwise unknown. Estimated average depth over the area. NONE <3 FT. 3 TO 6 FT. >6 FT. UNKNOWN OTHER Existing Pit (Spoil)		
29. OB_TYPE_1	SILT	30. OB_TYPE_2 SPOIL
New Site or expansion Area A site may have both. SILT COLLUVIUM PEAT SPOIL Existing Pit (Spoil) SOLID WASTE UNKNOWN OTHER		

**STATEWIDE MATERIAL SITE INVENTORY
MATERIAL SITE INSPECTION FORM**

31. MAT_TYPE_1 Dominant type	FLUVIAL	32. MAT_TYPE_2 Subordinate type
BEDROCK WEATHER. BEDROCK FLUVIAL GLACIAL COLLUVIAL EOLIAN SILT	Bedrock sources requiring blasting Bedrock sources requiring ripping Water deposited sand and gravel, includes glaciofluvial Glacial till Talus slopes, etc. Sand Dunes, etc. Silt deposits, loess, fluvial, etc.	

33. PERMAFROST_1 New Site or Expansion Area	UNKNOWN
---	----------------

34. PERMAFROST_2 Existing Site DETECTED IN MOST TEST HOLES DETECTED IN SOME TEST HOLES DETECTED IN IMMEDIATE VICINITY DETECTED IN NO TEST HOLES DATA OUTDATED UNKNOWN OTHER	DETECTED IN NO TEST HOLES OR PITS
--	--

35. GROUNDWATER	No water table was noted in test holes advanced up to 38 ft. in May, 1963.
------------------------	--

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION FORM

36. LITHOLOGY_1FLUVIAL

Dominant type

37. LITHOLOGY_2

Subordinate type

IGNEOUS ROCK

Undifferentiated Igneous Rocks

GRANITIC

Granite/Monzonite/Granodiorite

DIORITE/GABBRO

Diorite/Gabbro

BASALT

Dark colored fine-grained Igneous Rocks

GREENSTONE

Altered Volcanic Rocks w/green tint

METAMORPHIC ROCK

Undifferentiated Metamorphic Rocks

SCHIST/PHYLLITE

Includes rocks ranging from slate to schist

GNEISS

Includes hard schistose rocks

MARBLE

CATACLASTIC

Incl. Valdez Formation Rocks, Kenai Penn.

MÉLANGE

Incl. McHugh Formation Rocks, Kenai Penn.

SEDIMENTARY ROCK

Undifferentiated Sedimentary Rocks

CONGLOMERATE

SANDSTONE

Includes greywacke, etc.

SHALE/MUDSTONE

LIMESTONE

FLUVIAL

River and stream deposits (floodplain), includes outwash.

ALLUVIAL

Alluvial / Debris Fan deposits

GLACIOFLUVIAL

Eskers, kames, etc.

GLACIAL

Till

COLLUVIAL

Talus, etc.

EOLIAN

Sand Dunes, etc.

SILT

Loess, fluvial silts, etc.

OTHER

Explain in Section 44.

38. MATERIAL_CLASSIFICATION

ASTM Classification, generally they should range from coarse to fine.

38a. GW38c. GW-GM38e. SW-SM38g. SP38b. GP38d. GP-GM38f. SP-SM38h.

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION FORM

39. COBBLES_AND_BOULDERS

Test Boring Callout / ASTM Classification, either a. or b. and c. (Can use ranges i.e. 0 to 20)

39a.	CONTAINS		
39b.	Est. % by VOL.	1 to 10	(Est. From Visual Observations)
39c.	MAX. SIZE (in.)	24	(Observed Size)

40. AGG_TEST_RESULTS

Year of test or report- Test result / Year of test or report- Test Results

40a. SG APP COARSE

40b. SG APP FINE

1963- 2.73, 2.74, 2.75, 2.75, 2.78, 2.79, 2.75, 2.76, 2.74, 2.78, 2.76, 2.78, 2.76, 2.75, 2.75,
2.76, 2.76, 2.75, 2.74, 2.74, 2.76, 2.75, 2.74, 2.78, 2.79, 2.75, 2.78, 2.76, 2.76, 2.76

40c. ABSORPTION CRSE

40d. ABSORPTION FINE

40e. NORDIC ABRASION

40f. L.A. ABRASION

40g. DEGRADATION (T-13)

40h. NASO4 LOSS COARSE

40i. NASO4 LOSS FINE

41. POTENTIAL_USABILITY**TYPES A AND B MATERIAL AVAILABLE**

Best known potential use of the material, based on records, exploration and laboratory data.

CONCRETE AGGREGATE PRODUCED

The site has produced concrete aggregate

PAVING AGGREGATE PRODUCED

The site has produced paving aggregate

CRUSHED PRODUCTS PRODUCED

Base, Surface Coarse, Subbase, etc. has been produced.

TYPE A AND B MATERIAL AVAILABLE

0 to 10 percent passing 200

TYPE C AVAILABLE

Compactable material

TYPE C NOT AVAILABLE

Uncompactable material (Lower Kuskokwim and Yukon River, etc.)

UNKNOWN

OTHER

Explain in Section 44.

42. SPECIAL_PROBLEMS

Special problems encountered or anticipated with use of the material, based on records, exploration and laboratory data.

ORGANIC CONTENT

The material is very difficult to compact.

HIGHLY WEATHERED GRAVEL

The gravel is highly weathered and may break down when handled.

BREAKS DOWN UNDER USE

Material breaks down on grade.

SENSITIVE TO WATER CONTENT

Material is sensitive to water content, i.e.. some glacial tills, soft bedrock.

VARIABLE MATERIAL

Deposit contains mixture of suitable and unsuitable material.

POSSIBLE CONTAMINATION

Site may be contaminated by petroleum products or hazardous materials.

CONTAINS ASBESTOS

Site contains naturally occurring asbestos.

POTENTIAL ASBESTOS

Site in area where naturally occurring asbestos is mapped.

ACID ROCK DRAINAGE

Site contains rock susceptible to producing acid rock drainage.

OTHER

Explain in Section 44, Notes.

**STATEWIDE MATERIAL SITE INVENTORY
MATERIAL SITE INSPECTION FORM**

43. RIPRAP**NOT POSSIBLE**

Class II or larger. Does not include production for erosion control riprap for ditches or culverts.

PREVIOUS PRODUCTION

There is a record of production.

POSSIBLE FURTHER INVESTIGATION NEEDED

The site is a bedrock quarry containing hard rock

NOT POSSIBLE

The site has soft rock or soil.

UNKNOWN

OTHER


Explain in Section 44, Notes.

44. NOTES

Note number of item being discussed.

23. The access length reflects the distance from the Richardson Highway to the edge of the pit.

28. Vegetated spoil berms were present along the southeast and northcentral margins of the existing pit. Additionally, the site was reportedly used for waste disposal by Alyeska.



Legend

- Aggregate Work Sites
- ▲ Stockpile Only
- DOT&PF Road Sys
- NR Maint Dist
- - - State Border
- - - Regional Boundary

0 40 80 160 Miles

STATE OF ALASKA
Department of Transportation and Public Facilities
2301 Peger Road Fairbanks, AK 99709

NR FFY22 AGGREGATE STOCKPILING SITES

DATE: February 2022

FIGURE 1 / 18



APPROX
STOCKPILE
AREA

DENALI HWY

Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



Legend

— DOT&PF Road System


0 0.005 0.01 0.02 Miles

STATE OF ALASKA
Department of Transportation and Public Facilities
2301 Peger Road Fairbanks, AK 99709

NR AGGREGATE PROGRAM DENALI MILE 65 PULLOUT STOCKPILE AREA ONLY

DATE: February 2022

FIGURE 12 / 18



Source: Esri, DigitalGlobe, GeoEye, IGN, and the GIS User Community



Legend

- Pit Boundary
- Work Area
- DOT&PF Road System

0 0.05 0.1 0.2 Miles

STATE OF ALASKA
Department of Transportation and Public Facilities
2301 Peger Road Fairbanks, AK 99709

NR AGGREGATE PROGRAM DENALI MILE 55.7 52-1-034-5


DATE: February 2022

FIGURE 13 / 18



Legend

-  Pit Boundary
-  Work Area
-  DOT&PF Road System




STATE OF ALASKA
Department of Transportation and Public Facilities
2301 Peger Road Fairbanks, AK 99709

NR AGGREGATE PROGRAM DENALI MILE 42 52-1-079-5

DATE: February 2022

FIGURE 14 / 18



Source: Esri, DigitalGlobe, GeoEye, IGN, and the GIS User Community



Legend

-  Pit Boundary
-  Work Area
-  DOT&PF Road System
-  Mileposts

0 0.075 0.15 0.3 Miles

STATE OF ALASKA
Department of Transportation and Public Facilities
2301 Peger Road Fairbanks, AK 99709

NR AGGREGATE PROGRAM RICHARDSON MILE 73.5 71-1-014-5

DATE: February 2022

FIGURE 15 / 18



Legend

-  Pit Boundary
-  Work Area
-  DOT&PF Road System

0 0.025 0.05 0.1 Miles



STATE OF ALASKA
Department of Transportation and Public Facilities
2301 Peger Road Fairbanks, AK 99709

NR AGGREGATE PROGRAM EDGERTON MILE 23.7 850-032-5

DATE: February 2022

FIGURE 15 / 18



STATE OF ALASKA
DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES
REQUIRED CONTRACT PROVISIONS
for
FEDERAL-AID (FHWA) CONSTRUCTION CONTRACTS

FHWA-1273 -- Revised May 1, 2012
Supplement , Cargo Preference Act – Effective February 15, 2016

REQUIRED CONTRACT PROVISIONS
FEDERAL-AID CONSTRUCTION CONTRACTS

- I. General
- II. Nondiscrimination
- III. Nonsegregated Facilities
- IV. Davis-Bacon and Related Act Provisions
- V. Contract Work Hours and Safety Standards Act Provisions
- VI. Subletting or Assigning the Contract
- VII. Safety: Accident Prevention
- VIII. False Statements Concerning Highway Projects
- IX. Implementation of Clean Air Act and Federal Water Pollution Control Act
- X. Compliance with Governmentwide Suspension and Debarment Requirements
- XI. Certification Regarding Use of Contract Funds for Lobbying

ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

I. GENERAL

1. Form FHWA-1273 must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Form FHWA-1273 must be included in all Federal-aid design-build contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services). The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in bid proposal or request for proposal documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract).

2. Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's

immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.

3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.

4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors.

II. NONDISCRIMINATION

The provisions of this section related to 23 CFR Part 230 are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR 60, 29 CFR 1625-1627, Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR 60, and 29 CFR 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), and Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR 230, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

1. Equal Employment Opportunity: Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630, 29 CFR 1625-1627, 41 CFR 60 and 49 CFR 27)

and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR 35 and 29 CFR 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract.

b. The contractor will accept as its operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."

2. EEO Officer: The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and responsibility to do so.

3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:

a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.

b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.

c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women.

d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.

e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of

employees by means of meetings, employee handbooks, or other appropriate means.

4. Recruitment: When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.

a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.

b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.

c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.

5. Personnel Actions: Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:

a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.

b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.

c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.

d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.

6. Training and Promotion:

a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.

b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).

c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.

d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.

7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:

a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.

b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.

c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.

d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.

8. Reasonable Accommodation for Applicants /

Employees with Disabilities: The contractor must be familiar with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established there under. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.

9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment:

The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.

a. The contractor shall notify all potential subcontractors and suppliers and lessors of their EEO obligations under this contract.

b. The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

10. Assurance Required by 49 CFR 26.13(b):

a. The requirements of 49 CFR Part 26 and the State DOT's U.S. DOT-approved DBE program are incorporated by reference.

b. The contractor or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the contracting agency deems appropriate.

11. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.

a. The records kept by the contractor shall document the following:

(1) The number and work hours of minority and non-minority group members and women employed in each work classification on the project;

(2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and

(3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women;

b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on [Form FHWA-1391](#). The staffing data should

represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more.

The contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location, under the contractor's control, where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size). The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. Contracting agencies may elect to apply these requirements to other projects.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

1. Minimum wages

a. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph 1.d. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph 1.b. of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

b. (1) The contracting officer shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:

(i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and

(ii) The classification is utilized in the area by the construction industry; and

(iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.

(2) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

(3) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for

determination. The Wage and Hour Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

(4) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs 1.b.(2) or 1.b.(3) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.

c. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.

d. If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

2. Withholding

The contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract, or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the contracting agency may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

3. Payrolls and basic records

a. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that

the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.

b.(1) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the contracting agency. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division Web site at <http://www.dol.gov/esa/whd/forms/wh347instr.htm> or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the contracting agency for transmission to the State DOT, the FHWA or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the contracting agency..

(2) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:

(i) That the payroll for the payroll period contains the information required to be provided under §5.5 (a)(3)(ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under §5.5 (a)(3)(i) of Regulations, 29 CFR part 5, and that such information is correct and complete;

(ii) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3;

(iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed,

as specified in the applicable wage determination incorporated into the contract.

(3) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(2) of this section.

(4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.

c. The contractor or subcontractor shall make the records required under paragraph 3.a. of this section available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the FHWA may, after written notice to the contractor, the contracting agency or the State DOT, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

4. Apprentices and trainees

a. Apprentices (programs of the USDOL).

Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice.

The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

b. Trainees (programs of the USDOL).

Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration.

The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration.

Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.

In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

c. Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity

requirements of Executive Order 11246, as amended, and 29 CFR part 30.

d. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

5. Compliance with Copeland Act requirements. The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.

6. Subcontracts. The contractor or subcontractor shall insert Form FHWA-1273 in any subcontracts and also require the subcontractors to include Form FHWA-1273 in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.

7. Contract termination: debarment. A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.

8. Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.

9. Disputes concerning labor standards. Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

10. Certification of eligibility.

a. By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).

b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).

c. The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

The following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.

1. Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.

2. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (1.) of this section, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (1.) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (1.) of this section.

3. Withholding for unpaid wages and liquidated damages. The FHWA or the contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2.) of this section.

4. Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (1.) through (4.) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (1.) through (4.) of this section.

VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System.

1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).

a. The term "perform work with its own organization" refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions:

(1) the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;

(2) the prime contractor remains responsible for the quality of the work of the leased employees;

(3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and

(4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.

b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract.

2. The contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.

3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.

4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is

evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.

5. The 30% self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements.

VII. SAFETY: ACCIDENT PREVENTION

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.

2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).

3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C.3704).

VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

By submission of this bid/proposal or the execution of this contract, or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

1. That any person who is or will be utilized in the performance of this contract is not prohibited from receiving an award due to a violation of Section 508 of the Clean Water Act or Section 306 of the Clean Air Act.

2. That the contractor agrees to include or cause to be included the requirements of paragraph (1) of this Section X in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements.

X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200.

1. Instructions for Certification – First Tier Participants:

a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.

b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this

covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.

c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default.

d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

e. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180 and 1200. "First Tier Covered Transactions" refers to any covered transaction between a grantee or subgrantee of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a grantee or subgrantee of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.

g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.

h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (<https://www.epls.gov/>), which is compiled by the General Services Administration.

i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

* * * * *

2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:

a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:

(1) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency;

(2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

(3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification; and

(4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

2. Instructions for Certification - Lower Tier Participants:

(Applicable to all subcontracts, purchase orders and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200)

a. By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.

b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which

this transaction originated may pursue available remedies, including suspension and/or debarment.

c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.

d. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180 and 1200. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations. "First Tier Covered Transactions" refers to any covered transaction between a grantee or subgrantee of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a grantee or subgrantee of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.

f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.

g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (<https://www.epls.gov/>), which is compiled by the General Services Administration.

h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the

department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

* * * * *

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:

1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency.

2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

* * * * *

XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 (49 CFR 20).

1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

**ATTACHMENT A - EMPLOYMENT AND MATERIALS
PREFERENCE FOR APPALACHIAN DEVELOPMENT
HIGHWAY SYSTEM OR APPALACHIAN LOCAL ACCESS
ROAD CONTRACTS**

This provision is applicable to all Federal-aid projects funded under the Appalachian Regional Development Act of 1965.

1. During the performance of this contract, the contractor undertaking to do work which is, or reasonably may be, done as on-site work, shall give preference to qualified persons who regularly reside in the labor area as designated by the DOL wherein the contract work is situated, or the subregion, or the Appalachian counties of the State wherein the contract work is situated, except:

a. To the extent that qualified persons regularly residing in the area are not available.

b. For the reasonable needs of the contractor to employ supervisory or specially experienced personnel necessary to assure an efficient execution of the contract work.

c. For the obligation of the contractor to offer employment to present or former employees as the result of a lawful collective bargaining contract, provided that the number of nonresident persons employed under this subparagraph (1c) shall not exceed 20 percent of the total number of employees employed by the contractor on the contract work, except as provided in subparagraph (4) below.

2. The contractor shall place a job order with the State Employment Service indicating (a) the classifications of the laborers, mechanics and other employees required to perform the contract work, (b) the number of employees required in each classification, (c) the date on which the participant estimates such employees will be required, and (d) any other pertinent information required by the State Employment Service to complete the job order form. The job order may be placed with the State Employment Service in writing or by telephone. If during the course of the contract work, the information submitted by the contractor in the original job order is substantially modified, the participant shall promptly notify the State Employment Service.

3. The contractor shall give full consideration to all qualified job applicants referred to him by the State Employment Service. The contractor is not required to grant employment to any job applicants who, in his opinion, are not qualified to perform the classification of work required.

4. If, within one week following the placing of a job order by the contractor with the State Employment Service, the State Employment Service is unable to refer any qualified job applicants to the contractor, or less than the number requested, the State Employment Service will forward a certificate to the contractor indicating the unavailability of applicants. Such certificate shall be made a part of the contractor's permanent project records. Upon receipt of this certificate, the contractor may employ persons who do not normally reside in the labor area to fill positions covered by the certificate, notwithstanding the provisions of subparagraph (1c) above.

5. The provisions of 23 CFR 633.207(e) allow the contracting agency to provide a contractual preference for the use of mineral resource materials native to the Appalachian region.

6. The contractor shall include the provisions of Sections 1 through 4 of this Attachment A in every subcontract for work which is, or reasonably may be, done as on-site work.

SUPPLEMENT to Form FHWA -1273
CARGO PREFERENCE ACT REQUIREMENTS

This provision requires compliance with the Cargo Preference Act (CPA) and its implementing regulations in 46 CFR 381 for all Federal Aid Projects awarded after February 15, 2016.

In accordance with 46 CFR 381.7, the following language must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of 46 CFR 381.7 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

(a) Agreement Clauses. Use of United States-flag vessels:

(1) Pursuant to Pub. L. 664 (43 U.S.C. 1241(b)) at least 50 percent of any equipment, materials or commodities procured, contracted for or otherwise obtained with funds granted, guaranteed, loaned, or advanced by the U.S. Government under this agreement, and which may be transported by ocean vessel, shall be transported on privately owned United States-flag commercial vessels, if available.

(2) Within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (a)(1) of this section shall be furnished to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590."

(b) Contractor and Subcontractor Clauses. Use of United States-flag vessels: The contractor agrees—

(1) To utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels.

(2) To furnish within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (b) (1) of this section to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590.

(3) To insert the substance of the provisions of this clause in all subcontracts issued pursuant to this contract."