STATE OF ALASKA INVITATION TO BID (ITB)



CRUSHED AGGREGATE, D-1, TAZLINA, FEDERALLY FUNDED

2523N044 4/5/2023

STOCKPILE CRUSHED AGGREGATE TO MULTIPLE LOCATIONS IN THE TAZLINA AREA.

<u>IMPORTANT NOTICE:</u> If you received this solicitation from the State's "Online Public Notice" web site, you must register with the Procurement Officer listed on this document to receive notification of subsequent amendments. Failure to contact the Procurement Officer may result in the rejection of your offer.

BIDDER'S NOTICE:

Contracts for purchases resulting from this bid will be made utilizing Federal Funds. As such, and per AS 36.30.890, no State of Alaska Bidder or Product Preferences may apply.

Sec. 36.30.890. Federal Assistance

If a procurement involves the expenditure of federal funds or federal assistance and there is a conflict between a provision of this chapter or a regulation adopted under a provision of this chapter and a federal statute, regulation, policy, or requirement, the federal statute, regulation, policy, or requirement shall prevail.

2 AAC 12.730. Federal Assistance

If a procurement involves the expenditure or federal funds or requires federal assistance and there is a conflict between a provision of this chapter and federal statute, regulation, policy, or requirement, the procurement officer shall comply with the federal statute, regulation, policy, or requirement.

Authority: AS 36.30.040; AS 36.30.890

Eric Johnson	COMPANY SUBMITTING BID	*DOES YOUR BUSINESS QUALIFY FOR THE ALASKA BIDDER'S PREFERENCE? [] YES [] NO
Procurement Officer		*DOES YOUR BUSINESS QUALIFY FOR THE
	AUTHORIZED SIGNATURE	ALASKA VETERAN PREFERENCE? [] YES [] NO
Phone: (907) 451-5102 TDD: (907) 451-2363 FAX: (907) 451-2313	PRINTED NAME	*SEE ITB FOR EXPLANATION OF CRITERIA TO QUALIFY
Email: eric.johnson@alaska.gov	DATE	TELEPHONE NUMBER
ALASKA BUSINESS LICENSE NUMBER	FEDERAL TAX ID NUMBER	E-MAIL ADDRESS

1 Rev. 11/19

TABLE OF CONTENTS

SECTION 1.	INTRODUCTION & INSTRUCTIONS	4
SEC. 1.01	PURPOSE OF THE ITB	4
SEC. 1.02	DEADLINE FOR RECEIPT OF BIDS	4
SEC. 1.03	PRIOR EXPERIENCE	4
SEC. 1.04	INVITATION TO BID (ITB) REVIEW	4
SEC. 1.05	QUESTIONS PRIOR TO DEADLINE FOR RECEIPT OF BIDS	4
SEC. 1.06	SITE INSPECTION	4
SEC. 1.07	SUBMITTING BIDS	4
SEC. 1.08	BID FORMS	5
SEC. 1.09	PRICES	6
SEC. 1.10	ASSISTANCE TO BIDDERS WITH A DISABILITY	6
SEC. 1.11	AMENDMENTS TO BIDS	6
SEC. 1.12	AMENDMENTS TO THE ITB	6
SEC. 1.13	ITB SCHEDULE	6
SEC. 1.14	ALTERNATE BIDS	7
SEC. 1.15	SUPPORTING INFORMATION	7
SEC. 1.16	FIRM, UNQUALIFIED, AND UNCONDITIONAL OFFER	7
SECTION 2.	CONTRACT INFORMATION	8
SEC. 2.01	CONTRACT TERM	8
SEC. 2.02	CONTRACT ADMINISTRATION	8
SEC. 2.03	CONTRACT FUNDING	8
SEC. 2.04	CONTRACT EXTENSION	8
SEC. 2.05	CONTRACT CHANGES — UNANTICIPATED AMENDMENTS	
SEC. 2.06	SUBCONTRACTORS	
SEC. 2.07	JOINT VENTURES	
SEC. 2.08	CONTRACT PERFORMANCE LOCATION	
SEC. 2.09	RIGHT TO INSPECT PLACE OF BUSINESS	
SEC. 2.10	SCOPE OF WORK AND SPECIFICATIONS	
SEC. 2.11	F.O.B. POINT	
SEC. 2.12	SHIPPING DAMAGE	
SEC. 2.13	DELIVERY TIME	
SEC. 2.14	INSPECTION & MODIFICATION - REIMBURSEMENT FOR UNACCEPTABLE DELIVERABLES	
SEC. 2.15	CONTINUING OBLIGATION OF CONTRACTOR	
SEC. 2.16	ESTIMATED QUANTITIES	
SEC. 2.17	INDEMNIFICATION	
SEC. 2.18	INSURANCE	
SEC. 2.19	BID BOND — PERFORMANCE BOND — SURETY DEPOSIT	
SECTION 3.	CONTRACT INVOICING AND PAYMENTS	
SEC. 3.01	BILLING INSTRUCTIONS	
SEC. 3.02	PAYMENT FOR STATE PURCHASES	
SEC. 3.03	PROMPT PAYMENT FOR STATE PURCHASES	
SEC. 3.04	THIRD-PARTY FINANCING AGREEMENTS NOT ALLOWED	
SECTION 4.	EVALUATION AND CONTRACTOR SELECTION	
SEC. 4.01	EVALUATION OF BIDS	
SEC. 4.02	EXTENSION OF PRICES	
SEC. 4.03	METHOD OF AWARD	
SEC. 4.04	NOTICE OF INTENT TO AWARD	13

SECTION 5.	GENERAL PROCESS AND LEGAL INFORMATION	14
SEC. 5.01	ALASKA BUSINESS LICENSE AND OTHER REQUIRED LICENSES	14
SEC. 5.02	AUTHORITY	14
SEC. 5.03	COMPLIANCE	15
SEC. 5.04	SUITABLE MATERIALS, ETC.	15
SEC. 5.05	SPECIFICATIONS	15
SEC. 5.06	CONTRACTOR SITE INSPECTION	15
SEC. 5.07	ORDER DOCUMENTS	15
SEC. 5.08	HUMAN TRAFFICKING	
SEC. 5.09	RIGHT OF REJECTION	15
SEC. 5.10	STATE NOT RESPONSIBLE FOR PREPARATION COSTS	16
SEC. 5.11	DISCLOSURE OF BID CONTENTS	16
SEC. 5.12	ASSIGNMENTS	
SEC. 5.13	FORCE MAJEURE (IMPOSSIBILITY TO PERFORM)	
SEC. 5.14	DEFAULT	17
SEC. 5.15	DISPUTES	17
SEC. 5.16	SEVERABILITY	
SEC. 5.17	CONTRACT CANCELLATION	
SEC. 5.18	GOVERNING LAW; FORUM SELECTION	
SEC. 5.19	SOLICITATION ADVERTISING	
SEC. 5.20	QUALIFIED BIDDERS	
SEC. 5.21	FEDERALLY IMPOSED TARIFFS	
SEC. 5.22	PROTEST	
SECTION 6.	ATTACHMENTS	
SEC. 6.01	ATTACHMENTS	20

SECTION 1. INTRODUCTION & INSTRUCTIONS

SEC. 1.01 PURPOSE OF THE ITB

The Department of Transportation & Public Facilities, Maintenance & Operations (M & O), is soliciting bids for to purchase Crushed Aggregate, D-1, stockpiled at multiple locations in the Tazlina area.

SEC. 1.02 DEADLINE FOR RECEIPT OF BIDS

Bids must be received no later than 10:00 AM Alaska Time on April 26, 2023, at which time they will be publicly opened. Late bids or amendments will be disqualified and not opened or accepted for evaluation.

SEC. 1.03 PRIOR EXPERIENCE

No specific minimums have been set for this ITB.

SEC. 1.04 INVITATION TO BID (ITB) REVIEW

Bidders shall carefully review this ITB for defects and questionable or objectionable material. Comments concerning defects and questionable or objectionable material in the ITB should be made in writing and received by the procurement officer at least ten days before the bid opening date. This will allow time for an amendment to be issued if one is required. It will also help prevent the opening of a defective bid, upon which award cannot be made, and the resultant exposure of bidders' prices.

SEC. 1.05 QUESTIONS PRIOR TO DEADLINE FOR RECEIPT OF BIDS

All questions must be in writing and directed to the procurement officer. The interested party must confirm telephone conversations in writing. Two types of questions generally arise. One may be answered by directing the questioner to a specific section of the ITB. These questions may be answered over the telephone. Other questions may be more complex and may require a written amendment to the ITB. The procurement officer will make that decision.

SEC. 1.06 SITE INSPECTION

Potential bidders are encouraged to visit the work site so that they can see the conditions under which the work described in this ITB will be performed. The bidder's failure to visit the work site will in no way relieve the bidder of the responsibility of performing the work in strict compliance with the true intent and meaning of the terms, conditions and specifications of this ITB. The site may be inspected by contacting Henry Cole at 907-451-2223.

This contact person is only empowered to allow potential bidders to view the work site. The contact person cannot and will not answer potential bidder questions regarding the work to be performed under this ITB or the terms, conditions and specifications of this ITB. Any questions potential bidders have must be directed to the procurement officer as required in Section 1.04.

SEC. 1.07 SUBMITTING BIDS

Bidders may submit one hard copy of their bid, in writing, to the procurement officer in a sealed package. The sealed bid package must be addressed as follows:

Department of Transportation & Public Facilities Northern Region Procurement

Attention: Eric Johnson

Invitation to Bid (ITB) Number: 2523N043

ITB Title: Crushed Aggregate, D-1, Tazlina Area, Federally Funded
Department of Transportation & Public Facilities
2301 Peger Road
Fairbanks, AK 99709

If using a <u>delivery service</u>, please use the following address:

Department of Transportation & Public Facilities 2301 Peger Road Fairbanks, AK 99709

If submitting a bid via email, the bid may be emailed to dotnrprocurement@alaska.gov and must contain the ITB number in the subject line of the email. The maximum size of a single email (including all text and attachments) that can be received by the state is 20mb (megabytes). If the email containing the bid exceeds this size, the bid must be sent in multiple emails that are each less than 20 megabytes and each email must comply with the requirements described above.

Please note that email transmission is not instantaneous. Similar to sending a hard copy bid, if you are emailing your bid, the state recommends sending it enough ahead of time to ensure the email is delivered by the deadline for receipt of bid.

It is the bidder's responsibility to contact the issuing agency at **(907) 451-5102** to confirm that the bid has been received. The state is not responsible for unreadable, corrupt, or missing attachments.

SEC. 1.08 BID FORMS

Bidders shall use the front page of this ITB and any other forms identified in this ITB for submitting bids. All bids must be signed by an individual authorized to bind the bidder to the provisions of the ITB.

BIDDER'S CERTIFICATION

By signature on the bid, the bidder certifies that they comply with the following:

- A. the laws of the State of Alaska;
- B. the applicable portion of the Federal Civil Rights Act of 1964;
- C. the Equal Employment Opportunity Act and the regulations issued thereunder by the state and federal government;
- D. the Americans with Disabilities Act of 1990 and the regulations issued thereunder by the state and federal government;
- E. all terms and conditions set out in this ITB;
- F. the price(s) submitted was arrived at independently arrived and without collusion, under penalty of perjury; and

G. that the bid will remain open and valid for at least 90 days.

If any bidder fails to comply with [a] through [g] of this paragraph, the state reserves the right to disregard the bid, terminate the contract, or consider the contractor in default.

CONFLICT OF INTEREST

Each bid shall include a statement indicating whether or not the company or any individuals working on the contract has a possible conflict of interest (e.g., currently employed by the State of Alaska or formerly employed by the State of Alaska within the past two years) and, if so, the nature of that conflict. The procurement officer reserves the right to **consider a bid non-responsive and reject it** or cancel the award if any interest disclosed from any source could either give the appearance of a conflict or cause speculation as to the objectivity of the contract to be performed by the bidder.

SEC. 1.09 PRICES

The bidder shall state prices in the units of issue on this ITB. Prices quoted in bids must be exclusive of federal, state, and local taxes. If the bidder believes that certain taxes are payable by the state, the bidder may list such taxes separately, directly below the bid price for the affected item.

SEC. 1.10 ASSISTANCE TO BIDDERS WITH A DISABILITY

Bidders with a disability may receive accommodation regarding the means of communicating this ITB or participating in the procurement process. For more information, contact the procurement officer no later than ten days prior to the deadline for receipt of bids.

SEC. 1.11 AMENDMENTS TO BIDS

Amendments to or withdrawals of bids will only be allowed if acceptable requests are received prior to the deadline that is set for receipt of bids, in accordance with 2 AAC 12.140. No amendments or withdrawals will be accepted after the deadline unless the delay is due to an error of the contracting agency, in accordance with 2 AAC 12.160.

SEC. 1.12 AMENDMENTS TO THE ITB

If an amendment is issued, it will be provided to all who were notified of the ITB and to those who have registered with the procurement officer after receiving the ITB from the State of Alaska Online Public Notice website.

SEC. 1.13 ITB SCHEDULE

The ITB schedule set out herein represents the State of Alaska's best estimate of the schedule that will be followed. If a component of this schedule, such as the deadline for receipt of bids, is delayed, the rest of the schedule may be shifted accordingly. All times are Alaska Time.

ACTIVITY	DATE
Issue Date / ITB Released	April 5, 2023
Deadline for Receipt of Bids / Bid Due Date	April 26, 2023 (10:00 AM)
Bid Evaluations Complete	April 27, 2023
Notice of Intent to Award	April 27, 2023
Contract Issued	May 9, 2023

This ITB does not, by itself, obligate the state. The state's obligation will commence when the contract is approved by the Commissioner of the Department of Transportation & Public Facilities, or the Commissioner's designee. Upon written notice to the contractor, the state may set a different starting date for the contract. The state will not be responsible for any work done by the contractor, even work done in good faith, if it occurs prior to the contract start date set by the state.

SEC. 1.14 ALTERNATE BIDS

Bidders may only submit one bid for evaluation. In accordance with 2 AAC 12.830 alternate bids (bids that offer something different than what is asked for) will be rejected.

SEC. 1.15 SUPPORTING INFORMATION

Bidders shall submit all required technical, specification, and other supporting information with their bid, so that a detailed analysis and determination can be made by the procurement officer that the product offered meets the ITB specifications and that other requirements of the ITB have been met. However, provided a bid meets the requirements for a definite, firm, unqualified, and unconditional offer, the state reserves the right to request supplemental information from the bidder, after the bids have been opened, to ensure that the products or services offered completely meet the ITB requirements. The requirement for such supplemental information will be at the reasonable discretion of the state and may include the requirement that a bidder will provide a sample product(s) so that the state can make a first-hand examination and determination.

A bidder's failure to provide this supplemental information or the product sample(s), within the time set by the state, will cause the state to consider the offer non-responsive and reject the bid.

SEC. 1.16 FIRM, UNQUALIFIED, AND UNCONDITIONAL OFFER

Bidders must provide enough information with their bid to constitute a definite, firm, unqualified and unconditional offer. To be responsive a bid must constitute a definite, firm, unqualified and unconditional offer to meet all the material terms of the ITB. Material terms are those that could affect the price, quantity, quality, or delivery. Also included as material terms are those which are clearly identified in the ITB and which, for reasons of policy, must be complied with at risk of bid rejection for non-responsiveness.

SECTION 2. CONTRACT INFORMATION

SEC. 2.01 CONTRACT TERM

The length of the contract will be from the date of award, approximately May 9, 2023, until completion.

SEC. 2.02 CONTRACT ADMINISTRATION

The administration of this contract is the responsibility of the procurement officer or person appointed by the Department of Transportation & Public Facilities, M & O.

SEC. 2.03 CONTRACT FUNDING

Department of Transportation & Public Facilities, M & O, estimates a budget of between \$350,000.00 and \$500,000.00 for this contract.

SEC. 2.04 CONTRACT EXTENSION

Unless otherwise provided in this ITB, the state and the successful bidder/contractor agree: (1) that any extension of the contract excluding any exercised renewal options, will be considered as a month-to-month extension, and all other terms and conditions shall remain in full force and effect and (2) the procurement officer will provide written notice to the contractor of the intent to cancel the month-to-month extension at least thirty (30) days before the date of cancellation. A month-to-month extension may only be executed by the procurement officer via a written contract amendment.

SEC. 2.05 CONTRACT CHANGES – UNANTICIPATED AMENDMENTS

During the course of this contract, the contractor may be required to perform additional work. That work will be within the general scope of the initial contract. When additional work is required, the state will provide the contractor a written description of the additional work and request the contractor to submit a firm time schedule for accomplishing the additional work and a firm price for the additional work. Cost and pricing data must be provided to justify the cost of such amendments per AS 36.30.400.

The contractor will not commence additional work until the procurement officer has secured required state approvals necessary for the amendment and issued a written contract amendment.

SEC. 2.06 SUBCONTRACTORS

Subcontractors will not be allowed.

SEC. 2.07 JOINT VENTURES

Joint ventures will not be allowed.

SEC. 2.08 CONTRACT PERFORMANCE LOCATION

By signature on their bid, the bidder certifies that all services provided under this contract by the contractor and all subcontractors shall be performed in the United States.

If the bidder cannot certify that all work will be performed in the United States, the bidder must contact the procurement officer in writing to request a waiver at least 10 days prior to the deadline for receipt of bids.

The request must include a detailed description of the portion of work that will be performed outside the United States, where, by whom, and the reason the waiver is necessary.

Failure to comply with these requirements may cause the state to reject the bid as non-responsive, or cancel the contract.

SEC. 2.09 RIGHT TO INSPECT PLACE OF BUSINESS

At reasonable times, the state may inspect those areas of the contractor's place of business that are related to the performance of a contract. If the state makes such an inspection, the contractor must provide reasonable assistance.

SEC. 2.10 SCOPE OF WORK AND SPECIFICATIONS

See Attachment 1 for Special Provisions

SEC. 2.11 F.O.B. POINT

The F.O.B. point for this ITB will be multiple locations in the Tazlina area. Any freight charges must be included in unit cost, no additional freight charges shall be accepted.

SEC. 2.12 SHIPPING DAMAGE

The state will not accept or pay for damaged goods. The contractor must file all claims against the carrier(s) for damages incurred to items in transit from the point of origin to the ultimate destination. The state will provide the contractor with written notice when damaged goods are received. The state will deduct the cost of the damaged goods from the invoice prior to payment. The contractor must file all claims against the carrier(s) for reimbursement of the loss.

SEC. 2.13 DELIVERY TIME

Indicate, in the space provided on the Bid Schedule, the time required to make delivery after the receipt of an order. Failure to make an entry in the space provided will be construed as an offer to deliver by the required by date. Bids that specify deliveries in excess of the required by dates will be considered non-responsive and the bids will be rejected.

SEC. 2.14 INSPECTION & MODIFICATION - REIMBURSEMENT FOR UNACCEPTABLE DELIVERABLES

The contractor is responsible for proving all products or the completion of all work set out in the contract. All products or work is subject to inspection, evaluation, and approval by the state. The state may employ all reasonable means to ensure that the work is progressing and being performed in compliance with the contract. The state may instruct the contractor to make corrections or modifications if needed in order to accomplish the contract's intent. The contractor will not unreasonably withhold such changes.

Substantial failure of the contractor to perform the contract may cause the state to terminate the contract. In this event, the state may require the contractor to reimburse monies paid (based on the identified portion of unacceptable products or work received) and may seek associated damages.

SEC. 2.15 CONTINUING OBLIGATION OF CONTRACTOR

Notwithstanding the expiration date of a contract resulting from this ITB, the contractor is obligated to fulfill its responsibilities until warranty, guarantee, maintenance, and parts availability requirements have completely expired.

SEC. 2.16 ESTIMATED QUANTITIES

The quantities referenced in this ITB are an estimate of the of the state's initial purchase. The state expects to make this purchase approximately **May 9, 2023**. The state does not guarantee any minimum or maximum purchase.

SEC. 2.17 INDEMNIFICATION

The contractor shall indemnify, hold harmless, and defend the contracting agency from and against any claim of, or liability for error, omission or negligent act of the contractor under this agreement. The contractor shall not be required to indemnify the contracting agency for a claim of, or liability for, the independent negligence of the contracting agency. If there is a claim of, or liability for, the joint negligent error or omission of the contractor and the independent negligence of the contracting agency, the indemnification and hold harmless obligation shall be apportioned on a comparative fault basis.

"Contractor" and "contracting agency", as used within this and the following article, include the employees, agents and other contractors who are directly responsible, respectively, to each. The term "independent negligence" is negligence other than in the contracting agency's selection, administration, monitoring, or controlling of the contractor and in approving or accepting the contractor's work.

SEC. 2.18 INSURANCE

Without limiting the contractor's indemnification, it is agreed that the contractor shall purchase at its own expense and maintain in force at all times during the performance of services under this agreement the following policies of insurance. Where specific limits are shown, it is understood that they shall be the minimum acceptable limits. If the contractor's policy contains higher limits, the state shall be entitled to coverage to the extent of such higher limits.

Certificates of Insurance must be furnished to the procurement officer prior to contract approval and must provide for a notice of cancellation, non-renewal, or material change of conditions in accordance with policy provisions. Failure to furnish satisfactory evidence of insurance or lapse of the policy is a material breach of this contract and shall be grounds for termination of the contractor's services. All insurance policies shall comply with and be issued by insurers licensed to transact the business of insurance under AS 21.

Proof of insurance is required for the following:

Workers' Compensation Insurance: The contractor shall provide and maintain, for all employees engaged
in work under this contract, coverage as required by AS 23.30.045, and; where applicable, any other
statutory obligations including but not limited to Federal U.S.L. & H. and Jones Act requirements. The
policy must waive subrogation against the state.

- <u>Commercial General Liability Insurance</u>: covering all business premises and operations used by the
 contractor in the performance of services under this agreement with minimum coverage limits of
 \$300,000 combined single limit per occurrence.
- Commercial Automobile Liability Insurance: covering all vehicles used by the contractor in the
 performance of services under this agreement with minimum coverage limits of \$300,000 combined single
 limit per occurrence.

SEC. 2.19 BID BOND – PERFORMANCE BOND – SURETY DEPOSIT

BID GUARANTEE: Bids must be accompanied by a bid guarantee in the form of a Certified or Cashier's Check, or Bid Bond in the amount of \$5,000.00 made payable to the State of Alaska. The bid guarantee of each successful bidder will be retained until that bidder has furnished a satisfactory Performance Bond or Individual Surety. If the successful bidder fails to deliver the required Performance Bond or Individual Surety within the time required, the bid guarantee will be forfeited to the State of Alaska. The bid guarantee of each unsuccessful bidder will be returned as soon as practical after award has been made.

Bidders must submit their bid guarantee with their bid in order to be considered responsive.

Performance Bond

Bidders must obtain a letter of commitment for a performance bond from a bonding company and submit it with the bid. The amount of the performance bond must be equal to the entire dollar value of an bidder's offer, for the full term of the contract. If the contractor fails to satisfactorily perform the contract, the bonding company that provided the performance bond will be required to obtain timely performance of the contract. The actual performance bond must be obtained from the bonding company and provided to the state within 30-days of the date of award of the contract. A bidder's failure to provide the performance bond, within the required time, will cause the state to reject the bid or cancel the contract.

Surety Deposit

In lieu of a performance bond, an irrevocable letter of credit, or cash, may be substituted. The amount of the surety deposit must be The amount of the performance bond must be equal to the entire dollar value of an bidder's offer, for the full term of the contract. Substitution of a surety deposit must be approved by the Commissioner of the Department of Transportation & Public Facilities prior to its submittal. A bidder's failure to provide the surety deposit, within the required time, will cause the state to reject the bid.

SECTION 3. CONTRACT INVOICING AND PAYMENTS

SEC. 3.01 BILLING INSTRUCTIONS

All invoices produced by the contractor must contain the following information at a minimum:

- 1. Contract Award Number
- 2. Quantity
- 3. Amount
- 4. Pay Item Number

Invoices must be billed to the ordering agency's address shown on the individual Purchase Order, Contract Award or Delivery Order. The state will make payment after it receives the goods or services and the invoice. Questions concerning payment must be addressed to the ordering agency.

SEC. 3.02 PAYMENT FOR STATE PURCHASES

Payment for agreements under \$500,000 for the undisputed purchase of goods or services provided to a state agency, will be made within 30 days of the receipt of a proper billing or the delivery of the goods or services to the location(s) specified in the agreement, whichever is later. A late payment is subject to 1.5% interest per month on the unpaid balance. Interest will not be paid if there is a dispute or if there is an agreement that establishes a lower interest rate or precludes the charging of interest.

Any single contract payments of \$1 million or higher must be accepted by the contractor via Electronic Funds Transfer (EFT).

SEC. 3.03 PROMPT PAYMENT FOR STATE PURCHASES

The state is eligible to receive a **5%** discount for all invoices paid within **15** business days from the date of receipt of the commodities or services and/or a correct invoice, whichever is later. The discount shall be taken on the full invoice amount. The state shall consider payment being made as either the date a printed warrant is issued or the date an electronic funds transfer (EFT) is initiated.

SEC. 3.04 THIRD-PARTY FINANCING AGREEMENTS NOT ALLOWED

Because of the additional administrative and accounting time required of the state when third party financing agreements are permitted, they will not be allowed under this contract.

SECTION 4. EVALUATION AND CONTRACTOR SELECTION

SEC. 4.01 EVALUATION OF BIDS

After bid opening, the procurement officer will evaluate the bids for responsiveness. Bids deemed non-responsive will be eliminated from further consideration. An evaluation may not be based on discrimination due the race, religion, color, national origin, sex, age, marital status, pregnancy, parenthood, disability, or political affiliation of the bidder.

SEC. 4.02 EXTENSION OF PRICES

In case of error in the extension of prices in the bid, the unit prices will govern.

SEC. 4.03 METHOD OF AWARD

Award will be made as one lot to the lowest responsive and responsible bidder. In order to be considered responsive, bidders must bid on all items.

SEC. 4.04 NOTICE OF INTENT TO AWARD

After the responses to this ITB have been opened and evaluated, a tabulation of the bids will be prepared. This tabulation, called a Notice of Intent to Award, serves two purposes. It lists the name of each company or person that offered a bid and the price they bid. It also provides notice of the state's intent to award a contract(s) to the bidder(s) indicated. A copy of the Notice of Intent will be mailed to each company or person who responded to the ITB. Bidders identified as the apparent low responsive bidders are instructed not to proceed until a Purchase Order, Contract Award, Lease, or some other form of written notice is given by the procurement officer. A company or person who proceeds prior to receiving a Purchase Order, Contract Award, Lease, or some other form of written notice from the procurement officer does so without a contract and at their own risk.

SECTION 5. GENERAL PROCESS AND LEGAL INFORMATION

SEC. 5.01 ALASKA BUSINESS LICENSE AND OTHER REQUIRED LICENSES

Prior to the award of a contract, a bidder must hold a valid Alaska business license. However, in order to receive the Alaska Bidder Preference and other related preferences, such as the Alaska Veteran Preference and Alaskans with Disabilities Preference, a bidder must hold a valid Alaska business license prior to the deadline for receipt of bids. Bidders should contact the Department of Commerce, Community and Economic Development, Division of Corporations, Business, and Professional Licensing, PO Box 110806, Juneau, Alaska 99811-0806, for information on these licenses. Acceptable evidence that the bidder possesses a valid Alaska business license may consist of any one of the following:

- copy of an Alaska business license;
- certification on the bid that the bidder has a valid Alaska business license and has included the license number in the bid;
- a canceled check for the Alaska business license fee;
- a copy of the Alaska business license application with a receipt stamp from the state's occupational licensing office; or
- a sworn and notarized statement that the bidder has applied and paid for the Alaska business license.

You are not required to hold a valid Alaska business license at the time bids are opened if you possess one of the following licenses and are offering services or supplies under that specific line of business:

- fisheries business licenses issued by Alaska Department of Revenue or Alaska Department of Fish and Game,
- liquor licenses issued by Alaska Department of Revenue for alcohol sales only,
- insurance licenses issued by Alaska Department of Commerce, Community and Economic Development, Division of Insurance, or
- Mining licenses issued by Alaska Department of Revenue.

Prior to the deadline for receipt of bids, all bidders must hold any other necessary applicable professional licenses required by Alaska Statute.

SEC. 5.02 AUTHORITY

This ITB is written in accordance with AS 36.30 and 2 AAC 12.

This procurement is being processed and administered under the DOT & PF delegation of procurement authority in accordance with AS 36.30.270, COB # 03-006, and is a commodity code assigned to DOT & PF by the Department of Administration, Office of Procurement and Property Management for procurement action.

SEC. 5.03 COMPLIANCE

In the performance of a contract that results from this ITB, the contractor must comply with all applicable federal, state, and borough regulations, codes, and laws; be liable for all required insurance, licenses, permits and bonds; and pay all applicable federal, state, and borough taxes.

SEC. 5.04 SUITABLE MATERIALS, ETC.

Unless otherwise specified in this ITB, all materials, supplies or equipment offered by a bidder shall be new, unused, and of the latest edition, version, model or crop and of recent manufacture.

SEC. 5.05 SPECIFICATIONS

Unless otherwise specified in this ITB, product brand names or model numbers specified in this ITB are examples of the type and quality of product required, and are not statements of preference. If the specifications describing an item conflict with a brand name or model number describing the item, the specifications govern. Reference to brand name or number does not preclude an offer of a comparable or better product, if full specifications and descriptive literature are provided for the product. Failure to provide such specifications and descriptive literature may be cause for rejection of the offer.

SEC. 5.06 CONTRACTOR SITE INSPECTION

The state may conduct on-site visits to evaluate the bidder's capacity to perform the contract. A bidder must agree, at risk of being found non-responsive and having its bid rejected, to provide the state reasonable access to relevant portions of its work sites. Individuals designated by the procurement officer at the state's expense will make site inspection.

SEC. 5.07 ORDER DOCUMENTS

Except as specifically allowed under this ITB, an ordering agency will not sign any vendor contract. The state is not bound by a vendor contract signed by a person who is not specifically authorized to sign for the state under this ITB. Unless otherwise specified in this ITB, the State of Alaska Purchase Order, Contract Award and Delivery Order are the only order documents that may be used to place orders against the contract(s) resulting from this ITB.

SEC. 5.08 HUMAN TRAFFICKING

By signature on their bid, the bidder certifies that the bidder is not established and headquartered or incorporated and headquartered in a country recognized as Tier 3 in the most recent United States Department of State's Trafficking in Persons Report.

The most recent United States Department of State's Trafficking in Persons Report can be found at the following website: http://www.state.gov/j/tip/

Failure to comply with this requirement will cause the state to reject the bid as non-responsive, or cancel the contract.

SEC. 5.09 RIGHT OF REJECTION

Bidders must comply with all of the terms of the ITB, the State Procurement Code (AS 36.30), and all applicable local, state, and federal laws, codes, and regulations. The procurement officer may reject any bid that does not comply with all of the material and substantial terms, conditions, and performance requirements of the ITB.

Bidders may not qualify the bid nor restrict the rights of the state. If a bidder does so, the procurement officer may determine the bid to be a non-responsive counter-offer and the bid may be rejected.

Minor informalities that:

- do not affect responsiveness;
- are merely a matter of form or format;
- do not change the relative standing or otherwise prejudice other offers;
- do not change the meaning or scope of the RFP;
- are trivial, negligible, or immaterial in nature;
- do not reflect a material change in the work; or
- do not constitute a substantial reservation against a requirement or provision;

may be waived by the procurement officer.

The state reserves the right to refrain from making an award if it determines that to be in its best interest. A bid from a debarred or suspended bidder shall be rejected.

SEC. 5.10 STATE NOT RESPONSIBLE FOR PREPARATION COSTS

The state will not pay any cost associated with the preparation, submittal, presentation, or evaluation of any bid.

SEC. 5.11 DISCLOSURE OF BID CONTENTS

All bid prices become public information at the bid opening. After the deadline for receipt of bids, all other bid material submitted become the property of the State of Alaska and may be returned only at the state's option. AS 40.25.110 requires public records to be open to reasonable inspection. All other bid information will be held in confidence during the evaluation process and prior to the time a Notice of Intent to Award is issued. Thereafter, bids will become public information.

Trade secrets and other proprietary data contained in bids may be held confidential if the bidder requests, in writing, that the procurement officer does so, and if the procurement officer agrees, in writing, to do so. The bidder's request must be included with the bid, must clearly identify the information they wish to be held confidential, and include a statement that sets out the reasons for confidentiality. Unless the procurement officer agrees in writing to hold the requested information confidential, that information will also become public after the Notice of Intent to Award is issued.

SEC. 5.12 ASSIGNMENTS

Per 2 AAC 12.480, the contractor may not transfer or assign any portion of the contract without prior written approval from the procurement officer. Bids that are conditioned upon the state's approval of an assignment will be rejected as non-responsive.

SEC. 5.13 FORCE MAJEURE (IMPOSSIBILITY TO PERFORM)

The parties to a contract resulting from this ITB are not liable for the consequences of any failure to perform, or default in performing, any of its obligations under the contract, if that failure or default is caused by any unforeseeable Force Majeure, beyond the control of, and without the fault or negligence of, the respective party.

For the purposes of this ITB, Force Majeure will mean war (whether declared or not); revolution; invasion; insurrection; riot; civil commotion; sabotage; military or usurped power; lightning; explosion; fire; storm; drought; flood; earthquake; epidemic; quarantine; strikes; acts or restraints of governmental authorities affecting the project or directly or indirectly prohibiting or restricting the furnishing or use of materials or labor required; inability to secure materials, machinery, equipment or labor because of priority, allocation or other regulations of any governmental authorities.

SEC. 5.14 DEFAULT

In case of default by the contractor, for any reason whatsoever, the state may procurement the goods or services from another source and hold the contractor responsible for any resulting excess cost and may seek other remedies under law or equity.

SEC. 5.15 DISPUTES

If the contractor has a claim arising in connection with the contract that it cannot resolve with the state by mutual agreement, it shall pursue the claim, if at all, in accordance with the provisions of AS 36.30.620 – AS 36.30.632.

SEC. 5.16 SEVERABILITY

If any provision of the contract or agreement is found to be invalid or declared by a court to be illegal or in conflict with any law, the validity of the remaining terms and provisions will not be affected; and, the rights and obligations of the parties will be construed and enforced as if the contract did not contain the particular provision held to be invalid.

SEC. 5.17 CONTRACT CANCELLATION

The state reserves the right to cancel the contract at its convenience upon Thirty (30) calendar days written notice to the contractor. The state is only liable for payment in accordance with the payment provisions of this contract for supplies or services provide before the effective date termination.

SEC. 5.18 GOVERNING LAW; FORUM SELECTION

A contract resulting from this ITB is governed by the laws of the State of Alaska. To the extent not otherwise governed by Section 5.15 of this ITB, any claim concerning the contract shall be brought only in the Superior Court of the State of Alaska and not elsewhere.

SEC. 5.19 SOLICITATION ADVERTISING

Public notice has been provided in accordance with 2 AAC 12.220.

SEC. 5.20 QUALIFIED BIDDERS

Per 2 AAC 12.875, unless provided for otherwise in the ITB, to qualify as a bidder for award of a contract issued under AS 36.30, the bidder must:

- 1) Add value in the contract by actually performing, controlling, managing, or supervising the services to be provided; or
- 2) Be in the business of selling and have actually sold on a regular basis the supplies that are the subject of the ITB.

If the bidder leases services or supplies or acts as a broker or agency in providing the services or supplies in order to meet these requirements, the procurement officer may not accept the bidder as a qualified bidder under AS 36.30.

SEC. 5.21 FEDERALLY IMPOSED TARIFFS

Changes in price (increase or decrease) resulting directly from a new or updated federal tariff, excise tax, or duty, imposed after contract award may be adjusted during the contract period or before delivery into the United States via contract amendment.

- Notification of Changes: The contractor must promptly notify the procurement officer in writing of any
 new, increased, or decreased federal excise tax or duty that may result in either an increase or decrease
 in the contact price and shall take appropriate action as directed by the procurement officer.
- After-imposed or Increased Taxes and Duties: Any federal excise tax or duty for goods or services covered
 by this contract that was exempted or excluded on the contract award date but later imposed on the
 contractor during the contract period, as the result of legislative, judicial, or administrative action may
 result in a price increase provided:
 - a) The tax or duty takes effect after the contract award date and isn't otherwise addressed by the contract;
 - b) The contractor warrants, in writing, that no amount of the newly imposed federal excise tax or duty or rate increase was included in the contract price, as a contingency or otherwise.
- After-relieved or Decreased Taxes and Duties: The contract price shall be decreased by the amount of
 any decrease in federal excise tax or duty for goods or services under the contract, except social security
 or other employment taxes, that the contractor is required to pay or bear, or does not obtain a refund of,
 through the contractor's fault, negligence, or failure to follow instructions of the procurement officer.
- State's Ability to Make Changes: The state reserves the right to request verification of federal excise tax
 or duty amounts on goods or services covered by this contract and increase or decrease the contract price
 accordingly.
- **Price Change Threshold:** No adjustment shall be made in the contract price under this clause unless the amount of the adjustment exceeds \$250.

SEC. 5.22 PROTEST

AS 36.30.560 provides that an interested party may protest the content of the ITB.

An interested party is defined in 2 AAC 12.990(a) (7) as "an actual or prospective bidder or offeror whose economic interest might be affected substantially and directly by the issuance of a contract solicitation, the award of a contract, or the failure to award a contract."

If an interested party wishes to protest the content of a solicitation, the protest must be received, in writing, by the procurement officer at least ten days prior to the deadline for receipt of bids.

AS 36.30.560 also provides that an interested party may protest the award of a contract or the proposed award of a contract.

If a bidder wishes to protest the award of a contract or the proposed award of a contract, the protest must be received, in writing, by the procurement officer within ten days after the date the Notice of Intent to Award the contract is issued.

A protester must have submitted a bid in order to have sufficient standing to protest the proposed award of a contract. Protests must include the following information:

- the name, address, and telephone number of the protester;
- the signature of the protester or the protester's representative;
- identification of the contracting agency and the solicitation or contract at issue;
- a detailed statement of the legal and factual grounds of the protest including copies of relevant documents; and the form of relief requested.

Protests filed by telex or telegram are not acceptable because they do not contain a signature. Fax copies containing a signature are acceptable.

The procurement officer will issue a written response to the protest. The response will set out the procurement officer's decision and contain the basis of the decision within the statutory time limit in AS 36.30.580. A copy of the decision will be furnished to the protester by certified mail, fax or another method that provides evidence of receipt.

All bidders will be notified of any protest. The review of protests, decisions of the procurement officer, appeals, and hearings, will be conducted in accordance with the State Procurement Code (AS 36.30), Article 8 "Legal and Contractual Remedies."

SECTION 6. ATTACHMENTS

SEC. 6.01 ATTACHMENTS

Attachments:

- 1) Special Provisions (Scope of Work) 18 Pages
- 2) Bid Schedule 1 Page
- 3) Inspection Report MS-46-1-007-5 11 Pages
- 4) Quitclaim Deed (partial) MS 46-1-007-5 5 Pages
- 5) Right of Way Granted MS 46-1-007-5 7 Pages
- 6) Inspection Report MS-46-1-009-5 11 Pages
- 7) Right of Way Granted MS 46-009-5 4 Pages
- 8) Right of Way Plan MS 46-009-5 1 Page
- 9) Federal Aid Required Contract Provisions 13 pages

SECTION 101 DEFINITIONS AND TERMS

101-1.03 DEFINITIONS.

ENGINEER. The authorized representative of the Contracting Officer who is responsible for administrating the Contract shall be Henry Cole, or his designee; phone 907-451-2223 or email Henry.Cole@Alaska.gov. This project takes place in the Tazlina Maintenance and Operations District; the Superintendent of which is Chad Heller; phone 907-822-3222, or email Chad.Heller@Alaska.gov.

SECTION 104 SCOPE OF WORK

104-1.01 INTENT OF CONTRACT. The intent of the Contract is to provide for the production, transport and/or stockpiling of processed aggregate, as described herein. The site listed below is the location of the final stockpile only; this does not indicate the source or the quality of the material.

The Contractor is responsible for the means, methods, techniques, sequence and procedures or construction, safety and quality control, and is responsible to perform and furnish the work in accordance with the Contract documents and any applicable Federal, State and local laws, rules, regulations and ordinances. In addition, the Contractor must acquire the material sources and all necessary permits, process and stockpile the required aggregate, and pay all associated fees and royalties. Proof of royalty payments shall be required prior to final payment under this Contract.

The location and quantity required are as follows:

TABLE 104-1

Material Site	Location	Quantity	Royalty	Completion
No.		(CY)		Date
N/A	Tok Cutoff Highway, mile 18*	2,500	\$0	6/15/2023
46-1-007-5	Tok Cutoff Highway, mile 60*	2,500	\$0	6/22/2023
46-1-009-5	Tok Cutoff Highway, mile 70 "Bear Cub"	10,000	\$0	7/15/2023

^{*} This is a stockpile site only. Material shall be mined and processed elsewhere and hauled to this location.

The Contractor shall take all necessary precautions not to contaminate the materials. Final gradations and quantity measurements for acceptance and payment will be taken at the final location of the completed stockpile.

All stockpiles shall be stacked so that they are easily accessible on all sides with heavy hauling equipment, and, if located in a State Material Site, situated so as not to impact future mining operations in the site.

Geotechnical reports for State material sites may be available from the Engineer. State material reports and geotechnical data are for informational purposes only, and may not accurately represent the conditions found onsite. Any information provided should not substitute for personal investigation, research and judgment of the bidders.

The bidder is expected to examine carefully the sites of the proposed work and all contract documents before submitting a bid. The submission of a bid shall be considered prima facie evidence that the bidder has made such examination and is satisfied as to the conditions to be encountered in performing the work and the requirements of the Contract.

SECTION 105 CONTROL OF WORK

105-1.01 AUTHORITY OF THE ENGINEER. The Engineer has immediate charge of the engineering details of the project and is responsible for Contract administration. The Engineer has authority to reject defective material and suspend work being performed improperly. The Engineer has authority to accept completed work, issue Directives, issue Interim Work Authorizations, issue Change Orders, and recommend Contract payments.

The Engineer will decide all questions about the quality and acceptability of the materials furnished and the work performed by the Contractor, the Contractor's rate of progress, Contract interpretation and all other questions relating to Contract performance.

The Engineer has authority to suspend work. If the suspension is to protect workers or the public from imminent harm, the Engineer may orally order the suspension of work. Following an oral order of suspension, the Engineer will promptly give written notice of suspension. In other circumstances, the Engineer will give the Contractor written notice of suspension before suspension of work. A notice of suspension will state the defects or reasons for a suspension, the corrective actions required to stop suspension, and the time allowed to complete corrective actions. If the Contractor fails to take the corrective action within the specified time, the Engineer may:

- 1. Suspend the work until it is corrected; and
- 2. Employ others to correct the condition and deduct the cost from the Contract amount.

The Engineer may, at reasonable times, inspect any part of the plant or place of business of the Contractor or any subcontractor that is related to Contract performance, including private or commercial plants, shops, offices, or other places of business.

The Engineer may audit all books and records related to performance of the Contract, whether kept by the Contractor or a subcontractor.

105-1.03 CONFORMITY WITH PLANS AND SPECIFICATIONS. Work performed and materials furnished shall conform to the Specifications and approved Mining Plan and be within specified tolerances. When tolerances are not specified, the Engineer will determine the limits allowed in each case.

All work or material not conforming to the Specifications and approved Mining Plan is considered unacceptable unless the Engineer finds that reasonably acceptable work has been produced. In this event, the Engineer may allow non-conforming work or material to remain in place, but at a reduced price. The Engineer will document the basis of acceptance and payment by Change Order.

The failure of the Department to strictly enforce the Contract in one or more instances does not waive its right to do so in other or future instances.

If the Contractor fails to promptly correct, remove, or replace unacceptable or unauthorized work as ordered by the Engineer, the Engineer may employ others to remedy or remove and replace the work and will deduct the cost from the Contract payment.

105-1.05 COOPERATION BY CONTRACTOR. The Contractor shall give the work the constant attention necessary for its progress, and shall cooperate fully with the Engineer, Department staff, and other contractors in every way possible. Either the Contractor's Superintendent or an acting Superintendent with authority to represent and act for the Contractor shall be available within the proximity of the project whenever work is occurring. The Contractor shall employ, as its agent, a competent superintendent thoroughly experienced in the type of work being performed and capable of reading and thoroughly understanding the Plans and Specifications. The Contractor shall provide 24-hour contact information for the Superintendent. The Contractor shall ensure that the superintendent is available at all times to receive and execute Directives and other instructions from the Engineer, to supervise workers and to coordinate the work of subcontractors. The Contractor shall give the superintendent full authority to supply the resources required. The Contractor shall furnish superintendence regardless of the amount of work sublet.

105-1.12 LOAD RESTRICTIONS. The Contractor shall comply with all vehicle legal size and weight regulations of 17 AAC 25 and the Administrative Permit Manual, and shall obtain permits from the DOT&PF Division of Measurement Standards & Commercial Vehicle Enforcement before moving oversize or overweight equipment on a state highway.

SECTION 106 CONTROL OF MATERIAL

106-1.02 MATERIAL SOURCES.

- 1. General. The Contractor shall:
 - a. produce a sufficient quantity of materials meeting the specifications to complete the project;
 - as a subsidiary cost: clear and grub, strip, drill and blast, excavate, crush, sort, blend, screen, wash, stockpile, haul, and rehandle material as needed to produce and deliver the specified product;
 - c. determine the type of equipment and methods to be used;
 - d. expect variations in material quality within the deposits, and procure material only from acceptable portions of the deposit, regardless of source ownership; and
 - e. prevent erosion, sedimentation, and pollution within a materials source.

The Contractor agrees that:

- a. the costs to explore and develop material sources, including all production effort, are subsidiary to the cost of providing the specified material;
- b. the Engineer may order the Contractor to procure material only from certain portions of the source and may reject material from other portions of the source that does not conform to the specifications; and
- c. all material required may not be procurable from any one source and the Contractor may need to change between sources. That contingency is to be factored into the unit bid price for the Contract Item.

2. <u>Inspection and Acceptance.</u> The Contractor shall perform sampling and testing during materials processing and placement in accordance with its Process Control Plan (Subsection 106-1.03-1) and shall obtain acceptable material samples from locations designated within the source.

The Department will sample and test materials to determine the quality of the source, at its expense, as part of its Acceptance Testing (Subsection 106-1.03.2). The Department will reject materials when the samples do not meet specifications. The Department may reject a proposed materials site when samples do not meet specifications.

- 3. Awareness Training. The operator of the Contractor's sand and gravel surface mine or other similar materials source shall provide Site-Specific Hazard Awareness Training in compliance with 30 CFR 46.11 for all the Engineer's personnel before beginning operations. All other workers shall be given training in compliance with 30 CFR 46 before exposure to mine hazards. The training must be offered at each surface mine that will be used to supply processed aggregates. A qualified person must provide the training. The training shall be in accordance with the operator's written training plan approved by the Mine Safety and Health Administration, covering the following items:
 - a. Site-specific health and safety risks;
 - b. Recognition and avoidance of hazards;
 - c. Restricted areas;
 - d. Warning and evacuation signals;
 - e. Evacuation and emergency procedures;
 - f. Other special safety procedures; and
 - g. A site tour.

The Contractor shall require the Engineer's personnel to sign the Visitor's Log Book upon completion of the training to indicate that training was provided. Training is a subsidiary cost.

- 4. <u>Type of Sources.</u> The location(s) identified in Section 104-1.01 are to be the site of the finished stockpile only and do not specify the source or quality of the material to be produced. The Contractor shall supply the required material from one or more of the following types of sources:
 - a. <u>Department Furnished Material Sites</u>. The Contractor shall obtain approval from the Engineer prior to any construction activities. Existing stockpiles of material in State sites are not available to the Contractor without prior approval from the Engineer. All stockpiled aggregate including rejected material is property of the State and shall be handled or stockpiled as described in the Contractor's approved Mining Plan, unless directed otherwise by the Engineer. At no time does the Contractor have any ownership of material, including reject, produced under this Contract. The materials in this site are not available for any use other than required by this Contract, unless approved by the Engineer. The Contractor shall be responsible for paying any mineral royalty due, as indicated in Section 104-1.01. Geotechnical information may be available, but should not be considered to be authoritative. All work and development in a Department-Furnished material site shall be in line with the Department's existing site-specific Mining Plan.
 - b. <u>Contractor-Furnished Sources.</u> The Contractor is encouraged to use State furnished material sites or work within an approved Right of Way for both mining and for the final stockpile locations. The use of private sources for mining and stockpile storage will require the Contractor to make all necessary agreements (See Subsection 106-1.02.5). When the

Contractor elects to use a material site not furnished by the Department, including State-owned land not under the Department's control, the Contractor shall:

- 1) Acquire the necessary rights and permits to obtain material;
- Pay as subsidiary costs all related costs to obtain and use material from the source, including, but not limited to, permit fees, mineral royalties and associated hauling costs;
- 3) Be solely responsible for the quality and quantity of material; and
- 4) Obtain all necessary rights, permits and plan approvals before clearing or disturbing the ground in the material source. The Contractor shall certify in writing to the Engineer that all permits and clearances relating to the use of the material source have been obtained prior to any work in the material source.

No price adjustment or other compensation will be made for any costs, including increased length of haul, if the Contractor:

- 1) Chooses to change material sources for any reason;
- 2) Is unable to produce a sufficient quality or quantity of materials from Contractor-Furnished sources; or
- 3) Encounters unexpected, unforeseen or unusual conditions within a Contractor-Furnished source.
- 5. <u>Rights, Permits and Plan Approvals for Material Sources.</u> Before disturbing the site of a material source, the Contractor shall acquire, pay for and provide to the Engineer all necessary rights, permits, and plan approvals indicated in this Subsection and elsewhere in this Contract. For each material site, the Contractor shall:
 - a. All other sites: Submit for the Engineer's comment and approval, no fewer than 30 days prior to mobilization, a mining and reclamation plan (MRP). During development of each MRP, the Contractor shall consider future activities in the material site and shall maintain access to usable material. The MRP shall include:
 - (1) Approval from the landowner (if a Contractor-Furnished source, see Subsection 106-1.02-4-b-2);
 - (2) A process control plan (see Subsection 106-1.03-1);
 - (3) Plan and cross-sectional views of the site (this includes both the mining and disposal areas):
 - (4) Applicable boundary lines, property lines and buffer zones;
 - (5) Areas and Depths to be developed (note, development of Department-Furnished sources shall be in accordance with the Department's Mining Plan for that site);
 - (6) Locations of access roads, stripping, sorting, waste piles, crushing and plant sites, stockpile sites (including reject material), buffer zones, drainage features, erosion and pollution control features;
 - (7) Condition the Contractor will leave the site in after the materials extraction is completed, including reseeding if necessary;
 - (8) A Construction General Permit-compliant Storm Water Pollution Prevention Plan, if required by Section 641; and
 - (9) Other information as required by any and all attachments included with bid (ie BLM Mining Plan Review checklist, DOT MRP and/or any site-specific stipulations that may be included).

b. If the material is to be stockpiled in a Contractor-Furnished site or otherwise on private property, the Contractor shall supply the following information in addition to the MRP:

- (1) A notarized agreement with the property owner allowing the State full and unfettered access to the stockpile until 12/31/2024. The owner shall certify that they have the authority to sell mineral materials from the property, and shall acknowledge the Department's ownership of the stockpiled material;
- (2) A property map of the material site identifying property boundaries, access routes and stockpile location.

106-1.03 TESTING AND ACCEPTANCE. Materials are subject to inspection and testing by the Department at any time before, during or after their incorporation into the stockpile. The Contractor shall remove and replace unacceptable material according to Subsection 105-1.03.

- Quality Control. The Contractor is responsible for the quality of materials produced under this Contract. Quality Control is process control, and includes all activities needed to ensure that the product meets Contract specifications. Quality control work is subsidiary to the applicable pay items. The Contractor shall perform quality control as follows:
 - a. Develop and submit a Process Control plan as part of the MRP (Subsection 106-1.02-5), including testing and frequency, personnel qualifications, equipment descriptions and criteria for corrective actions.
 - b. Sample material during production and perform quality control testing, as needed, to ensure materials produced to Contract Specifications. Document all quality control testing and make the results available to the Engineer within three days of sampling.
 - c. Due to the nature of this work, it is recommended that the Contractor maintain an on-site materials lab and a WAQTC-certified technician to perform process control. If testing will be done off-site, material processing may need to be suspended pending receipt of results.
- Acceptance Testing. The Department reserves the right to conduct its own testing of the
 acceptability of the materials. This testing will be performed at the Department's expense, and
 copies of the test results may be furnished to the Contractor upon request. The Engineer may
 elect, at his discretion, to retest materials that have failed the Department's acceptance testing.
- 3. <u>Minimum Testing Requirements.</u> Tests shall be performed at minimum according to Table 106-1 below. Failing test results not in substantial conformance may be the basis of the Engineer's rejection of the represented material, and no payment will be made for unacceptable material, as outlined in Subsection 105-1.03. The Contractor shall produce and test additional material until the Contract quantity has been fully accepted and completed. Failing test results shall not be a basis for any time extension or modification to Contract requirements.

TABLE 106-1

Item	Test	Test Number	Specifications	Frequency (min.)
Crushed/	Process Control Gradation & Fracture, by	AASHTO T27/T11	Refer to 703	1/Source, 1/1,000 C.Y.
Stockpiled Aggregate	Contractor Acceptance, by Engineer	AASHTO T27/T11	Refer to 703	1/ Source, 1/10,000 C.Y.

SECTION 107 LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC

107-1.01 LAWS TO BE OBSERVED. The Contractor shall keep fully informed of, observe, and comply with all federal, state, and local laws, ordinances, and regulations, and all orders and decrees of bodies or tribunals having any jurisdiction or authority, that in any manner affect those engaged or employed on the work or which in any way affect the conduct of the work.

The Contractor and the Surety shall defend, indemnify, and hold harmless the State and its representatives against any claim or liability related to violations of any laws, regulations or decrees by the Contractor, the Contractor's agents, the Contractor's employees, a subcontractor at any tier, or a supplier or service provider.

The Contractor has the affirmative duty to keep informed of and comply with all laws. The Contractor is not entitled to and shall not rely on any Department employee's interpretation, whether oral or written, of any law, ordinance, or regulation.

The Contractor is responsible for conspicuously displaying required posters in an area readily accessible to workers.

- 1. For wholly state-funded projects, display all posters listed on the Department of Labor and Workforce Development website at http://www.labor.alaska.gov/lss/posters.htm.
- On projects using federal funds, display posters required by law or funding agency including posters listed on the FHWA website http://www.fhwa.dot.gov/programadmin/contracts/poster.cfm.

107-1.02 PERMITS, LICENSES, AND TAXES. The terms, conditions, and stipulations in permits obtained either by the Department or by the Contractor are made a part of this Contract. Permits obtained by the Department for this project are attached to these Specifications as appendices. Contact names and phone numbers for permits obtained by the Department are shown on the individual permits.

The Department will:

- 1. Secure permits and licenses that the Department determines are required for the construction of the proposed project, and the use of mandatory sources, designated sources and designated material disposal areas for the proposed project; and
- 2. Modify Department-acquired permits during the performance of the Contract, if deemed necessary by the Engineer.

The Contractor shall:

- 1. Acquire any permits and licenses required to complete the project that are not acquired by the Department;
- 2. Provide qualified professionals to collect data or perform studies necessary to acquire permits for the use of sites not previously permitted;
- 3. Give all notices required for the prosecution of the work;
- 4. Abide by all permits and licenses whether acquired by the Department or by the Contractor;
- 5. Notify the Engineer promptly if any activity cannot be performed as specified in the permits, and cease conducting the activity until permit modifications or any required additional permits are obtained;
- 6. Obtain modifications to permits acquired by the Contractor; SECTION 107 48 ALASKA 2020

- 7. Pay all charges, fees and taxes;
- 8. Provide proof of payment of all taxes before the Department makes final payment; and,
- 9. Provide the information necessary to comply with the Alaska Department of Environmental Conservation, Alaska Pollutant Discharge Elimination System (APDES) to discharge stormwater from the construction site. Requirements for this permit are given under Section 641, Erosion, Sediment, and Pollution Control.

The provisions of permits acquired by the Contractor, and of notices and information under this section does not shift or create responsibility for compliance with Federal or State law to the Department, or otherwise impose a duty for oversight or review. In addition, before using an area on or off project site not previously permitted for use by the Contract, the Contractor shall:

- 1. Contact all government agencies having possible or apparent permit authority over that area;
- 2. Obtain all required permits, clearances, and licenses from those agencies;
- 3. Obtain permission from any property owners or lessees with an interest in the property; and
- Provide all of the following to the Engineer:\
 - a. All permits or clearances necessary to use the site for its intended purpose(s);
 - b. A written statement that all permits or clearances necessary have been obtained;
 - c. Written evidence that the Contractor has contacted all of the relevant agencies and that no additional permits are required on the part of the Contractor, including at a minimum the name of the agency and staff person contacted, the date contacted, and result of coordination; and
 - d. A plan that identifies how the site will be finally stabilized and protected.

The Engineer may reject a proposed site if the Contractor fails to provide any of the above information or to demonstrate that a proposed site can be finally stabilized to eliminate future adverse impacts on natural resources and the environment.

107-1.03 PATENTED DEVICES, MATERIALS AND PROCESSES. If the Contractor employs any design, device, material, or process covered by patent, trademark, or copyright, the Contractor shall obtain and provide the Engineer with a copy of a suitable legal agreement with the patentee or owner. The Contractor and the Surety shall defend, indemnify, and hold harmless the State and its representatives and any affected third party or political subdivision from any claim, cause of action, and damages for infringement arising from or relating to the Contractor's use of a patented design, device, material, process, trademark, or copyright.

107-1.06 SANITARY, HEALTH, AND SAFETY PROVISIONS. The Contractor shall provide and maintain neat and sanitary accommodations for employees that meet all federal, state and local requirements. The Contractor shall comply with federal, state, and local laws, rules, and regulations concerning construction safety and health standards, including U.S. Mine Safety and Health Administration rules when the project includes pit or quarry operations. The Contractor shall not expose the public to, or require any workers to work under, conditions that are unsanitary, hazardous, or dangerous to health or safety. The Contractor is responsible for ensuring all workers are adequately protected. The Contractor shall have a safety and health management program that complies with AKOSH requirements, and includes:

- 1. A worksite hazard analysis;
- 2. A hazard prevention and control plan including personal protective equipment and safe work procedures required for specific tasks;
- 3. New employee training and periodic worker training regarding safety and health;
- 4. Regular safety meetings with written documentation of attendance, safety topics discussed, worker safety complaints, and corrective actions taken; and

5. A designated safety officer, employed by the Contractor, who monitors the construction site and is responsible for implementing the safety and health management program.

The Contractor and Surety shall defend, indemnify and hold harmless the State of Alaska from all claims, causes of action and judgments arising from or relating to the Contractor's failure to comply with any applicable federal, state or local safety requirement, regulation or practice, whether or not listed above.

107-1.07 ARCHAEOLOGICAL OR HISTORICAL DISCOVERIES. If the Contractor's operation encounters prehistoric artifacts, burials, remains of dwelling sites, paleontological remains, shell heaps, land or sea mammal bones, tusks or other items potentially of historical significance, the Contractor shall:

- 1. Immediately cease operations at the site of the find;
- 2. Immediately notify the Engineer of the find; and
- 3. Not disturb or remove the finds or perform any further operations at the site until directed by the Engineer.

The Engineer will issue an appropriate Change Order if operations are to be suspended, or extra work is needed to protect the find.

107-1.09 CONSTRUCTION OVER OR ADJACENT TO WATERS. The Contractor shall fully comply with all laws, regulations and permits issued by agencies of the United States and the State of Alaska when working in, over or adjacent to wetlands, tidelands, anadromous fish streams, eagle nests, navigable waters, or coastal waters.

107-1.10 USE OF EXPLOSIVES. The Contractor shall obey all laws, regulations and permits applicable to using, handling, loading, transporting, or storing explosives. When using explosives, the Contractor shall take utmost care not to endanger life, property, new construction, or existing portions of the project and facilities that are to remain in place after the project is complete.

The Contractor shall provide notice to property owners, the traveling public, and utility companies in the vicinity before using explosives. The Contractor shall provide notice to the Federal Aviation Administration when required by law. The Contractor shall notify police and fire authorities in the vicinity before transporting or using explosives. The Contractor shall provide notice sufficiently in advance to enable all potentially affected parties to take whatever steps they may deem necessary to protect themselves and their property from injury or damage.

The Contractor is liable for all property damage, injury, or death resulting from the use of explosives on the project. The Contractor shall indemnify, hold harmless, and defend the State of Alaska from all claims related to the use of explosives on the project, including claims from government agencies alleging that explosives were handled, loaded, transported, used, or stored improperly.

107-1.12 FOREST PROTECTION. The Contractor shall:

- 1. Comply with all laws and regulations of the United States and the State of Alaska, local governments, or other authorities governing the protection of forests and the carrying out of work within forests;
- 2. Keep forest areas in an orderly condition;
- 3. Dispose of all refuse and obtain permits for the construction and maintenance of all construction camps, stores, warehouses, residences, latrines, cesspools, septic tanks, and other structures in accordance with the requirements of the supervising authorities;

- 4. Take all reasonable precautions to prevent and suppress forest fires;
- Require workers and subcontractors, both independently and at the request of officials, to do all reasonably within their power to prevent and suppress and to assist in preventing and suppressing forest fires; and
- 6. Make every possible effort to notify the appropriate forestry agency at the earliest moment of the location and extent of any forest fire.

107-1.13 RESPONSIBILITY FOR DAMAGE CLAIMS. The Contractor shall indemnify, hold harmless, and defend the State of Alaska and its agents and employees from any and all claims or actions for injuries or damages whatsoever sustained by any person or property that arise from or relate to, directly or indirectly, the Contractor's performance of the Contract; however, this provision has no effect if, but only if, the sole proximate cause of the injury or damage is the Department's negligence.

This Contract does not create a third party benefit to the public or any member of the public, nor does it authorize any person or entity not a party to this Contract to maintain a suit based on this Contract or any term or provision of the Contract, whether for personal injuries, property damage, or any other claim or cause of action.

107-1.15 CONTRACTOR'S RESPONSIBILITY FOR WORK. The Contractor shall be responsible for implementing all preventative measures necessary to protect, prevent damage, and repair damage to the work from all causes at no additional cost to the Department. This duty continues from the date construction begins until the date specified in a letter of Substantial Completion or Partial Acceptance of a specific section of the project. Where there is a Partial Acceptance, the duty ends only as to the accepted portion of the work. This duty continues during periods of suspended work, except in specific sections the Department has agreed to maintain.

The Contractor shall rebuild, repair, restore, and make good all losses or damages to any portion of the work including that caused by vandalism, theft, accommodation of public traffic, and weather. The Department will only be responsible for loss or damage due to unforeseeable causes beyond the control of and without the Contractor's fault or negligence, such as Acts of God, the public enemy, and governmental authorities.

In case of suspension of work from any cause, the Contractor shall take such precautions as may be necessary to prevent damage to the work or facilities affected by the work. This will include providing for drainage and erecting any necessary temporary structures, signs, or other facilities and maintaining all living material such as plantings, seedings, and soddings.

107-1.11 PROTECTION AND RESTORATION OF PROPERTY AND LANDSCAPE.

1. Restoring Areas. Areas used by the Contractor, including haul routes, shall be restored to their original condition after the Contractor's operations are completed. The original condition of an area shall be determined as follows: Prior to commencement of operations, the Engineer and the Contractor shall inspect each area and haul route that will be used by the Contractor and take photographs to document their condition. After construction operations are completed, the condition of each area and haul route will be compared to the earlier photographs. Prior to demobilization the Contractor shall repair damages attributed to its operations. The Contractor agrees that all costs associated with repairs shall be subsidiary to other items of work and will not be paid for directly.

2. <u>Material Disposal Sites.</u> Offsite disposal areas may be at locations of the Contractor's choice, provided the Contractor obtains written permission from the land owner for such disposal and a waiver of all claims against the State for any damage to such land which may result therefrom, together with all permits required by law for such disposal. A copy of such permission, waiver of claims, and permits shall be filed with the Engineer before commencing work on private property. The Contractor's selected disposal sites shall also be inspected and approved by the Engineer prior to use of the sites.

3. <u>Property Marks.</u> The Contractor shall:

- a. Be responsible for and protect from disturbance all land monuments and property marks until the Engineer has approved the witnessing or otherwise referenced their locations; and
- b. Not move such monuments or marks without the Engineer's approval.

4. <u>Damage to property.</u> The Contractor shall:

- a. Be responsible for all damage to public or private property resulting from any act, omission, neglect, or misconduct in the manner or method of executing the work;
- b. Be responsible for all damage to public or private property resulting from defective work or materials at any time, before, during, or after project completion; and
- c. Restore all such damaged property to a condition similar or equal to that existing before the damage occurred, at no additional cost to the Department.

5. Protection of Natural Resources. The Contractor shall:

- a. Conduct work in a manner that minimizes disturbance to and protects natural resources in compliance with all federal, state, and local laws and regulations;
- b. When working near designated wetlands, as defined by the Corps of Engineers, place no fill, nor operate equipment outside the permitted area;
- c. When working in or near designated anadromous fish streams, as defined by AS 41.14.840 and AS 41.14.870, place no fill or dredge material, nor operate equipment, within or on the banks of the stream (including fording) except as permitted by a Alaska Department of Fish and Game Fish Habitat Permit issued for the project;
- d. Upon completion, all disturbed slopes, cuts, and banked material shall be flattened to a slope no steeper than a 2:1 or as specified in the Material Sales Agreement governing use of the site. No vertical cuts or slopes shall remain;
- e. Existing approaches to material sites and recreational trails shall not be disturbed or obstructed at any time.
- 6. <u>Hazardous materials</u>. Hazardous materials include but are not limited to petroleum products, oils, solvents, paints, lead based paints, asbestos, and chemicals that are toxic, corrosive, explosive, or flammable. Except as otherwise specified in this Contract, the Contractor shall:
 - c. Not excavate, nor use for fill, any material at any site suspected of or found to contain hazardous materials or petroleum fuels;
 - d. Not raze and remove, or dispose of structures that contain asbestos or lead-based paints;
 - e. Not stockpile, nor dispose of, any material at any site suspected of or found to contain hazardous materials or petroleum;
 - f. Report immediately to the Engineer any known or suspected hazardous material discovered, exposed, or released into the air, ground, or water during construction of the project;
 - g. Report any containment, cleanup, or restoration activities anticipated or performed as a result of such release or discovery;

7. Protected areas. The Contractor shall not use land from any park, recreation area, wildlife or waterfowl refuge, or any historical site located inside or outside of the project limits for excess fill disposal, staging activities, equipment or material storage, or for any other purposes unless permitted by the Contract or unless all permits and clearances necessary for such work have been obtained by the Contractor.

- 8. <u>Solid waste.</u> The Contractor shall remove all debris, trash, and other solid waste from the project site as soon as possible and in accordance with the Alaska Department of Environmental Conservation Solid Waste Program.
- **107-1.13 RESPONSIBILITY FOR DAMAGE CLAIMS.** The Contractor shall indemnify, hold harmless, and defend the State of Alaska and its agents and employees from any and all claims or actions for injuries or damages whatsoever sustained by any person or property that arise from or relate to, directly or indirectly, the Contractor's performance of the Contract; however, this provision has no effect if, but only if, the sole proximate cause of the injury or damage is the Department's negligence.

This Contract does not create a third party benefit to the public or any member of the public, nor does it authorize any person or entity not a party to this Contract to maintain a suit based on this Contract or any term or provision of the Contract, whether for personal injuries, property damage, or any other claim or cause of action.

107-1.15 CONTRACTOR'S RESPONSIBILITY FOR WORK. The Contractor shall be responsible for implementing all preventative measures necessary to protect, prevent damage, and repair damage to the work from all causes at no additional cost to the Department. This duty continues from the date construction begins until the date specified in a letter of Substantial Completion or Partial Acceptance of a specific section of the project. Where there is a Partial Acceptance, the duty ends only as to the accepted portion of the work. This duty continues during periods of suspended work, except in specific sections the Department has agreed to maintain under Subsection 643-3.07. The Contractor shall rebuild, repair, restore, and make good all losses or damages to any portion of the work including that caused by vandalism, theft, accommodation of public traffic, and weather. The Department will only be responsible for loss or damage due to unforeseeable causes beyond the control of and without the Contractor's fault or negligence, such as Acts of God, the public enemy, and governmental authorities. In case of suspension of work from any cause, the Contractor shall take such precautions as may be necessary to prevent damage to the work or facilities affected by the work. This will include providing for drainage and erecting any necessary temporary structures, signs, or other facilities and maintaining all living material such as plantings, seedings, and soddings.

107-1.17 FURNISHING RIGHT-OF-WAY. The Department will secure all necessary right-of-way or property in advance of construction. Any exceptions will be indicated in the Contract.

107-1.18 PERSONAL LIABILITY OF PUBLIC OFFICIALS. There shall be no liability upon the Engineer and their authorized representatives, either personally or as officials of the state, in carrying out any of the provisions of this Contract, or in exercising any power or authority granted to them by or within the scope of the Contract, it being understood that in all such matters the Engineer and their authorized representatives act solely as agents and representatives of the State. The Contractor shall bring no suit related to or arising under this Contract naming as defendants any State officer, employee or representative in either their personal or official capacities, and shall include a prohibition to that effect in all subcontracts entered into for this Project.

107-1.19 NO WAIVER OF LEGAL RIGHTS. The Department shall not be precluded nor estopped by any measurement, estimate, or certificate made either before or after the completion and acceptance of the work and payment, from showing the true amount and character of the work performed and materials furnished by the Contractor, nor from showing that any measurement, estimate, or certificate is untrue or is incorrectly made, nor that the work or materials do not in fact conform to the Contract.

The Department shall not be precluded nor estopped, notwithstanding any measurement, estimate, or certificate and payment, from recovering from the Contractor or the Contractor's Sureties, or both, such damages as it may sustain by reason of the Contractor's failure to comply with the terms of the Contract.

Neither the acceptance by the Department, or by any representative of the Department, nor any payment for or acceptance of the whole or any part of the work, nor any extension of time, nor any possession taken by the Department, shall operate as a waiver by the Department of any portion of the Contract or of any right of the Department to damages. A waiver by the Department of any breach of the Contract shall not be held to be a waiver of any other subsequent breach.

107-1.20 GRATUITY AND CONFLICT OF INTEREST. The Contractor shall not extend any loan, gratuity, or gift of money of any form whatsoever to any employee of the Department, nor will the Contractor rent or purchase any equipment or materials from any employee of the Department or to the best of the Contractor's knowledge from any agent of any employee of the Department.

SECTION 108 PROSECUTION AND PROGRESS

108-1.03 PROSECUTION AND PROGRESS. The Contractor shall meet with the Engineer or his designee at either the district maintenance and operations station for which the Contract is for (see Subsection 101-1.03 Engineer) or schedule a teleconference with the Engineer 14 days before mobilization to the project site. The Contractor shall submit the following documents to the Engineer at least three working days before the referenced meeting:

- A progress schedule in a format acceptable to the Engineer, showing the order in which the
 Contractor proposes to carry out the work and the contemplated dates on which the Contractor
 and the subcontractor will start and finish each of the salient features of the work, including any
 scheduled periods of shutdown. The schedule shall indicate the anticipated hours of operation
 and any anticipated periods of multiple-shift work;
- 2. A letter designating the Contractor's Project Superintendent, defining that person's responsibility and authority, and providing a specimen signature;
- 3. A Mining and Reclamation Plan, as outlined in Subsection 106-1.02-5;
- 4. A SWPPP, if one is required by Subsection 641, and designated field representatives; and
- 5. A Process Control Plan, as outlined in Subsection 106-1.03-1.

The Contractor shall provide adequate materials, labor and equipment to ensure the completion of the project according to the Plans and Specifications. The work shall be performed as vigorously and as continuously as weather conditions or other interferences may permit. The Contractor shall take into consideration and make due allowances at the Contractor's expense for foreseeable delays and interruptions to the work such as unfavorable weather, frozen ground, equipment breakdowns, shipping delays, quantity overruns, utility work, permit restrictions, and other foreseeable delays and interruptions. The Contractor shall identify these allowances on the progress schedule.

The Contractor shall adjust forces, equipment and work schedules as necessary to ensure completion of the work within the Contract time, and shall notify the Engineer at least 24 hours before resuming suspended operations. Upon a substantial change to the work schedule or when directed by the Engineer, the Contractor shall submit a revised progress schedule in the form required, including a written explanation for each revision made in the schedule or methods of operation.

The Engineer's review or approval of the documents, plans, and schedules provided by the Contractor under this section shall not change the Contract requirements, release the Contractor of the responsibility for successful completion of the work or relieve the Contractor of the duty to comply with applicable laws. The Engineer's review or approval of schedules shall not indicate agreement with any assertions of delay or claims by the Contractor.

It is the Contractor's responsibility to prepare and submit documents that satisfy all applicable contract requirements. By reviewing and approving the Contractor's documents, the Department does not warrant that following the Contractor's documents will result in successful performance of the work. The Department's failure to discover defects in the Contractor's documents, the assumptions upon which they are based or conditions that prevent the Contractor from performing the work as indicated in the documents will not entitle the Contractor to additional compensation or time. If the Contractor becomes aware of any act or occurrence that may form the basis of a claim for additional compensation or an extension of time, it must specifically advise the Engineer of these conditions as soon as possible.

108-1.04 LIMITATION OF OPERATIONS. The Contractor shall not open up work to the detriment of work already started. The Contractor shall minimize interference with traffic within the project. The Contractor shall not stop or otherwise impede traffic outside the project limits without the Engineer's prior written permission. The Engineer may require the Contractor to finish a section of work in progress before starting additional sections if the Engineer determines it is necessary for the convenience of the public or the Department.

108-1.05 CHARACTER OF WORKERS, METHODS, AND EQUIPMENT. The Contractor shall employ sufficient labor and equipment to complete the work required under the Contract and to complete it on time. The Contractor shall ensure that all workers on the project have the skills and experience necessary to properly perform their assigned work. Workers engaged in special work or skilled work shall have sufficient experience in that work and in the operation of the equipment required to properly perform that work.

The Contractor shall comply with any written order by the Engineer to remove workers, who, in the opinion of the Engineer, perform the work in an unskilled manner, who are intemperate or disorderly, create risk of imminent harm for the traveling public, or who fail to perform the work in accordance with the Contract and any and all applicable federal, state, and local laws, rules, regulations, and ordinances. The Contractor shall allow removed workers to return to the project only with the Engineer's written permission. The Engineer may suspend the work if the Contractor fails to furnish suitable and sufficient personnel necessary to perform the work, or fails to remove any worker at the Engineer's order.

The Contractor shall not use prisoner labor on the project.

The Contractor shall use equipment of the appropriate size and mechanical condition to produce the specified quality and quantity of work by the means specified in the Contract, if any, and shall ensure

that the equipment does not damage roadways or property. The Contractor shall ensure all equipment, materials, and articles incorporated into the work are new and of the specified quality, unless the Contract specifically permits otherwise. The Contractor shall provide the Engineer with a list of all powered equipment that will be used on the project, showing the make, model, year, capacity, horsepower, and related information. The Contractor shall update this list when equipment is added or removed from the work site, but need not update more frequently than weekly.

When the methods and equipment to be used by the Contractor are not prescribed by the contract, the Contractor is free to use any method, means or equipment that is satisfactory to produce the specified work in conformity with the Contract, except as provided above. At the request of the Engineer, the Contractor shall demonstrate that the method, means and equipment chosen will produce the work specified in the Contract in the time allowed under the Contract. The Contractor shall bear all costs and impacts associated with any means, methods and equipment chosen by the Contractor. No suggestion, statement or observation from the Engineer or other Department representatives shall alter this responsibility.

If the Contract specifies a particular method, means or type of equipment for performance of the work, the Contractor must use that method, means or equipment unless the Contractor first requests, in writing, permission to alter the Contract requirement and receives prior written approval from the Engineer.

108-1.06 CONTRACT TIME, EXTENSION OF CONTRACT TIME AND SUSPENSION OF WORK. Contract time will be specified by completion date. All work at a specified location must be completed by the completion date.

108-1.07 FAILURE TO COMPLETE ON TIME. For each calendar day that the work is not substantially complete after the completion date has passed, the Engineer shall deduct the full daily charge corresponding to the original Contract amount shown in Table 108-1 from the remaining value of the Contract.

If no money is due the Contractor, the Department may recover these sums from the Contractor, the Surety or both. These are Liquidated Damages, and not penalties. These charges shall reimburse the Department for additional expenses incurred due to the Contractor's failure to complete the work within the time specified.

TABLE 108-1:
DAILY CHARGE FOR LIQUIDATED DAMAGES
FOR EACH CALENDAR DAY OF DELAY

Original Contract Amount		Daily sharge	
From More Than:	Up to and Including:	Daily charge	
\$0	\$100,000	\$300	
\$100,000	\$500,000	\$550	
\$500,000	\$1,000,000	\$750	
\$1,000,000	\$2,000,000	\$1,000	
\$2,000,000	\$5,000,000	\$1,500	
\$5,000,000		\$2,500	

Permitting the Contractor to continue work after the completion date has passed does not waive the Department's right to collected Liquidated Damages under this section.

SECTION 201 CLEARING AND GRUBBING

201-1.01 DESCRIPTION. Clear, grub, remove, and dispose of all vegetation and debris within designated areas of the project, except such objects as are designated to remain or are to be removed under other sections of these Specifications. Preserve from injury or defacement all vegetation and objects designated to remain. Clearing and grubbing and all associated activities are subsidiary to aggregate production pay items and will not be separately measured for payment. Erosion must be kept to a minimum.

201-3.06 DISPOSAL. Dispose of all vegetation and debris removed by clearing or grubbing by incorporation into the vegetative buffer or other approved method. Saleable timber remains the property of the site landowner and may be sold only with written approval from the Engineer.

SECTION 305 STOCKPILED MATERIALS

305-1.01 DESCRIPTION. Produce and stockpile the specified material at the designated stockpile locations shown in Subsection 104-1.01.

305-2.01 MATERIALS. Meet the materials requirements of Section 611 and Section 703.

305-3.01 CONSTRUCTION REQUIREMENTS. Clear and grub the stockpile sites and dispose of all trees, stumps, brush and debris in accordance with the approved Mining and Reclamation Plan. Make the floor of each stockpile site flat and uniform in cross-section, compacted and well-drained. Construct the stockpiles to occupy the smallest feasible areas.

Avoid contamination and segregation of the various sizes of aggregate in each stockpile. Do not push up stockpiled material with a track-type dozer; only rubber-tired vehicles are allowed on the stockpile. Make the completed stockpiles neat and generally tent shaped in form with a single ridge. Stockpiles shall be relatively compact as the stockpile area allows, with side slopes between 1:1 and 2:1.

When using a radial stacker, material must be stockpiled in lifts not greater than 4 feet in thickness to minimize segregation. A static conveyor may not be used for stockpiling. The Engineer may require the Contractor to demonstrate that a finished stockpile is not segregated prior to final acceptance, at the Contractor's expense. If material has noticeably segregated, the Contractor is responsible for any and all corrective actions necessary for it to meet applicable specifications.

The Contractor, in the presence of the Engineer or designee, shall verify material site boundaries and work areas as demarcated on the approved mining and reclamation plan prior to commencement of work. All expenses required for above work to produce the materials specified in this Contract shall be subsidiary to other items of work.

Attachment 1 ITB 2523N044

305-4.01 METHOD OF MEASURMENT. Stockpiled quantities shall be measured at the direction of the Engineer, by one of the following methods:

- 1. Average End Area, by the Engineer;
- 2. Three-Dimensional, by the Engineer;
- 3. Weight, by the Contractor, with a complete series of scale tickets from a certified and calibrated scale, and using a weight-to-volume ratio approved by the Engineer;
- 4. The Engineer, at his sole discretion, may require the Contractor to conduct a final measurement under the supervision of a registered Professional Land Surveyor, at no additional cost to the Department. A stamped and signed volume report will be required, along with a description of the method used.

No allowance will be made for settlement, swell or shrinkage. If the Contractor chooses to demobilize off of the project site prior to final measurements being taken by the Department the Contractor is responsible for assuring that the quantity and quality of material produced meets those required by the Contract.

305-5.01 BASIS OF PAYMENT. All work involved in preparing the stockpile site is subsidiary.

Payment will be made under:

Pay Item	Location	Item Description	Quantity (CY)
1	Tok Cutoff Highway mile 18	Crushed Aggregate, D-1, Modified	2,500
2	Tok Cutoff Highway mile 60	Crushed Aggregate, D-1, Modified	2,500
3	Tok Cutoff Highway mile 70	Crushed Aggregate, D-1, Modified	10,000

641

EROSION, SEDIMENT, AND POLLUTION CONTROL

No SWPPP, DOT material site

641-1.01 DESCRIPTION. This Project is not anticipated to require a SWPPP, as all work in the material site(s) should be planned so that no runoff may discharge to Waters of the U.S. Appropriate Best Management Practices (BMPs) should be employed to ensure that no discharge is possible. In the event that runoff discharges occur, the Contractor shall take immediate action to stop them, and shall notify the Engineer. In the event that runoff cannot be prevented from leaving the site, the Engineer may require the Contractor to design and implement a SWPPP under the Alaska Construction General Permit. All work necessary in this section is subsidiary to the production of aggregate.

Attachment 1 ITB 2523N044

SECTION 703 AGGREGATES

703-2.03 AGGREGATE FOR BASE AND SURFACE COURSE. Crushed stone or crushed gravel, consisting of sound, tough, durable pebbles or rock fragments of uniform quality; free from clay balls, vegetable matter or other deleterious matters. Meet the following requirements:

TABLE 703-1

PROPERTY	THRESHOLD	TEST METHOD
L.A. Wear	45% max	AASHTO T96
Degradation Value	45 min	ATM 313
Fracture %	70% min	ATM 305
Liquid Limit	35 max	ATM 204
Plastic Index	10 max	ATM 205
Sodium Sulfate Loss	9 max (5 cycle)	AASHTO T104

Meet the following gradation(s), as determined by AASHTO T27/T11:

TABLE 703-2

Pay Item	1-3
No.	1-3
140.	Percent Passing by Weight
Sieve	D-1 Modified
1.5 in.	
1 in.	
3/4 in.	100
1/2 in.	63 – 89
3/8 in.	54 – 76
No. 4	36 – 56
No. 8	18 – 38
No. 16	12 – 30
No. 50	4 – 18
No. 200	3-8

Bid Schedule - ITB 2523N044 Crushed Aggregate, D-1, Tazlina Area

<u>Pay</u> <u>Item</u>	Quantity	Unit of Measure	<u>Description</u>	Required By Date	<u>Unit Price</u>	Extended Price	Completion Date
1	2,500	CUYD	Crushed Aggregate, D-1, Modified, Stockpiled, MP 18 Tok Cutoff Highway	6/15/2023	\$	\$	
2	2,500	CUYD	Crushed Aggregate, D-1, Modified, Stockpiled, MP 60 Tok Cutoff Highway	6/22/2023	\$	\$	
3	10,000	CUYD	Crushed Aggregate, D-1, Modified, Stockpiled, MP 60 Tok Cutoff Highway	7/15/2023	\$	\$	
				To	tal All Items	\$	

Company Name:	
Company Address	
Contact Person:	
Email:	
Phone Number	

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION REPORT

Federal Project No. STP-000S(823) AKSAS Project No. 76149

TOK CUTOFF HIGHWAY

MS 46-1-007-5 Camp Pit

April 13, 2014

CONTENTS	<u>PAGE</u>
COVER SHEET	1
LOCATION MAP	2
SITE MAP	3A & 3B
INSPECTION FORM	4 thru 10


CATEGORY:

ACTIVE – OPEN


According to information found in the DOT&PF EDMS system in January 2009 and BLM and DNR case abstracts, this site lies on private land but is still managed by BLM.

An indefinite right-of-way grant (A-67438) was issued to DOT&PF for the site in 1966 by BLM. Betty Lou Freed filed for a homestead entry in 1967 (AA-2064) which was patented in 1975 (PA 50-76-0088). The patent was subject to the material site right-of-way. The management and ownership of the site was in contention in the 1970's and 80's.

The site adjoins the Tok Cutoff Highway right-of-way and access is directly from the edge of the right-of-way. The site appears to contain significant quantities of sand and gravel and should be retained by DOT&PF for future use.







BASE MAP IS AUGUST 29, 2006 DIGITALGLOBE SATELLITE IMAGERY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

ACTIVE - OPEN




Prepared By: R&M CONSULTANTS, INC. STATE OF ALASKA
DEPARTMENT OF TRANSPORTATION
AND PUBLIC FACILITIES

STATEWIDE MATERIAL SITE INVENTORY

MS 46-1-007-5

AS SHOWN CHECKED C.H.R. DATE JAN. 2014 PAGE 3A

BASE MAP FROM GOOGLE EARTH PRO 1/12/14



BASE MAP IS AUGUST 29, 2006 DIGITALGLOBE SATELLITE IMAGERY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

ACTIVE - OPEN



BASE MAP FROM GOOGLE EARTH PRO 1/12/14

Prepared By: R&M CONSULTANTS, INC.

STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES

STATEWIDE MATERIAL SITE INVENTORY

MS 46-1-007-5

SCALE	DESIGNED K.G.T	DRAWN K.G.T		2 D	_	
AS	SHDMN	CHECKED C.H.R.	DATE JAN. 2014	PAGE	SD	

THIS REPORT IS BASED ON A REVIEW OF EXISTING DATA AND BRIEF FIELD INSPECTIONS. THUS THE DATA CONTAINED HEREIN SHOULD BE CONSIDERED PRELIMINARY AND USED FOR PLANNING PURPOSES ONLY. USERS OF THIS DATA SHOULD VERIFY THE INFORMATION PRIOR TO USING IT FOR DESIGN OR CONSTRUCTION PURPOSES.

IF <u>OTHER</u> IS SELECTED FOR A SECTION, EXPLAIN IT IN SECTION 44. NOTES. IF AN ANSWER IS UNKNOWN SELECT "UNKNOWN" OR LEAVE BLANK

1. MS_ID		46-1-00				
Enter the full material si	te number e.	g 31-3-045-2				
2. DATE_INSPECT				7/14/2	014	
Date of field inspection						
3. FLD INSPEC_ORG			-	KYLE THERRIEN / F	R&M CONSU	<u>JLTANTS</u>
Name of inspector / Organiza	ition or Compa	ny				
4. REGION		NORTHE	RN			
5. LOCATION	TOK C	UTOFF HIGH	WAY		ABESNA RO	
	Ŋ	Name of Highway		Enter Name of Fac	ility or Secondar Airport, Nash R	•
6. MILEPOST		(50	(1.6.116)226046	rinport, rush r	iouu, ete.)
List the closest main highway	milepost					
7. NAME	P * * * *	CAM	1P PIT			
Enter commonly used name (s), e.g. Hess pi	t, Gobblers Knob	, Midwa	y. List all that apply separa	ted by commas.	
	-		LINA		SLAN	T A
8. MAINT_DIST/STAT Highway Maintenance District	District _			Station Station	SLAN	NA
	et and Station,		on mgnw	•		
9. QUAD		NEBESNA		C-	6	
U.S.G.S. Quad. Map						
10. TOWNSHIP/RANGE	T#S R#E _	T11N R8E	_ & _		Meridian	CRM
	Section _	30				
11. COOR_UTM				12. COOR_STATE_	PLANE	
ZONE	7	2.5.4		ZONE	2 107	222
NORTHING	6,956,			NORTHING	3,187,8	
EASTING	347,7	<u> </u>		EASTING	1,308,4	4/5
	UTM WGS84	1 - Meters		Alaska State I	Plane NAD83 - S	Survey Feet
13. BOROUGH/CITY	U	NORGANIZED)	TAX ID NO.	NA	<u> </u>
14. DNR_LAND_USE_PL	AN _	COPI	PER RI	VER BASIN AREA P	PLAN	
15. CATEGORY	(To be filled i	n the office)				
15a. CLASSIFICATION		AC'	TIVE			
15b. STATUS		OI	PEN			

16. POTENTIAL_STATUS	SIGNIFICA	ANT				
Estimated quantity of material in the site at the time of inspection.						
NONE There appeared to be no useable material in the site.						
LIMITED There appeared to be less than 25,000 c.y. available within			n the developed site.			
SIGNIFICANT						
EXPANDABLE						
UNDEVELOPED	The pit has not been mined	l/explored (used only for propo	sed sites).			
CLOSED	There may be useable mate	erial left in the pit but it is not a	vailable.			
UNKNOWN						
OTHER	The site does not fit any of	the categories above. Explain	in Section 44, Notes.			
17. PRESENT_USERS						
17a. PRESENT_USER_1	DOT&PF CONST	TRUCTION				
17b. PRESENT_USER_2	DOT&PF MAIN	ΓENANCE				
17c. PRESENT_USER_3						
18. PERMITTED _ACREAG						
Area within site permit of	r R.O.W. boundaries, fro	om permit application or p	roperty plat.			
19. DEVELOPED_ACREAG	E 8.7					
Area within an existing pit,	excluding spoil berms ly	ying outside the pit, access	s roads etc. Explain below.			
Includes the existing pit wit	hin the site limits.					
20 ACDEACE COMP MET	CHOD ED	OM MAD/DUOTO				
20. ACREAGE_COMP_MET Method used to determine		OM MAP/PHOTO				
		Polici				
21. EST_QUAN_AVAIL	230,000		ESTIMATE			
Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below.						
Area	Area A	Area B	West Side of Site (Area C)			
Acres	3.8	4.9	0.3			
Est. Depth (ft.)	10	40				
Factor (b.c.y. / acre-foot)	1,000	1,000				
Est. Quant. (c.y.)	38,000	196,000				

Estimated quantity assumes the average working depth of the existing pit (Area A) can be mined an additional 10 ft. Estimated quantity in Area B assumes an average working depth of 40 ft. The west side of the site (Area C) has been excluded due to its proximity to the private property and steep relief of 20 to 28 ft. above the pit floor. A 50 ft. buffer is maintained along adjoining private property on three sides of the site.

22. ACCESS_TYPE	EXISTING 1	ROAD / OPEN		
NONE EXISTING ROAD / OPEN EXISTING ROAD / REVEO EXISTING ROAD / CLOSE EXISTING ACCESS / REM SNOW ROAD	Dr Ca D W/BERMS Ca OVED Ca	o access road has been built. rivable. May have gate. In be reopened with little effort. In be reopened with little effort. In be reopened with much effort. In only be accessed during winter.		
ICE ROAD	Re	Requires crossing river or lake ice in the winter.		
BARGE		aterial can only be moved by barge.	Describe in Continu	
OTHER		ne site does not fit any of the catagories ab , Notes.	ove. Describe in Section	
23. ACCESS_LENGTH		200		
Approx. length from edge of	pit to highway/secondary rou	ute (ft.)		
24. VEGETATION				
Nearly the entire site has have begun to grow on t	• •	tural vegetation. Some small alder a ed site area.	and spruce saplings	
25. TYPE_1	BORROW PIT	26. TYPE_2		
25. TYPE_1 Dominant type General Types of Materials A		26. TYPE_2 Subordinate type ype_2 only if two types of material site av	railable	
Dominant type		Subordinate type Type_2 only if two types of material site av	railable	
Dominant type General Types of Materials A	Available Enter data in T Bedrock sources requ	Subordinate type Type_2 only if two types of material site av	railable	
Dominant type General Types of Materials A QUARRY	Available Enter data in T Bedrock sources requ Soils or soft bedrock (Requires production b	Subordinate type ype_2 only if two types of material site av iring blasting (rippable), above water table below the water table	railable	
Dominant type General Types of Materials A QUARRY BORROW PIT	Available Enter data in T Bedrock sources requ Soils or soft bedrock (Subordinate type ype_2 only if two types of material site av iring blasting (rippable), above water table below the water table	railable	
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING	Available Enter data in T Bedrock sources requ Soils or soft bedrock (Requires production b	Subordinate type ype_2 only if two types of material site av iring blasting (rippable), above water table below the water table	vailable	
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING RIVER BAR 27. OB_CLASS_1 New Site or expansion Area	Available Enter data in T Bedrock sources requivable Soils or soft bedrock (Requires production be Sand/gravel bars in action of the solution of the solutio	Subordinate type type_2 only if two types of material site avairing blasting (rippable), above water table below the water table etive channels 28. OB_CLASS_2 Existing Pit (Spoil)		
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING RIVER BAR 27. OB_CLASS_1 New Site or expansion Area A site may have both. Data sl	Available Enter data in T Bedrock sources requ Soils or soft bedrock (Requires production be Sand/gravel bars in act <3 FT. hould be based on actual sub	Subordinate type ype_2 only if two types of material site av iring blasting (rippable), above water table below the water table stive channels 28. OB_CLASS_2		
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING RIVER BAR 27. OB_CLASS_1 New Site or expansion Area A site may have both. Data sl Estimated average depth over	Available Enter data in T Bedrock sources requ Soils or soft bedrock (Requires production be Sand/gravel bars in ac <3 FT. hould be based on actual sub rethe area.	Subordinate type type_2 only if two types of material site avairing blasting (rippable), above water table below the water table etive channels 28. OB_CLASS_2 Existing Pit (Spoil) surface exploration, otherwise unknown.		
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING RIVER BAR 27. OB_CLASS_1 New Site or expansion Area A site may have both. Data sl Estimated average depth over	Available Enter data in T Bedrock sources requivable Soils or soft bedrock (Requires production by Sand/gravel bars in action of Sand/gravel bars in action	Subordinate type type_2 only if two types of material site avairing blasting (rippable), above water table below the water table etive channels 28. OB_CLASS_2 Existing Pit (Spoil) surface exploration, otherwise unknown. UNKNOWN		
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING RIVER BAR 27. OB_CLASS_1 New Site or expansion Area A site may have both. Data sl Estimated average depth over	Available Enter data in T Bedrock sources requ Soils or soft bedrock (Requires production be Sand/gravel bars in ac <3 FT. hould be based on actual sub rethe area.	Subordinate type type_2 only if two types of material site avairing blasting (rippable), above water table below the water table etive channels 28. OB_CLASS_2 Existing Pit (Spoil) surface exploration, otherwise unknown.		
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING RIVER BAR 27. OB_CLASS_1 New Site or expansion Area A site may have both. Data sl Estimated average depth over	Available Enter data in T Bedrock sources requivable Soils or soft bedrock (Requires production by Sand/gravel bars in action of Sand/gravel bars in action	Subordinate type type_2 only if two types of material site avairing blasting (rippable), above water table below the water table etive channels 28. OB_CLASS_2 Existing Pit (Spoil) surface exploration, otherwise unknown. UNKNOWN		
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING RIVER BAR 27. OB_CLASS_1 New Site or expansion Area A site may have both. Data sl Estimated average depth over NONE <3 FT.	Available Enter data in T Bedrock sources requivable Soils or soft bedrock of Requires production by Sand/gravel bars in action of Sand/gravel bars in acti	Subordinate type type_2 only if two types of material site avairing blasting (rippable), above water table below the water table stive channels 28. OB_CLASS_2 Existing Pit (Spoil) surface exploration, otherwise unknown. UNKNOWN OTHER	<3 FT.	
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING RIVER BAR 27. OB_CLASS_1 New Site or expansion Area A site may have both. Data sl Estimated average depth over NONE <3 FT. 29. OB_TYPE_1	Available Enter data in T Bedrock sources requivable Soils or soft bedrock of Requires production by Sand/gravel bars in action of Sand/gravel bars in acti	Subordinate type type_2 only if two types of material site avairing blasting (rippable), above water table below the water table etive channels 28. OB_CLASS_2 Existing Pit (Spoil) surface exploration, otherwise unknown. UNKNOWN OTHER 30. OB_TYPE_2	<3 FT.	
Dominant type General Types of Materials A QUARRY BORROW PIT BAILING RIVER BAR 27. OB_CLASS_1 New Site or expansion Area A site may have both. Data sl Estimated average depth over NONE <3 FT. 29. OB_TYPE_1 New Site or expansion Area	Available Enter data in T Bedrock sources requivable Soils or soft bedrock of Requires production by Sand/gravel bars in action of Sand/gravel bars in acti	Subordinate type ype_2 only if two types of material site avairing blasting (rippable), above water table below the water table etive channels 28. OB_CLASS_2 Existing Pit (Spoil) surface exploration, otherwise unknown. UNKNOWN OTHER 30. OB_TYPE_2 Existing Pit (Spoil)	<3 FT.	

31. MAT TYPE 1	FLUVIAL	32. MAT_TYPE_2				
Dominant type	I LO VII L	Subordinate type	_			
BEDROCK	Bedrock sources requiri					
WEATHER. BEDROCK	Bedrock sources requiri					
FLUVIAL	Water deposited sand and gravel, includes glaciofluvial					
GLACIAL	Glacial till					
COLLUVIAL	Talus slopes, etc.					
EOLIAN	Sand Dunes, etc.					
SILT	Silt deposits, loess, fluv	ial, etc.				
33. PERMAFROST 1						
New Site or Expansion Area			_			
34. PERMAFROST_2	DETECTED I	N NO TEST HOLES OR PITS	<u> </u>			
Existing Site	Existing Site					
DETECTED IN MOST TEST I	HOLES					
DETECTED IN SOME TEST I	HOLES					
DETECTED IN IMMEDIATE	VICINITY					
DETECTED IN NO TEST HO	LES					
DATA OUTDATED						
UNKNOWN						
OTHER						
35. GROUNDWATER						
50. 6216 61.2 ///22221						
The depth to groundwater	underlying the pit is un	known.				

36. LITHOLOGY_1 FLUVIAL 37. LITHOLOGY_2

Dominant type Subordinate type

IGNEOUS ROCK Undifferentiated Igneous Rocks
GRANITIC Granite/Monzonite/Granodiorite

DIORITE/GABBRO Diorite/Gabbro

BASALT Dark colored fine-grained Igneous Rocks
GREENSTONE Altered Volcanic Rocks w/green tint

METAMORPHIC ROCK Undifferentiated Metamorphic Rocks
SCHIST/PHYLLITE Includes rocks ranging from slate to schist

GNEISS Includes hard schistose rocks

MARBLE

CATACLASTIC Incl. Valdez Formation Rocks, Kenai Penn.
MÉLANGE Incl. McHugh Formation Rocks, Kenai Penn.

SEDIMENTARY ROCK Undifferentiated Sedimentary Rocks

CONGLOMERATE

SANDSTONE Includes greywacke, etc.

SHALE/MUDSTONE

LIMESTONE

FLUVIAL River and stream deposits (floodplain), includes outwash.

ALLUVIAL Alluvial / Debris Fan deposits

GLACIOFLUVIAL Eskers, kames, etc.

GLACIAL Till

COLLUVIAL Talus, etc.
EOLIAN Sand Dunes, etc.
SILT Loess, fluvial silts, etc.
OTHER Explain in Section 44.

38. MATERIAL CLASSIFICATION

ASTM Classification, generally they should range from coarse to fine.

 38a.
 GW
 38c.
 SW
 38e.
 SW-SM
 38g.
 SM

 38b.
 GP
 38d.
 SP
 38f.
 SP-SM
 38h.

39. COBBLES_AND_BOULDERS Test Boring Callout / ASTM Classificati	on, either a. or b. and c. not both (Can use ranges i.e. 0 to 20)
39a. CONTAINS	CONTAINS COBBLES AND BOULDERS
39b. Est. % by VOL.	(Est. From Visual Observations)
39c. MAX. SIZE (in.)	(Observed Size)
40. AGG_TEST_RESULTS Year of test or report- Test result / Year	of test or report- Test Results
40a. SG APP COARSE	1979- 2.75 /1998- 2.79
40b. SG APP FINE	1979- 2.74 /1998- 2.70
40c. ABSORPTION CRSE	
40d. ABSORPTION FINE 40e. NORDIC ABRASION	
40f. L.A. ABRASION	1979- 16 / 1998- 13, 14, 16
40g. DEGRADATION (T-13)	1979- 59 / 1998- 62, 67, 73, 78
40h. NASO4 LOSS COARSE	1979- 0.992 /1998- 0.7, 0.7, 1.2, 2.3
40i. NASO4 LOSS FINE	1979- 2.55 /1998- 2.5, 3.5, 3.8
41. POTENTIAL_USABILITY Best known potential use of the material, CONCRETE AGGREGATE PRODUCED PAVING AGGREGATE PRODUCED CRUSHED PRODUCTS PRODUCED TYPE A AND B MATERIAL AVAILA TYPE C AVAILABLE TYPE C NOT AVAILABLE UNKNOWN OTHER	The site has produced paving aggregate Base, Surface Coarse, Subbase, etc. has been produced.
42. SPECIAL_PROBLEMS	
	ated with use of the material, based on records, exploration and laboratory data.
ORGANIC CONTENT HIGHLY WEATHERED GRAVEL	The material is very difficult to compact. The gravel is highly weathered and may break down when handled.
BREAKS DOWN UNDER USE	Material breaks down on grade.
SENSITIVE TO WATER CONTENT	Material is sensitive to water content, i.e., some glacial tills, soft bedrock.
VARIABLE MATERIAL POSSIBLE CONTAMINATION	Deposit contains mixture of suitable and unsuitable material. Site may be contaminated by petroleum products or hazardous materials.
CONTAINS ASBESTOS	Site may be contaminated by petroleum products of nazardous materials. Site contains naturally occurring asbestos.
POTENTIAL ASBESTOS	Site in area where naturally occurring asbestos is mapped.
ACID ROCK DRAINAGE	Site contains rock susceptible to producing acid rock drainage.
OTHER	Explain in Section 44, Notes.

43. RIPRAP	NOT POSSIBLE		
Class II or larger. Does not include production for erosion cor	ntrol riprap for ditches or culverts.		
PREVIOUS PRODUCTION POSSIBLE FURTHER INVESTIGATION NEEDED NOT POSSIBLE UNKNOWN	There is a record of production. The site is a bedrock quarry containing hard rock The site has soft rock or soil.		
OTHER	Explain in Section 44, Notes.		

44. **NOTES**

Note number of item being discussed.		

2011-000270-0

Recording District 308

05/14/2014 12:52 PM

Page 1 of 5

Chitina





STATE OF ALASKA DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES

QUITCLAIM DEED

PROJECT NAME: NABESNA ROAD

STATE PROJECT #:

FEDERAL-AID PROJECT #: S-0880(1)

PARCEL #'S:

The GRANTOR, Margaret M. Scott, whose mailing address is 205 Fort Edward Road, Fort Edward, New York, 12828, for and in consideration of Mutual Benefit, conveys and quitclaims to the GRANTEE, STATE OF ALASKA, DEPARTMENT OF TRANSPORTATION & PUBLIC FACILITIES, whose mailing address is 2301 Peger Road, Fairbanks, Alaska 99709, all rights, title, and interest, if any, which it has or may hereinafter acquire in the following-described real estate, located in the State of Alaska:

L

K

A tract of land situate in Government Lots 1 and 6 and the North 1/2 of the Southeast 1/4 of the Northwest 1/4 of the Northwest 1/4 of surveyed Section 30, Township 11 North, Range 8 East, Copper River Meridian, Third Judicial District, Chitina Recording District, State of Alaska, and being more particularly described as follows:

(Intent: The purpose of the following description is to identify the residual land interests remaining in the ownership of Margaret M. Scott. The lands were vested in the Scotts according to the Warranty Deed between Betty Lou Freed and Henry L. and Margaret Scott recorded in Book 13, Pages 363-364 in the Chitina Recording District on January 27, 1982 hereinafter referred to as the "Scott Deed". The Scotts subsequently conveyed fee title for several parcels out of the "Scott Deed" to individual private parties. The remaining Scott lands are to be conveyed to the State of Alaska as a result of the following encumbrances or development constraints:

- State of Alaska Material Site right-of-way for MS 46-1-007-5, according to the Bureau of Land Management Right-of-Way Grant No. A067438 recorded in Book 6, Pages 312-318 in the Chitina Recording District on August 3, 1966 and hereafter referred to as "MS 46-1-007-5";
- State of Alaska highway right-of-way for the Nabesna Road, according to the Bureau of Land Management Right-of-Way Grant No. A067455 recorded in Book 6, Pages 333-350 in the Chitina Recording District on August 3, 1966 and hereafter referred to as the "Nabesna Road right-of-way";
- A triangular remnant parcel within the North 1/2 of the Southeast 1/4 of the Northwest 1/4 of the Northwest 1/4 of surveyed Section 30 lying between the westerly boundary of MS 46-1-007-5 and the northerly Nabesna Road right-of-way.

25A-R613 (Rev 09/01/06)

DOT&PF-ROW

Page 1 of 4

APR 2 9 2014

The bearings, distances and areas for this description are based on composite data and were developed from the unrecorded subdivision prepared for the Scotts on July 29, 1989 that was used as the basis for the conveyances to Rickman and Garber as noted in the following description; the right-of-way plans for Project S-0880(1), Mile 0 – Mile 2, Nabesna Road; the BLM right-of-way grant for MS 46-1-007-5; and the BLM Township plat for T.11N., R.8E., C.R.M approved June 21, 1974.)

Commencing at Corner 1, U.S. Survey No. 4842;

Thence, West a distance of 254.13 feet more or less to the Nabesna Road right-of-way centerline;

Thence N 50°58'00" W along said centerline a distance of 686.30 feet to the southwest corner of the parcel conveyed from Henry and Margaret Scott to H.T. Rickman and Ruth A. Hanson-Rickman by Warranty Deed recorded in Book 40, Page 341 on February 25, 1994 in the Chitina Recording District and the TRUE POINT OF BEGINNING;

Thence North along the westerly line of the Rickman parcel a distance of 258.63 feet to the southeast corner of State of Alaska Material Site MS 46-1-007-5;

Thence N 21°28'19" E along the common boundary between the Rickman parcel and MS 46-1-007-5 a distance of 95.50 feet to the northerly corner of the Rickman parcel;

Thence continuing N 21°28'19" E along the easterly boundary of MS 46-1-007-5 a distance of 272.15 feet to the southwesterly corner of the parcel conveyed from Henry and Margaret Scott to Arthur W. Garber or Michael W. Garber by Warranty Deed recorded in Book 48, Page 876 on August 5, 1997 in the Chitina Recording District;

Thence North along the westerly boundary of the Garber parcel a distance of 314.00 feet to the northerly boundary of Government Lot 1 and the northwest corner of the Garber parcel;

Thence West along the northerly boundary of Government Lot 1 a distance of 450.86 feet to the northwest corner of Government Lot 1 and the northeast corner of the North 1/2 of the Southeast 1/4 of the Northwest 1/4 of the Northeast 1/4 of surveyed Section 30;

Thence continuing West along northerly boundary of the North 1/2 of the Southeast 1/4 of the Northwest 1/4 of the Northwest 2/4 of the Northwest 2/4 of the Northwest 2/4 of the Northwest 1/4 of the

Thence South along the westerly boundary of the North 1/2 of the Southeast 1/4 of the Northwest 1/4 of the Northwe

Thence East along the southerly boundary of the North 1/2 of the Southeast 1/4 of the Northwest 1/4 of the Northwest 1/4 of the Northeast 1/4 of surveyed Section 30 a distance of 660.00 feet to the westerly boundary of Government Lot 1;

25A-R613 (Rev 09/01/06)

Page 2 of 4



2014-000270-0

CERTIFICATE OF ACCEPTANCE

THIS IS TO CERTIFY that the STATE OF ALASKA, DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES, Grantee herein, acting by and through its Commissioner, hereby accepts for public purposes the real property, or interest therein, described in this instrument and consents to the recordation thereof.

IN WITNESS WHEREOF, I have hereunto set my hand this 29 day of April 2019

DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES

Filed for Record at the Request of and Return to:

State of Alaska

DOT&PF – Right of Way Dept.

2301 Peger Road, MS 2553

Fairbanks, AK 99709-5399


State Business-No Charge

25A-R613 (Rev 09/01/06)

Page 4 of 4



Page 4 of 5 2014-000270-0



Sullivan, Joe P (DOT)

From: Hoffman, John R (DOT)

Sent: Tuesday, September 03, 2013 2:48 PM

To: Bennett, John F (DOT); Sakalaskas, Jason (DOT); Potter, Steve B (DOT)

Cc: Sullivan, Joe P (DOT)

Subject: RE: Slana Pit MS 46-1-007-5 Nabesna Road

There is none that I know of but I will check with my station Foreman.

From: Bennett, John F (DOT)

Sent: Tuesday, September 03, 2013 12:47 PM

To: Hoffman, John R (DOT); Sakalaskas, Jason (DOT); Potter, Steve B (DOT)

Cc: Sullivan, Joe P (DOT)

Subject: RE: Slana Pit MS 46-1-007-5 Nabesna Road

John, do we have any knowledge of any contamination or similar problems that would suggest that we shouldn't increase our interest? This is one of the primary reasons why we have to sign an "acceptance" certificate on a deed so the public doesn't become the dumping ground for problem properties. JohnB

From: Hoffman, John R (DOT)

Sent: Tuesday, September 03, 2013 10:07 AM

To: Bennett, John F (DOT); Sakalaskas, Jason (DOT); Potter, Steve B (DOT)

Cc: Sullivan, Joe P (DOT)

Subject: RE: Slana Pit MS 46-1-007-5 Nabesna Road

If they are willing to give us title to this land than I think we should accept. This would actually give us more freedom to use 'as we see fit' than the grant does.

From: Bennett, John F (DOT)

Sent: Tuesday, September 03, 2013 9:37 AM


To: Hoffman, John R (DOT); Sakalaskas, Jason (DOT); Potter, Steve B (DOT)

Cc: Sullivan, Joe P (DOT)

Subject: Slana Pit MS 46-1-007-5 Nabesna Road

I was contacted by Carrie Sullivan last Friday. She is the daughter of Henry Scott who owned a lot of the land surrounding the Slana pit. He is no longer alive and his wife now lives in the lower '48. They have since sold off all of their land except the parcel that would be subject to our federal material site grant. It is of no value to them and they believe it may be more of a liability. They are interested in conveying fee title to us as a donation just to divest themselves of title. We have had a variety of legal problems with this pit over the years with DOT trespassing outside of the MS boundaries, others trespassing into our MS and people arguing that we don't' have rights to the material. The federal material site grant is solid but clearly fee title would be more so. Can any of you see reasons why we should not take them up on their offer.

We would have to spend some time going through the title and deeds where Scott has sold off other parcels of land so we can figure out how to write a legal description for what remains. Given that his sales were likely done without benefit of survey, it is possible that the result will be that a fee conveyance from Scott will only account for a portion of the material site grant and that the underlying fee for other portions of the MS have been conveyed to others. What that means is that we would own fee in most (hopefully) of the site and still have just the federal material site grant in the remainder. Let me know what you think. JohnB







ADLO 2234-1 Dec. '64

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT Anchorage District & Land Office 555 Cordova Street Anchorage, Alaska 99501

Date:

JUL 2 5 1966

DECISION

RIGHT - OF - WAY GRANTED

Details of Grant

Serial number of grant

Name of Grantee

Anchorage 067438

State of Alaska Department of Highways

Map showing the location and dimensions of grant:

Map designations

Veldez District Project S-0880 (1)

Parcel No. M.S. 461-007-5

Date Filed

Permitted use by Grantee

Authority for grant

Regulations applicable to grant:

Code reference

43 CFR 2234.1 - 2234.2-4

Act of August 27, 1958

(23 E.S.C. 317)

March 4, 1966

Material Source

(72 Stat. 885)

Date of grant

Expiration date of grant :

Rental:

Amount

When payable by grantee

JUL 26 1966

M/A

H/A

Attachment 5

BOOM Joed PACE 3/3
Chitina Recording District

Terms and Conditions of Grant

Pursuant to the authority vested in the undersigned by Order No. 701 of the Director, Bureau of Land Management, dated July 23, 1964 (64 F.R. 7492), as amended, a right-of-way, the details of which are shown above, is hereby granted for the public lands involved $\underline{1}$, subject to the following terms and conditions:

- 1. All valid rights existing on the date of the grant.
- 2. All regulations in 43 CFR 2234 as more specifically set forth in the attached terms and conditions.
- 3. Filing of proof of construction within 7 years from date of the grant.
- 4. Others: Subject to attached stipulations which are made a part hereof by reference.

Chief Lande Adjusticator

Enclosures:

Map

Terms & Conditions

441

Department of Highways, Right-of-Way Section, Juneau Sureau of Public Reads, Anchorage

^{1/} For the purpose of this grant, public domain lands include those reserved or withdrawn for specific purposes, entered, selected, occupied and/or settled, and leased.

Serial No. 66313

Chitina Recording District

ADLO: 2234-1 April '66

BUREAU OF LAND MANAGEMENT

TERMS & CONDITIONS FOR RIGHTS-OF-WAY & MATERIAL SITES


- 1. The grantee or permittee shall comply with State and Federal laws applicable to the project for which the right-of-way or material site is approved, and to the lands which are included in the right-of-way or material site and lawful existing regulations thereunder.
- 2. The grantee or permittee shall protect all public land survey monuments, witness corners, reference monuments and bearing trees against destruction, obliteration, or damage during his operations. If any monuments or corners are destroyed, obliterated, or damaged by his operations, he shall, at his expense, hire a registered surveyor pursuant to applicable State law and Bureau of Land Management procedures to re-establish the monuments and corners. Instructions and guidance on such procedures may be obtained from the Chief of the Cadastral Engineering Office, 555 Cordova Street, Anchorage, Alaska. A penalty is provided for the unauthorized alteration or removal of any government survey monument or marked trees by Section 57 of the Criminal Code of 1909 (35 Stat. 1088, 1099; 18 U.S.C. Sec. 111).
- 3. The grantee or permittee shall not deface, injure, cut or remove trees from lands outside the right-of-way or material site unless so authorized by the Bureau of Land Management.
- 4. The grantee or permittee shall be liable for damages caused by equipment or operations to any trees or landscape feature on the public land outside the right-of-way or material site area. Restoration or other corrective measures will be required by the Bureau.
- 5. When necessary to cut and remove trees from a right-of-way or material site, they shall be cut no higher than 12 inches above the ground and the limbs and branches removed.
 - (a) All logs or combustible material not utilized by the permittee will be disposed of in a manner approved, in advance and in writing, by the authorized officer.
 - (b) Burning of combustible material is authorized and may be done at the discretion of the permittee. However, full responsibility for preventing the escape of fires rests with the permittee. Any fire trepass action which might arise from the escape of permittee's fires will be in accordance to chapter 138, State of Alaska Fire Control Act.
 - (c) Coobustible material made to borded in lieu of burning. Burial and method of burning must have the advance approval of the authorized officer.
 - (d) The Anchorage Fire Control Dispatcher will be contacted prior to commencing of burning activities. He may be reached by phone at 277-0587.

Attachment 5

ADLO 2234-1

Chitina Recording District

- 6. All operations will be conducted in such a manner as to prevent the erosion of the land, pollution of the water resources and damage to the watershed and all things done necessary to prevent or reduce to the fullest extent the scarring of the lands.
- 7. The right-of-way will be so developed and used that natural scenic values are preserved. This includes, but is not limited to revegetation of cuts and fills with grass, trees or other appropriate cover, and/or utilization of other accepted screening to maintain and enhance the esthetic value in scenic areas. Where material sites are located adjacent to a road right-of-way, an area of 150 feet shall be left reasonably undisturbed, or shall be satisfactorily restored, to serve as a scenic zone to screen the pit area.
- 8. No commercial billboards or signs will be erected within the right-ofway, except with written approval of the Bureau of Land Management.
- 9. The character of streams, lakes, ponds and water holes shall not be modified except by advance approval in writing from the authorized officer.
- 10. The banks of all gravel pits shall be sloped to a grade of at least 3 to 1, pin installations shall be removed and the area restored to a condition satisfactory to the authorized officer.
- 11. Berm piles within the right-of-way or material site area, or area adjacent thereto, are not permitted. Where bulldozing is necessary for construction or maintenance, the area shall be leveled before completion.
- 12. Any roads, trails, fences or other improvements damaged shall be repaired or replaced in a manner satisfactory to the authorized officer.
- 13. For any breach of these stipulations the grantee or permittee will be fully liable and accountable to the Bureau of Land Management.
- 14. The grantee covenants and agrees that it will comply with the provision of Title VI of the Civil Rights Act of 1964, and that it will not, for the period during which the property conveyed by this instrument is used for the purposes designated in this grant, or for another purpose involving the provisions of similar services or benefits, engage in any discriminatory actions prohibited by 43 CFR 17.3, to the end that no person in the United States shall, on the grounds of race, color, or national origin, be excluded from participation in, be denied the benefits of, or otherwise be subjected to discrimination under the program for which the grantee received Federal financial assistance by this grant. This assurance shall obligate the grantee, or in the case of transfer of the property granted herein, any transferce, for the period of this grant.



BOOK Bood PAGE 3/6
Chitina Recording District

ADIO: 2234-1

- 15. The grantee further agrees that it will not transfer the property conveyed by this instrument for the purpose designated in the grant or for another purpose involving the provision of similar services or benefits, unless and until the transferee gives similar written assurance to the authorized officer, Bureau of Land Management, that it will comply with the provisions of paragraph 14 hereof.
- 16. The grantee agrees that the right is reserved to the Department of the Interior to declare the terms of this grant terminated in whole or in part and to revest in the United States full title to the property conveyed herein, in the event of a breach of the non-discrimination provisions contained in paragraph 14 hereof during the term of this right-of-way.
- 17. The grantee agrees that as long as the property conveyed hereby is used for the purpose designated in this grant or for another purpose involving the provision of similar services or benefits, the obligation to comply with the provisions of Title VI of the Civil Rights Act of 1964 shall constitute a covenant running with the land for the term of this grant.
- 18. The grantee agrees that in the event of a violation or failure to comply with the requirements imposed by paragraph 14, the United States may seek judicial enforcement of such requirements.
- 19. The assurances and covenants required by paragraphs 14 through 18 above shall not apply to ultimate beneficiaries under the program for which this grant is made. "Ultimate beneficiaries" are identified in 43 CFR 17.12(h) (1965 edition).
- 20. The grantee agrees that it will, upon request of the Secretary of the Interior or his delegate, post and maintain on the property conveyed by this document signs and posters bearing a legend concerning the applicability of Title VI of the Civil Rights Act of 1964 to the area or facility granted.

CHITINA -		ADLO-2234-2
Ewial No.	60	ADLO-2234-2 - 313

b PAGE 318
Chitina Recording District

ACKNOWLEDGEMENT


STATE OF ALASKA
GREATER ANCHORAGE AREA BOROUGH)
I, Jack C. Means, a Notary Public in and for
the said Greater Anchorage Area Borough and State, do hereby certify that
on this the 26th day of July; 1966, before me per-
sonally appeared Pearl C. Peters, being to me personally well known and
known by me to be the Chief, Adjudication Section, Lands Branch, Bureau
of Land Management, and acknowledged that the foregoing instrument bearing
date of July 26th, 1966, was executed by her in her capa-
city and by authority in her vested by law, for the purpose and intents
in said instrument described and set forth, and acknowledged the same to
be her free act and deed as Chief, Adjudication Section, Lands Branch,
Bureau of Land Management.
Witness my hand and seal this 26th day of July 1966.
(Notary Public)
· ·
(SEAL)
My Commission expires May 22, 1967
DECORDE
RECORDED - FILED

RECORDED - FILED
Continue REC. DIST.

DATE Gregory 3 1966

TIME 1: 20 EM
Requested by Dent of Righting
Aridrass Blay 2 forghing

Attachment 5



ENGINEER'S STATE MENT

WILLIAM R. WHITNALL

BY OCCUPATION A CIVIL ENG EMPLOYED BY
ALASKA DEPT. OF HIGHWAYS TO SUPERVISE THE
SURVEY OF HIGHWAY PROJECT NO S-0880(1) AS
SHOWN ON THIS MAR THAT THE SURVEY OF SAID PROJECT WAS MADE UNDER HIS SUPERVISION AND UNDER
AUTHORITY; THAT THIS PARCEL WAS SURVEYED DURING
THE SURVEY OF THIS HIGHWAY PROJECT, WHICH WAS
CONDUCTED IN 1965; AND THAT SUCH SURVEY IS
ACCURATELY REPRESENTED UPON THIS PLAT.

Win K. Wastnall, ENGINEER

APPLICANT'S CETTIFICATE
THIS IS TO CERTIFY THAT WILLIAM R. WHITNALL
WHO SUBSCRIBED THE STATEMENT HEREON IS THE
PERSON EMPLOYED BY THE UNDERSIGNED APPLICANT
TO SUPERVISE THE PREPARATION OF THIS MAP,
WHICH HAS BEEN ADOPTED BY THE APPLICANT AS THE
APPROXIMATE FINAL LOCATION OF THE PROJECT HEREBY SHOWN; AND THAT THIS MAP IS FILED AS PART OF
THE COMPLETE APPLICATION, AND IN ORDER THAT THE
APPLICANT MAY OBTAIN THE BENEFITS OF THE ACT
OF AUGUST 27, 1958 (72 STAT. 885, 23U.S.C. 317); AND
I FURTHER CERTIFY THAT THE RIGHT-OF-WAY HEREIN
DESCRIBED IS DESIRED FOR ALASKA HIGHWAY PROJECT
NO. S-0880(1)

COMMISSIONER, ALASKA DEPT. OF HIGHWAYS

Allesi Latel

STATE OF ALASKA DEPARTMENT OF HIGHWAYS

RIGHT OF WAY PLAT SHOWING

MATERIAL SOURCE FOR

PROJUCT \$-08 80(1)

VALDEZ

DISTRICT

M.S. 461-007-5 DATE 12-1-65

STATEWIDE MATERIAL SITE INVENTORY

MATERIAL SITE INSPECTION REPORT

Federal Project No. STP-000S(823) AKSAS Project No. 76149

TOK CUTOFF HIGHWAY

MS 46-1-009-5 Bear Cub Pit

April 13, 2014

CONTENTS	<u>PAGE</u>
COVER SHEET	1
LOCATION MAP	2
SITE MAP	3A & 3B
INSPECTION FORM	4 thru 10


CATEGORY:


ACTIVE – STATUS UNKNOWN

According to information found in the DOT&PF EDMS system in January 2009 and BLM and DNR case abstracts, this site lies on Federal land managed by BLM. It lies across the Old Tok Cutoff Highway from the Bear Cub Inn (Closed).

An indefinite right-of-way grant (A-57443) was issued to DOT&PF for the site in 1963 by BLM. The land has been selected by Ahtna, Inc. for the subsurface estate and by Mentasta, Inc. for the surface estate in 1979 (AA-6716-C).

The site adjoins the Old Tok Cutoff Highway right-of-way and there is an access road into the site. The New Tok Cutoff Highway crossed through the site. There is a large area between the old and new Tok Cutoff Highway that is being used for stockpiling. It appears to not be on the site, or the highway right-of-way, or within the permitted stockpiling area. The site appears to contain significant quantities of sand and gravel and should be retained by DOT&PF for future use. The site boundaries should be marked clearly prior to mining operations.





BASE MAP IS MAY 22, 2002 DIGITALGLOBE SATELLITE IMAGERY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

ACTIVE - STATUS UNKNOWN

0 250 500 1000 1500

GRAPHIC SCALE IN FEET

BASE MAP FROM GOOGLE EARTH PRO 1/22/14

Prepared By: R&M CONSULTANTS, INC. STATE OF ALASKA
DEPARTMENT OF TRANSPORTATION
AND PUBLIC FACILITIES

STATEWIDE MATERIAL SITE INVENTORY

MS 46-1-009-5

SCALE	DESIGNED K.G.T	DRAWN K.G.T		3 /
AS SHOW	CHECKED C.H.R.	DATE JAN. 2014	PAGE	SA



BASE MAP IS MAY 22, 2002 DIGITALGLOBE SATELLITE IMAGERY.
THIS IS A PLANNING DOCUMENT ONLY. THE MATERIAL SITE BOUNDARIES SHOWN ON THIS
DRAWING ARE APPROXIMATE. OWNERSHIP OF THE LANDS ADJACENT TO THIS SITE ARE
UNKNOWN. THE ACCESS ROW SHOULD BE VERIFIED.

ACTIVE - STATUS UNKNOWN



BASE MAP FROM GOOGLE EARTH PRO 1/22/14

Prepared By: R&M C□NSULTANTS, INC. STATE OF ALASKA
DEPARTMENT OF TRANSPORTATION
AND PUBLIC FACILITIES

STATEWIDE MATERIAL SITE INVENTORY

MS 46-1-009-5

SCALE	DESIGNED K.G.T	DRAWN K.G.T	2D	_
AS SHOWN	CHECKED C.H.R.	DATE JAN. 2014	PAGE 3B	

THIS REPORT IS BASED ON A REVIEW OF EXISTING DATA AND BRIEF FIELD INSPECTIONS. THUS THE DATA CONTAINED HEREIN SHOULD BE CONSIDERED PRELIMINARY AND USED FOR PLANNING PURPOSES ONLY. USERS OF THIS DATA SHOULD VERIFY THE INFORMATION PRIOR TO USING IT FOR DESIGN OR CONSTRUCTION PURPOSES.

IF <u>OTHER</u> IS SELECTED FOR A SECTION, EXPLAIN IT IN SECTION 44. NOTES. IF AN ANSWER IS UNKNOWN SELECT "UNKNOWN" OR LEAVE BLANK

1. MS_ID Enter the full material si	te number e	46-1-009-	-5			
2. DATE_INSPECT Date of field inspection	te number e.	g 31-3-0 4 3-2		7/14/2	014	
3. FLD INSPEC_ORG Name of inspector / Organiza	tion or Compa	ny	K	YLE THERRIEN / F	R&M CONSULT	TANTS
4. REGION		NORTHER	N			
5. LOCATION	TOK C	UTOFF HIGHV	VAY			
•	N	ame of Highway			ility or Secondary F Airport, Nash Road	
6. MILEPOST		70.	5			
List the closest main highway	milepost					
7. NAME		BEAR C	UB PI	Γ		
Enter commonly used name (s), e.g. Hess pit	t, Gobblers Knob, I	Midway.	List all that apply separa	ted by commas.	
8. MAINT_DIST/STAT	District	TAZL	INA	Station	SLANA	
Highway Maintenance Distric	et and Station, i	for locations not on	highwa	ys select other.		
9. QUAD		NEBESNA		D-	6	
U.S.G.S. Quad. Map						
10. TOWNSHIP/RANGE	T#S R#E Section	T12N R9E 29	& _		Meridian _	CRM
11. COOR_UTM				12. COOR_STATE_	PLANE	
ZONE	7			ZONE	2	
NORTHING	6,965,4			NORTHING	3,216,560	
EASTING	358,68	<u> </u>		EASTING	1,343,994	<u> </u>
	UTM WGS84	- Meters			Plane NAD83 - Sur	vey Feet
13. BOROUGH/CITY	U.	NORGANIZED		TAX ID NO.	NA	
14. DNR_LAND_USE_PL	AN _	COPPI	ER RIV	/ER BASIN AREA P	LAN	
15. CATEGORY	(To be filled i	n the office)				
15a. CLASSIFICATION	ION ACTIVE					
15b. STATUS		UNKN	OWN			

Estimated quantity of material in the site at the time of inspection. NONE LIMITED There appeared to be no useable material in the site. LIMITED There appeared to be less than 25,000 c.y. available within the developed site. SIGNIFICANT There appeared to be greater than 25,000 c.y. available within the developed site. EXPANDABLE There was limited material within the developed site, but there appeared to be significant material outside existing site limits. UNDEVELOPED The pit has not been mined/explored (used only for proposed sites). There may be useable material left in the pit but it is not available. UNKNOWN OTHER The site does not fit any of the categories above. Explain in Section 44, Notes. 17. PRESENT_USERS 17a. PRESENT_USER_1 DOT&PF MAINTENANCE 17b. PRESENT_USER_2 DOT&PF CONSTRUCTION 17c. PRESENT_USER_3 18. PERMITTED_ACREAGE Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE 2.3 Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 FROM MAP/PHOTO Method used to determine developed acreage. 22. EST_QUAN_AVAIL EST_may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developed Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 2.0 Factor (b.c.y./acre-foot) 1,000	16. POTENTIAL_STATUS	SIGNIFICA	NT		
LIMITED There appeared to be less than 25,000 c.y. available within the developed site. SIGNIFICANT There appeared to be greater than 25,000 c.y. available within the developed site. There was limited material within the developed site, but there appeared to be significant material outside existing site limits. UNDEVELOPED The pit has not been mined/explored (used only for proposed sites). CLOSED There may be useable material left in the pit but it is not available. UNKNOWN OTHER The site does not fit any of the categories above. Explain in Section 44, Notes. 17. PRESENT_USERS 17a. PRESENT_USER_1 DOT&PF MAINTENANCE 17b. PRESENT_USER_2 DOT&PF CONSTRUCTION 17c. PRESENT_USER_3 18. PERMITTED_ACREAGE 5.5 Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE 2.3 Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	Estimated quantity of material in	the site at the time of inspection	1.		
SIGNIFICANT EXPANDABLE There appeared to be greater than 25,000 c.y. available within the developed site. There was limited material within the developed site, but there appeared to be significant material outside existing site limits. UNDEVELOPED CLOSED The pit has not been mined/explored (used only for proposed sites). CLOSED UNKNOWN OTHER The site does not fit any of the categories above. Explain in Section 44, Notes. 17. PRESENT_USERS 17a. PRESENT_USER_1 DOT&PF MAINTENANCE 17b. PRESENT_USER_2 DOT&PF CONSTRUCTION 18. PERMITTED_ACREAGE Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 Light of the developed site, but there appeared to be significant material outside within the developed site. In the proposed site.) There may be useable material left in the pit but it is not available. The pit but it is not available. Explain in Section 44, Notes. Proposed site. There may be useable material left in the pit but it is not available. The pit but it is not available. There may be useable material left in the pit but it is not available. The pit but it is not avail	NONE	There appeared to be no useable material in the site.			
EXPANDABLE There was limited material within the developed site, but there appeared to be significant material outside existing site limits. UNDEVELOPED The pit has not been mined/explored (used only for proposed sites). CLOSED There may be useable material left in the pit but it is not available. UNKNOWN OTHER The site does not fit any of the categories above. Explain in Section 44, Notes. 17. PRESENT_USERS 17a. PRESENT_USER_1 DOT&PF MAINTENANCE 17b. PRESENT_USER_2 DOT&PF CONSTRUCTION 17c. PRESENT_USER_3 18. PERMITTED_ACREAGE Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD Method used to determine developed acreage. 21. EST_QUAN_AVAIL Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 Light STIMATE Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 1,000 1,000	LIMITED	There appeared to be less that	n 25,000 c.y. available within	n the developed site.	
material outside existing site limits. UNDEVELOPED The pit has not been mined/explored (used only for proposed sites). CLOSED There may be useable material left in the pit but it is not available. UNKNOWN OTHER The site does not fit any of the categories above. Explain in Section 44, Notes. 17. PRESENT_USERS 17a. PRESENT_USER 1 DOT&PF MAINTENANCE 17b. PRESENT_USER 2 DOT&PF CONSTRUCTION 17c. PRESENT_USER_3 18. PERMITTED_ACREAGE 5.5 Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE 2.3 Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	SIGNIFICANT	There appeared to be greater	than 25,000 c.y. available wi	thin the developed site.	
There may be useable material left in the pit but it is not available. UNKNOWN OTHER The site does not fit any of the categories above. Explain in Section 44, Notes. 17. PRESENT_USERS 17a. PRESENT_USER_1 DOT&PF MAINTENANCE 17b. PRESENT_USER_2 DOT&PF CONSTRUCTION 17c. PRESENT_USER_3 18. PERMITTED_ACREAGE Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developed Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	EXPANDABLE			here appeared to be significant	
UNKNOWN OTHER The site does not fit any of the categories above. Explain in Section 44, Notes. 17. PRESENT_USERS 17a. PRESENT_USER_1 DOT&PF MAINTENANCE 17b. PRESENT_USER_2 DOT&PF CONSTRUCTION 17c. PRESENT_USER_3 18. PERMITTED_ACREAGE 5.5 Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE 2.3 Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	UNDEVELOPED	The pit has not been mined/e	xplored (used only for propos	sed sites).	
The site does not fit any of the categories above. Explain in Section 44, Notes. 17. PRESENT_USERS 17a. PRESENT_USER_1	CLOSED	There may be useable materi	al left in the pit but it is not a	vailable.	
17. PRESENT_USER_1 DOT&PF MAINTENANCE 17b. PRESENT_USER_2 DOT&PF CONSTRUCTION 17c. PRESENT_USER_3 18. PERMITTED ACREAGE 5.5 Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE 2.3 Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	UNKNOWN				
17a. PRESENT_USER_1 DOT&PF MAINTENANCE 17b. PRESENT_USER_2 DOT&PF CONSTRUCTION 17c. PRESENT_USER_3 18. PERMITTED_ACREAGE 5.5 Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE 2.3 Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developed Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	OTHER	The site does not fit any of the	ne categories above. Explain i	n Section 44, Notes.	
17b. PRESENT_USER_2 DOT&PF CONSTRUCTION 17c. PRESENT_USER_3 18. PERMITTED_ACREAGE 5.5 Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE 2.3 Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	17. PRESENT_USERS				
17c. PRESENT_USER_3 18. PERMITTED_ACREAGE 5.5 Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE 2.3 Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	17a. PRESENT_USER_1	RESENT_USER_1 DOT&PF MAINTENANCE			
18. PERMITTED _ACREAGE	17b. PRESENT_USER_2	DOT&PF CONSTR	RUCTION		
Area within site permit or R.O.W. boundaries, from permit application or property plat. 19. DEVELOPED_ACREAGE 2.3 Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	17c. PRESENT_USER_3				
Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y./acre-foot) 1,000 1,000	18. PERMITTED _ACREAG	E 5.5			
Area within an existing pit, excluding spoil berms lying outside the pit, access roads etc. Explain below. This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000	Area within site permit o	r R.O.W. boundaries, fron	n permit application or pr	roperty plat.	
This includes the area within the site of the constructed Tok Cutoff Highway. 20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000	19. DEVELOPED_ACREAG	E 2.3			
20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000	Area within an existing pit,	excluding spoil berms lyi	ng outside the pit, access	roads etc. Explain below.	
20. ACREAGE_COMP_METHOD FROM MAP/PHOTO Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000	This includes the area withi	n the site of the constructe	d Tok Cutoff Highway.		
Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000					
Method used to determine developed acreage. 21. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000	20. ACREAGE COMP MET	Г НОD FRO	M MAP/PHOTO		
Estimated quantity available (b.c.y.), may be based on acreage computed above plus expansion area. Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000					
Explain computation assumptions and calculations below. Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000	21. EST_QUAN_AVAIL	1. EST_QUAN_AVAIL 60,000 ROUGH ESTIMATE			
Area Developed Area Developable Area Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000	Estimated quantity available	e (b.c.y.), may be based or	acreage computed abov	e plus expansion area.	
Acres 2.3 3.2 Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000	Explain computation assum	ptions and calculations be	low.		
Est. Depth (ft.) 0 20 Factor (b.c.y. / acre-foot) 1,000 1,000	Area	Developed Area	Developable Area		
Factor (b.c.y. / acre-foot) 1,000 1,000	Acres	2.3	3.2	·	
· · · · · · · · · · · · · · · · · · ·	Est. Depth (ft.)	0	20		
For Quant (a, y) 0 64,000	· · · · · · · · · · · · · · · · · · ·	1,000	1,000		
Lot. Quant. (c.y.) 0 04,000	Est. Quant. (c.y.)	0	64,000		

The remaining developable area is situated on a 25 degree slope that varies from 25 to 70 feet above the Tok Cutoff Highway grade. The quantity of material available is variable due to the unknown depth to bedrock. It is assumed that at least 20 feet of material can be obtained from the site if a 150 foot ROW is maintained from the highways centerline.

NONE 22. ACCESS TYPE

NONE No access road has been built. EXISTING ROAD / OPEN Drivable. May have gate.

EXISTING ROAD / REVEG Can be reopened with little effort. EXISTING ROAD / CLOSED W/BERMS Can be reopened with little effort. Can be reopened with much effort. EXISTING ACCESS / REMOVED **SNOW ROAD** Can only be accessed during winter.

ICE ROAD Requires crossing river or lake ice in the winter.

Material can only be moved by barge. **BARGE**

OTHER The site does not fit any of the catagories above. Describe in Section

44, Notes.

23. ACCESS LENGTH

Approx. length from edge of pit to highway/secondary route (ft.)

24. VEGETATION

Vegetation above the highway cut consists of mature white spruce trees growing to 20 inches in diameter on 15 foot centers. Sparse bush growing to 6 feet in height comprises the understory.

25. TYPE 1 **BORROW PIT** 26. TYPE 2

Dominant type Subordinate type

General Types of Materials Available Enter data in Type 2 only if two types of material site available

OUARRY Bedrock sources requiring blasting

BORROW PIT Soils or soft bedrock (rippable), above water table

BAILING Requires production below the water table

Sand/gravel bars in active channels RIVER BAR

27. **OB CLASS 1** <3 FT.

28. **OB_CLASS 2**

NONE

New Site or expansion Area

Existing Pit (Spoil)

Existing Pit (Spoil)

A site may have both. Data should be based on actual subsurface exploration, otherwise unknown.

Estimated average depth over the area.

NONE 3 TO 6 FT. UNKNOWN <3 FT. >6 FT. **OTHER**

29. **OB TYPE 1** SILT 30. **OB TYPE 2** NONE

New Site or expansion Area

A site may have both.

SOLID WASTE OTHER SILT PEAT

SPOIL COLLUVIUM UNKNOWN

31. MAT_TYPE_1	FLUVIAL	32. MAT_TYPE_2	
Dominant type		Subordinate type	
BEDROCK	Bedrock sources requiring	g blasting	
WEATHER. BEDROCK	Bedrock sources requiring	g ripping	
FLUVIAL	Water deposited sand and	l gravel, includes glaciofluvial	
GLACIAL	Glacial till		
COLLUVIAL	Talus slopes, etc.		
EOLIAN	Sand Dunes, etc.		
SILT	Silt deposits, loess, fluvia	l, etc.	
33. PERMAFROST_1		UNKNOWN	
New Site or Expansion Area			
34. PERMAFROST_2	DA	TA OUTDATED	
Existing Site			
DETECTED IN MOST TEST I	HOLES		
DETECTED IN SOME TEST I	HOLES		
DETECTED IN IMMEDIATE	VICINITY		
DETECTED IN NO TEST HO	LES		
DATA OUTDATED			
UNKNOWN			
OTHER			
35. GROUNDWATER			
The depth to groundwater	underlying the nit is unk	nown	
The depth to groundwater	and one pit is the		

. LITHOLOGY_1	FLUVIAL	37. LITHOLOGY_2	
Dominant type			ubordinate type
IGNEOUS ROCK		Undifferentiated Igneous Rocks	
GRANITIC		Granite/Monzonite/Granodiorite	
DIORITE/GABBR	O	Diorite/Gabbro	
BASALT		Dark colored fine-grained Igneous Rocks	
GREENSTONE		Altered Volcanic Rocks w/green tint	
METAMORPHIC :	ROCK	Undifferentiated Metamorphic Rocks	
SCHIST/PHYLLIT	Έ	Includes rocks ranging from slate to schist	
GNEISS		Includes hard schistose rocks	
MARBLE			
CATACLASTIC		Incl. Valdez Formation Rocks, Kenai Penn	
MÉLANGE		Incl. McHugh Formation Rocks, Kenai Per	nn.
SEDIMENTARY F		Undifferentiated Sedimentary Rocks	
SANDSTONE		Includes greywacke, etc.	
SHALE/MUDSTO	NE		
LIMESTONE			
FLUVIAL		River and stream deposits (floodplain), inc	ludes outwash.
ALLUVIAL		Alluvial / Debris Fan deposits	
GLACIOFLUVIAI		Eskers, kames, etc.	
GLACIAL		Till	
COLLUVIAL		Talus, etc.	
EOLIAN		Sand Dunes, etc.	
SILT		Loess, fluvial silts, etc.	
OTHER		Explain in Section 44.	
. MATERIAL_CLASSIFIC			
ASTM Classification, generally t	hey should range fro	m coarse to fine.	
38a. GP-GM	38c.	38e 38g	
38a. <u>GP-GM</u> 38b. <u>SP-SM</u>	38d.		

	ES_AND_BOULDERS g Callout / ASTM Classification, eith	er a. or b. and c. not both (Can use ranges i.e. 0 to 20)
39a.	CONTAINS	CONTAINS COBBLES AND BOULDERS
39b.	Est. % by VOL.	(Est. From Visual Observations)
39c.	MAX. SIZE (in.)	(Observed Size)
	EST_RESULTS t or report- Test result / Year of test of	or report- Test Results
40a. SG APP CO 40b. SG APP FI 40c. ABSORPT 40d. ABSORPT 40e. NORDIC A 40f. L.A. ABRA 40g. DEGRADA 40h. NASO4 LA 40i. NASO4 LA	TION CRSE TION CRSE TION FINE ABRASION ASION ATION (T-13) OSS COARSE	
	ΓΙΑL_USABILITY n potential use of the material based of the mate	TYPES A AND B MATERIAL AVAILABLE on records, exploration and laboratory data.
CONCRET PAVING A CRUSHED TYPE A A TYPE C A	TE AGGREGATE PRODUCED AGGREGATE PRODUCED D PRODUCTS PRODUCED ND B MATERIAL AVAILABLE VAILABLE OT AVAILABLE	The site has produced concrete aggregate The site has produced paving aggregate Base, Surface Coarse, Subbase, etc. has been produced. 0 to 10 percent passing 200 Compactable material Uncompactable material (Lower Kuskokwim and Yukon River, etc.) Explain in Section 44.
42. SPECIA	L_PROBLEMS	
ORGANIC HIGHLY V BREAKS I SENSITIV VARIABL POSSIBLE CONTAIN POTENTL	oblems encountered or anticipated with CONTENT WEATHERED GRAVEL DOWN UNDER USE TE TO WATER CONTENT E MATERIAL E CONTAMINATION IS ASBESTOS AL ASBESTOS CK DRAINAGE	The material is very difficult to compact. The gravel is highly weathered and may break down when handled. Material breaks down on grade. Material is sensitive to water content, i.e., some glacial tills, soft bedrock. Deposit contains mixture of suitable and unsuitable material. Site may be contaminated by petroleum products or hazardous materials. Site contains naturally occurring asbestos. Site in area where naturally occurring asbestos is mapped. Site contains rock susceptible to producing acid rock drainage. Explain in Section 44, Notes.

43. RIPRAP	NOT POSSIBLE
Class II or larger. Does not include production for erosion control riprap for ditches or culverts.	
PREVIOUS PRODUCTION POSSIBLE FURTHER INVESTIGATION NEEDED NOT POSSIBLE UNKNOWN OTHER	There is a record of production. The site is a bedrock quarry containing hard rock The site has soft rock or soil. Explain in Section 44, Notes.
44. NOTES	
Note number of item being discussed.	



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

ALO: LB

Land Office Cordova Building 6th and Cordova Anchorage, Alaska

CHITINA 13-13+ D Borial No. 13-13+ D

FEB 25 1963

DECISION

115.

Olld PAGE 5

RIGHT-OF-WAY GRAFTED

Details of Grent

Serial number of grant

Name of grantee

Anchorage 057443

V-79

grantee State of Alaska
Department of Highways

Map showing the location and dimensions of grant:

Map designations

Date filed

Permitted use by grantee

Authority for grant

Regulations applicable to grant:

Code reference

Circular numbers

Date of grant

Expiration date of grant

Rental:

Amount

When payable by grantee

1.

Project No. FAP 46
Parcel No. A-325
Date of Map: June 8, 1962

June 22, 1962 Material Site

Act of August 27, 1958 (72 Stat. 885; 23 U.S.C. 317)

43 CFR 244, Subparts A and G

1915, 2004, 2012, 2069, 2084

FEB 2 5 1969

None

Rtm A Inil

Woma

M/A

461-009-5

TOK TOKY

(Page 2) Rev. 4-62

CHITTING 63-124
Terms midNocaditions of creek

OOK Pud 12 Cook of the suthority vested in the undersigned by Order No. 684 Chitina Record Purpagnet to the suthority vested in the undersigned by Order No. 684 Of the Director, Bureau of Land Management, dated August 28, 1961 (26 F.R. 8216) as amended, a right-of-way, the details of which are shown above, is hereby granted for the public lands involved 1/, subject to the following terms and conditions:

- 1. All valid rights existing on the date of the great.
- 2. All regulations in the circulars specified borein.
- 3. Filing of proof of construction within five years from date of the grant.
- 4. Other:
 - (a) Special conditions of the Euresa of Land Management attached hereto.
 - (b) Item No. 3 above not applicable to this grant.

Alfred P. Steper Chief, Lends Section

Attachment: Map

HIM Special Conditions

cc: Director


State of Alaska - Department of Mighways - Anchorage


^{1/} For the purpose of this grant, public domain lands include those reserved or withdrawn for specific purposes, entered, selected, occupied and/or settled, and lessed.

Special Conditions - Material Sites

- The grantee or permittee shall not deface, injure, cut or remove trees from lands outside the material site area unless so suthorized by the Buresu of Land Management.
- 2. Applicant shall be liable for damages caused by equipment or operations to any trees or landscape feature on the public land outside the material site area. Restoration or other corrective measures will be required by the Bureau.
- 3. On any materials site, intended for use over an extended period of time, all timber removed in the process of clearing will be piled and burned. On sites intended for less than five years of use the timber and surface materials removed in the process of clearing may be retained for use in backfilling and refacing the site upon closure.
 - (a) Burning of combustible material is authorized when weather and ground conditions permit.

 Full responsibility for preventing escape of fires rests with the right-of-way grantee or permittee. (See Chapter 138 State Statutes Alaska Fire Control Act.)
 - (b) The Anchorage Fire Control Dispatcher will be contacted prior to commencing any burning activities. He may be reached by phone at BR 6-7841.
- 4. Public land survey monuments must not be destroyed or disturbed. If necessary to reference or replace any monument or marker, the work should be done by a registered surveyor in accordance with accepted procedures of the Burean of Land Management. Instructions and guidance on such procedures may be obtained from structions and guidance on such procedures may be obtained from the Chief of the Cadastral Engineering Office, 6th and Cordova, Anchorage, Alaska. A penalty is provided for the unauthorized alteration or removal of any Government survey monument or marked trees by Section 57 of the Criminal Code of 1909 (35 Stat. 1088, 1099; 18 U.S.C. Sec. 111).
- 5. For any breach of these stipulations the grantee or permittee will be fully liable and accountable to the Bureau of Land Management.







STATE OF ALASKA

DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES

REQUIRED CONTRACT PROVISIONS for FEDERAL-AID (FHWA) CONSTRUCTION CONTRACTS

FHWA-1273 -- Revised May 1, 2012 Supplement , Cargo Preference Act – Effective February 15, 2016

REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION CONTRACTS

- General
- II. Nondiscrimination
- III. Nonsegregated Facilities
- IV. Davis-Bacon and Related Act Provisions
- V. Contract Work Hours and Safety Standards Act Provisions
- VI. Subletting or Assigning the Contract
- VII. Safety: Accident Prevention
- VIII. False Statements Concerning Highway Projects
- IX. Implementation of Clean Air Act and Federal Water Pollution Control Act
- Compliance with Governmentwide Suspension and Debarment Requirements
- Certification Regarding Use of Contract Funds for Lobbying

ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

I. GENERAL

1. Form FHWA-1273 must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Form FHWA-1273 must be included in all Federal-aid designbuild contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services). The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in bid proposal or request for proposal documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract).

2. Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's

immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.

- 3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.
- 4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors.

II. NONDISCRIMINATION

The provisions of this section related to 23 CFR Part 230 are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR 60, 29 CFR 1625-1627, Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR 60, and 29 CFR 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), and Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR 230, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

1. Equal Employment Opportunity: Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630, 29 CFR 1625-1627, 41 CFR 60 and 49 CFR 27)

and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR 35 and 29 CFR 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

- a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract.
- b. The contractor will accept as its operating policy the following statement:
 - "It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."
- 2. EEO Officer: The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and responsibility to do so.
- 3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:
- a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.
- b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.
- c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and
- d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.
- e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of

employees by means of meetings, employee handbooks, or other appropriate means.

- **4. Recruitment:** When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.
- a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.
- b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.
- c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.
- **5. Personnel Actions:** Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:
- a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.
- b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.
- c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.
- d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.
- 6. Training and Promotion:

- a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.
- b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).
- c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.
- d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.
- 7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:
- a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.
- b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.
- c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.
- d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.

- 8. Reasonable Accommodation for Applicants / Employees with Disabilities: The contractor must be familiar with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established there under. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.
- 9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.
- The contractor shall notify all potential subcontractors and suppliers and lessors of their EEO obligations under this contract.
- b. The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

10. Assurance Required by 49 CFR 26.13(b):

- a. The requirements of 49 CFR Part 26 and the State DOT's U.S. DOT-approved DBE program are incorporated by reference.
- b. The contractor or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the contracting agency deems appropriate.
- 11. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.
- a. The records kept by the contractor shall document the following:
- (1) The number and work hours of minority and nonminority group members and women employed in each work classification on the project;
 - (2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and
 - (3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women;
- b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form FHWA-1391. The staffing data should

represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more.

The contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location, under the contractor's control, where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size). The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. Contracting agencies may elect to apply these requirements to other projects.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

1. Minimum wages

a. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph 1.d. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph 1.b. of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

- b.(1) The contracting officer shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:
 - (i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and
 - (ii) The classification is utilized in the area by the construction industry; and
 - (iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
 - (2) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.
 - (3) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for

determination. The Wage and Hour Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

- (4) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs 1.b.(2) or 1.b.(3) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- c. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- d. If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

2. Withholding

The contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract, or any other Federal contract with the same prime contractor, or any other federallyassisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the contracting agency may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

3. Payrolls and basic records

a. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that

the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.

- b.(1) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the contracting agency. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division Web site at http://www.dol.gov/esa/whd/forms/wh347instr.htm or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the contracting agency for transmission to the State DOT, the FHWA or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the contracting agency..
- (2) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
 - (i) That the payroll for the payroll period contains the information required to be provided under §5.5 (a)(3)(ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under §5.5 (a)(3)(i) of Regulations, 29 CFR part 5, and that such information is correct and complete;
 - (ii) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3;
 - (iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed,

as specified in the applicable wage determination incorporated into the contract.

- (3) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH–347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(2) of this section.
- (4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.
- c. The contractor or subcontractor shall make the records required under paragraph 3.a. of this section available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the FHWA may, after written notice to the contractor, the contracting agency or the State DOT, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

4. Apprentices and trainees

a. Apprentices (programs of the USDOL).

Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice.

The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

b. Trainees (programs of the USDOL).

Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration.

The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration.

Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.

In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

c. Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity

requirements of Executive Order 11246, as amended, and 29 CFR part 30.

d. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

- **5. Compliance with Copeland Act requirements.** The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.
- **6. Subcontracts.** The contractor or subcontractor shall insert Form FHWA-1273 in any subcontracts and also require the subcontractors to include Form FHWA-1273 in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.
- **7. Contract termination: debarment.** A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.
- 8. Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.
- 9. Disputes concerning labor standards. Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

10. Certification of eligibility.

- a. By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- c. The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

The following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.

- 1. Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.
- 2. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (1.) of this section, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (1.) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (1.) of this section.
- 3. Withholding for unpaid wages and liquidated damages. The FHWA or the contacting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2.) of this section.
- **4. Subcontracts.** The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (1.) through (4.) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (1.) through (4.) of this section.

VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System.

- 1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).
- a. The term "perform work with its own organization" refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions:
- the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;
- (2) the prime contractor remains responsible for the quality of the work of the leased employees;
- (3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and
- (4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.
- b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract.
- 2. The contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.
- 3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.
- 4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is

evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.

5. The 30% self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements.

VII. SAFETY: ACCIDENT PREVENTION

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

- 1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.
- 2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).
- 3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C.3704).

VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

By submission of this bid/proposal or the execution of this contract, or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

- 1. That any person who is or will be utilized in the performance of this contract is not prohibited from receiving an award due to a violation of Section 508 of the Clean Water Act or Section 306 of the Clean Air Act.
- 2. That the contractor agrees to include or cause to be included the requirements of paragraph (1) of this Section X in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements.

X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200.

1. Instructions for Certification – First Tier Participants:

- a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.
- b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this

covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.

- c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default.
- d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- e. The terms "covered transaction," "debarred,"
 "suspended," "ineligible," "participant," "person," "principal,"
 and "voluntarily excluded," as used in this clause, are defined
 in 2 CFR Parts 180 and 1200. "First Tier Covered
 Transactions" refers to any covered transaction between a
 grantee or subgrantee of Federal funds and a participant (such
 as the prime or general contract). "Lower Tier Covered
 Transactions" refers to any covered transaction under a First
 Tier Covered Transaction (such as subcontracts). "First Tier
 Participant" refers to the participant who has entered into a
 covered transaction with a grantee or subgrantee of Federal
 funds (such as the prime or general contractor). "Lower Tier
 Participant" refers any participant who has entered into a
 covered transaction with a First Tier Participant or other Lower
 Tier Participants (such as subcontractors and suppliers).
- f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.
- g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (https://www.epls.gov/), which is compiled by the General Services Administration.

- i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

* * * * *

2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:

- a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:
- Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency;
- (2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification; and
- (4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

2. Instructions for Certification - Lower Tier Participants:

(Applicable to all subcontracts, purchase orders and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200)

- a. By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.
- b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which

this transaction originated may pursue available remedies, including suspension and/or debarment.

- c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.
- d. The terms "covered transaction," "debarred,"
 "suspended," "ineligible," "participant," "person," "principal,"
 and "voluntarily excluded," as used in this clause, are defined
 in 2 CFR Parts 180 and 1200. You may contact the person to
 which this proposal is submitted for assistance in obtaining a
 copy of those regulations. "First Tier Covered Transactions"
 refers to any covered transaction between a grantee or
 subgrantee of Federal funds and a participant (such as the
 prime or general contract). "Lower Tier Covered Transactions"
 refers to any covered transaction under a First Tier Covered
 Transaction (such as subcontracts). "First Tier Participant"
 refers to the participant who has entered into a covered
 transaction with a grantee or subgrantee of Federal funds
 (such as the prime or general contractor). "Lower Tier
 Participant" refers any participant who has entered into a
 covered transaction with a First Tier Participant or other Lower
 Tier Participants (such as subcontractors and suppliers).
- e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
- f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (https://www.epls.gov/), which is compiled by the General Services Administration.
- h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the

department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

* * * * *

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:

- 1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency.
- 2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

* * * * *

XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 (49 CFR 20).

- 1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:
- a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
- 2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.
- 3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

ATTACHMENT A - EMPLOYMENT AND MATERIALS PREFERENCE FOR APPALACHIAN DEVELOPMENT HIGHWAY SYSTEM OR APPALACHIAN LOCAL ACCESS ROAD CONTRACTS

This provision is applicable to all Federal-aid projects funded under the Appalachian Regional Development Act of 1965.

- 1. During the performance of this contract, the contractor undertaking to do work which is, or reasonably may be, done as on-site work, shall give preference to qualified persons who regularly reside in the labor area as designated by the DOL wherein the contract work is situated, or the subregion, or the Appalachian counties of the State wherein the contract work is situated, except:
- a. To the extent that qualified persons regularly residing in the area are not available.
- b. For the reasonable needs of the contractor to employ supervisory or specially experienced personnel necessary to assure an efficient execution of the contract work.
- c. For the obligation of the contractor to offer employment to present or former employees as the result of a lawful collective bargaining contract, provided that the number of nonresident persons employed under this subparagraph (1c) shall not exceed 20 percent of the total number of employees employed by the contractor on the contract work, except as provided in subparagraph (4) below.
- 2. The contractor shall place a job order with the State Employment Service indicating (a) the classifications of the laborers, mechanics and other employees required to perform the contract work, (b) the number of employees required in each classification, (c) the date on which the participant estimates such employees will be required, and (d) any other pertinent information required by the State Employment Service to complete the job order form. The job order may be placed with the State Employment Service in writing or by telephone. If during the course of the contract work, the information submitted by the contractor in the original job order is substantially modified, the participant shall promptly notify the State Employment Service.
- 3. The contractor shall give full consideration to all qualified job applicants referred to him by the State Employment Service. The contractor is not required to grant employment to any job applicants who, in his opinion, are not qualified to perform the classification of work required.
- 4. If, within one week following the placing of a job order by the contractor with the State Employment Service, the State Employment Service is unable to refer any qualified job applicants to the contractor, or less than the number requested, the State Employment Service will forward a certificate to the contractor indicating the unavailability of applicants. Such certificate shall be made a part of the contractor's permanent project records. Upon receipt of this certificate, the contractor may employ persons who do not normally reside in the labor area to fill positions covered by the certificate, notwithstanding the provisions of subparagraph (1c) above.
- 5. The provisions of 23 CFR 633.207(e) allow the contracting agency to provide a contractual preference for the use of mineral resource materials native to the Appalachian region.

6. The contractor shall include the provisions of Sections 1 through 4 of this Attachment A in every subcontract for work which is, or reasonably may be, done as on-site work.

SUPPLEMENT to Form FHWA -1273 CARGO PREFERENCE ACT REQUIREMENTS

This provision requires compliance with the Cargo Preference Act (CPA) and its implementing regulations in 46 CFR 381 for all Federal Aid Projects awarded after February 15, 2016.

In accordance with 46 CFR 381.7, the following language must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of 46 CFR 381.7 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

- (a) Agreement Clauses. Use of United States-flag vessels:
- (1) Pursuant to Pub. L. 664 (43 U.S.C. 1241(b)) at least 50 percent of any equipment, materials or commodities procured, contracted for or otherwise obtained with funds granted, guaranteed, loaned, or advanced by the U.S. Government under this agreement, and which may be transported by ocean vessel, shall be transported on privately owned United Statesflag commercial vessels, if available.
- (2) Within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (a)(1) of this section shall be furnished to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590."
- (b) Contractor and Subcontractor Clauses. Use of United States-flag vessels: The contractor agrees—
- (1) To utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels.
- (2) To furnish within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (b) (1) of this section to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590.
- (3) To insert the substance of the provisions of this clause in all subcontracts issued pursuant to this contract."