


**LEGISLATIVE AFFAIRS AGENCY  
RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION  
AMENDMENT NO. 2**



**RETURN THIS AMENDMENT TO THE ISSUING OFFICE AT:**

Legislative Affairs Agency  
State Capitol  
120 4<sup>th</sup> Street, Room 3  
Juneau, AK 99801-1182  
Attn: JC Kestel

**DATE AMENDMENT ISSUED:** May 17, 2024

**RFP TITLE:** RFP 668 – Alaska State Capitol Audio and Video Equipment Installation

**RFP OPENING DATE & TIME:** 2:00pm Alaska Time, Tuesday, June 4, 2024

The following contains additional information, changes, or additions for the RFP:

1. On pages 38-58 of Attachment A-1 (Installation Work and Product Specifications for RFP 668), Appendix B (Audio Video Systems Equipment List) is amended to read as follows:

**APPENDIX B: AUDIO VIDEO SYSTEMS EQUIPMENT LIST**

Qty.	Manufacturer	Model Number	<u>Audio</u> Description	Device ID
<b>Beltz Room 105</b>				
<b>A06 - Assistive Listening</b>				
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
			WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
2	Williams AV	WF R2-N		
<b>AV01 - Audio</b>				

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

2	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX
10	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
10	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
6	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
10	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
10	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
10	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU-2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
<b>AV03 - Control</b>				
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
1	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.	
<b>Bettye Davis Room 106</b>				
<b>A06 - Assistive Listening</b>				
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

			WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
2	Williams AV	WF R2-N		
<b>AV01 - Audio</b>				
4	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX
16	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
16	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
9	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
16	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
16	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
16	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU-2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
<b>AV03 - Control</b>				
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
1	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI	

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

Deployment Software  
License, Perpetual.

Butrovich Room 205				
A06 - Assistive Listening				
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
2	Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
AV01 - Audio				
2	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX
11	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
11	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
7	QSC	QIO-FLEX4A	Multichannel mic/line/speaker network interface.	QIO-4FL-XX
11	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
11	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
11	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU-2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
AV03 - Control				
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8	DSP1-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

			Software-based Dante license included,	
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
1	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.	
<b>House Chambers 220</b>				
8	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x4	4-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v	AMP2-XX
2	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX
46	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
46	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
45	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
46	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
47	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
7	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Lowell	10KLVC-DB	Mono Potentiometer 10k	
1	Audinate	ADP-USBC-AU-2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
1	QSC	QIO-ML4i	Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	QIO-MLI-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

3	QSC	QIO-L4o	Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	QIO-LO-XX
1	QSC	QIO-RMK	Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format.	QIO-RACK-XX
4	RDL	TX-LM2	Line Level to Mic Level Transformer	MIC-LINE-XX
1	AtlasIED	AT100D	Deluxe Decora Plate Mounted 100W Attenuator, 3dB Steps	VCA-XX

**House Finance Room**  
**519**  
**A06 - Assistive**  
**Listening**

1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
			WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
2	Williams AV	WF R2-N		

**AV01 - Audio**

2	QSC	AD-S402T-BK	2.75" Full-range (x4) column surface speaker, coverage, Color - Black.	SPK3-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX
16	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
16	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
10	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

16	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
16	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
16	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU-2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
<b>AV03 - Control</b>				
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
1	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.	
<b>Max Gruenberg Room 120</b>				
<b>A06 - Assistive Listening</b>				
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
2	Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
<b>AV01 - Audio</b>				
2	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

12	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
12	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
7	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
12	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
12	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
12	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU-2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
<b>AV03 - Control</b>				
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
1	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.	
<b>Romona Barnes Room 124</b>				
<b>A06 - Assistive Listening</b>				
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
2	Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

<b>AV01 - Audio</b>				
2	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX
13	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
13	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
8	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
13	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
13	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
13	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU-2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
<b>AV03 - Control</b>				
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
1	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.	
<b>Senate Chambers 217</b>				
<b>AV01 - Audio</b>				
8	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

1	QSC	SPA-Qf 60x4	4-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v	AMP2-XX
2	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX
26	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
26	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
26	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
26	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
28	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
7	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Lowell	10KLVC-DB	Mono Potentiometer 10k	
1	Audinate	ADP-USBC-AU-2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
1	QSC	QIO-ML4i	Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	QIO-MLI-XX
3	QSC	QIO-L4o	Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	QIO-LO-XX
1	QSC	QIO-RMK	Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format.	QIO-RACK-XX
4	RDL	TX-LM2	Line Level to Mic Level Transformer	MIC-LINE-XX
1	AtlasIED	AT100D	Deluxe Decora Plate Mounted 100W Attenuator, 3dB Steps	VCA-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

Senate Finance Room				
532				
A06 - Assistive Listening				
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
			WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
2	Williams AV	WF R2-N		
AV01 - Audio				
2	QSC	AD-S402T-BK	2.75" Full-range (x4) column surface speaker, coverage, Color - Black.	SPK3-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX
14	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
			Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
14	Shure	A412MWS		
7	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
			SPDT Illuminated Pushbutton Switch - Green, Rectangular	
14	NKK SWITCHES	LB15RKW01-5F12-JB		
14	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
			Custom wooden enclosure for Dais Stations, and Press stations.	
14	Custom	Custom		
2	Audinate	ADP-USBC-AU-2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
AV03 - Control				
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.
1	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.

**Speakers Chambers 210**

**AV01 - Audio**

2	QSC	AD-S402T-BK	2.75" Full-range (x4) column surface speaker, coverage, Color - Black.	SPK3-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58	WLESS-XX
4	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
4	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
2	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
4	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
4	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
4	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	

**AV03 - Control**

1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

1	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.
---	-----	------------	---

**Video**

Qty.	Manufacturer	Model Number	Description	Device ID
------	--------------	--------------	-------------	-----------

**Beltz Room 105**

**AV02 - Video**

1	Sharp NEC Display Solutions	E658	65-inch □ LED Public Display Monitor with built-in ATSC tuner.	TV65-XX
1	Chief	LSTU	Large fixed thin universal display mount	
1	Da-Lite	29887	ADV DLX TNSD 130D PRLX STR 1.0	SCRN5-XX
5	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
5	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
1	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX

**Bettye Davis Room 106**

1	Da-Lite	29887	ADV DLX TNSD 130D PRLX STR 1.0	SCRN1-XX
1	Sharp NEC Display Solutions	E438	43-inch □ LED Public Display Monitor with built-in ATSC tuner.	TV43-XX
1	Chief	MSTU	MEDIUM FIXED THINSTALL UNIVERSAL	
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
5	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
7	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
1	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX
1	Extron Electronics	60-1482-01	Six Output HDMI Distribution Amplifier	VID-DA6-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

Butrovich Room 205				
1	Sharp NEC Display Solutions	E658	65-inch □ LED Public Display Monitor with built-in ATSC tuner.	TV65-XX
1	Chief	LSTU	Large fixed thin universal display mount	
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
4	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
4	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
1	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX
House Finance Room 519				
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
7	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
2	Da-Lite	29928LS	CONTOUR TNSD 123D PRLX STR 1.0	SCRN3-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
12	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
3	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX
Max Gruenberg Room 120				
1	Sharp NEC Display Solutions	E438	43-inch □ LED Public Display Monitor with built-in ATSC tuner.	TV43-XX
1	Chief	TS325TU	MEDIUM 25" EXTENSION SWING ARMS	
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
3	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
5	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
1	Extron Electronics	60-1482-01	Six Output HDMI Distribution Amplifier	VID-DA6-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

<b>Romona Barnes Room 124</b>				
1	Da-Lite	29930LS	CONTOUR TNSD 137D PRLX STR 1.0	SCRN2-01
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
4	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
6	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
1	Extron Electronics	60-1482-01	Six Output HDMI Distribution Amplifier	VID-DA6-XX

<b>Senate Finance Room 532</b>				
1	Da-Lite	DL15015LS	ADV TNSD SIGHTLINE 130D PRLX STR 1.0	SCRN4-XX
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
5	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
10	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
3	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX

**Control and Data**

<b>Qty.</b>	<b>Manufacturer</b>	<b>Model Number</b>	<b>Description</b>	<b>Device ID</b>
<b>Beltz Room 105</b>				
1	Winford	RLY202-12V-DIN	2-Channel 15A SPDT Relay Board	RLY2-01
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4230P- 100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
24	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	

**Bettye Davis Room 106**

1	QSC	TSC-101-G3	Q-SYS 10.1-inch □ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Winford	RLY202-12V-DIN	2-Channel 15A SPDT Relay Board	RLY2-XX
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4230P- 100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
24	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	

**Butrovich Room 205**

1	QSC	TSC-101-G3	Q-SYS 10.1-inch □ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Netgear	GSM4230P- 100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
48	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	OA-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	
<b>House Chambers 220</b>				
2	QSC	Core 610	Digital Signal Processor	DSP2-XX
2	QSC	SLQSE-610-P	Q-SYS Core 610 Scripting Engine Software License, Perpetual.	
2	QSC	SLQUD-610-P	Q-SYS Core 610 UCI Deployment Software License, Perpetual.	
1	QSC	QIO-GP8x8	Q-SYS peripheral providing control expansion with 8 logic inputs and 8 logic outputs. Up to 4 devices daisy-chainable. 1U- 1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	GP88-XX
1	Elo Touch Solutions	E351600	2202L 22-inch wide LCD Desktop Full HD Projected Capacitiv	TP22-XX
1	Dell	IOTM51H3	Optiplex 7050 Micro, i7 Processor, 16GB RAM, 128GB SSD, Windows 10 Pro (Zoom Ready)	PC1-XX
2	Netgear	GSM4248UX- 100NAS	M4250-40G8XF-POE++ MANAGED SWITCH	LAN-SW3-XX
1	Netgear	AXC761-10000S	1m Direct Attach SFP+ Cable 10G SFP+ & SFP28	
3	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
70	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

House Finance Room 519				
1	QSC	TSC-101-G3	Q-SYS 10.1-inch □ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Winford	RLY404-12V-DIN	4-CH SPDP 12V 16A Din Mounted Relay	RLY4-xx
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4248PX-100NAS	AV LINE M4250-40G8XF-POE+ 40X1G POE+ 960	LAN-SW2-XX
2	Bittree	BIT-DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
48	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	
Max Gruenberg Room 120				
1	QSC	TSC-101-G3	Q-SYS 10.1-inch □ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Netgear	GSM4230P-100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT-DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
24	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	
<b>Romona Barnes Room</b>				
<b>124</b>				
1	QSC	TSC-101-G3	Q-SYS 10.1-inch PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Winford	RLY202-12V-DIN	2-Channel 15A SPDT Relay Board	RLY2-XX
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4230P-100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT-DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
24	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	
<b>Senate Chambers 217</b>				
2	QSC	Core 610	Digital Signal Processor	DSP2-XX
2	QSC	SLQSE-610-P	Q-SYS Core 610 Scripting Engine Software License, Perpetual.	
2	QSC	SLQUD-610-P	Q-SYS Core 610 UCI Deployment Software License, Perpetual.	
1	QSC	QIO-GP8x8	Q-SYS peripheral providing control expansion with 8 logic inputs and 8 logic outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	GP88-XX
1	Elo Touch Solutions	E351600	2202L 22-inch wide LCD Desktop Full HD Projected Capacitiv	TP22-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

1	Netgear	GSM4248UX-100NAS	M4250-40G8XF-POE++ MANAGED SWITCH	LAN-SW3-XX
1	Dell	IOTM51H3	Optiplex 7050 Micro, i7 Processor, 16GB RAM, 128GB SSD, Windows 10 Pro (Zoom Ready)	PC1-XX
2	Bittree	BIT-DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
42	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	OA-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	

**Senate Finance Room**  
**532**

1	QSC	TSC-101-G3	Q-SYS 10.1-inch PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Winford	RLY202-12V-DIN	2-Channel 15A SPDT Relay Board	RLY2-01
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4248PX-100NAS	AV LINE M4250- 40G8XF-POE+ 40X1G POE+ 960	LAN-SW2-XX
1	Bittree	BIT-DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
24	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	

**Speakers Chambers**  
**210**

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

1	QSC	TSC-101-G3	Q-SYS 10.1-inch □ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Netgear	GSM4230P-100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT-DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
18	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	

**Hardware, Racks, and Cable**

<b>Qty.</b>	<b>Manufacturer</b>	<b>Model Number</b>	<b>Description</b>	<b>Device ID</b>
<b>Beltz Room 105</b>				
1	Middle Atlantic	C5K1C1SSHE005112	C5 Credenza - 1 Bay, 22" Deep HPL Sota Style Woodkit in Wilsonart® Biltmore Cherry with Solid Door	AV-RACK1-XX
<b>AV04 - Infrastructure</b>				
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS
<b>Bettye Davis Room 106</b>				
<b>AV03 - Control</b>				
1	Middle Atlantic	C5K1C1SSHE005112	C5 Credenza - 1 Bay, 22" Deep HPL Sota Style Woodkit in Wilsonart® Biltmore Cherry with Solid Door	AV-RACK1-XX
<b>AV04 - Infrastructure</b>				
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS
<b>Butrovich Room 205</b>				
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS
<b>House Chambers 220</b>				
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS
<b>Max Gruenberg Room 120</b>				
1	Middle Atlantic	ISRK-12BK	12RU Under Desk Rack, Black	AV-RACK2-XX

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS
<b>Romona Barnes Room 124</b>				
1	Middle Atlantic	ISRK-12BK	12RU Under Desk Rack, Black	AV-RACK2-XX
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS
<b>Senate Chambers 217</b>				
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS
<b>Senate Finance Room 532</b>				
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS
1	Middle Atlantic	ISRK-12BK	12RU Under Desk Rack, Black	AV-RACK2-XX

END OF APPENDIX B

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 This space was intentionally left blank.  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

2. Form 6.07 (Cost Proposal Form) on pages 76-79 of the RFP is amended to read as follows:

**6.07 COST PROPOSAL FORM**

(page 1 of 4)

<b>RFP Number:</b> 668
<b>RFP Title and Description:</b> Alaska State Capitol Audio and Video Equipment Installation

**OFFEROR**

Company Submitting Proposal: _____
Address: _____
City, State, Zip Code: _____
Telephone No.: _____ Email address: _____
Alaska Business License No.: _____
Indicate if you qualify as an Alaska Offeror. <input type="checkbox"/> Yes <input type="checkbox"/> No (See RFP for criteria to qualify.)

**COST PROPOSAL**

Offeror shall complete all four pages of this Cost Proposal Form and submit as the Offerors Cost Proposal for RFP 668. The Offeror hereby provides the total price offer listed below in accordance with the RFP as the Total Proposed Contract Price for the Work and Products outlined in RFP 668. The prices provided for each product shall be all inclusive and include all costs associated with administration, travel, per-diem, shipping, hardware, supplies, materials, equipment, equipment rentals, repairs, personnel, subcontractors, permits, and all other necessary tools, materials, equipment, and labor to complete the work and provide the products as required in this RFP.	
1. Total from line 24 of page 2 of 4 of the Cost Proposal Form: \$ _____	+
2. Total from line 45 of page 3 of 4 of the Cost Proposal Form: \$ _____	+
3. Total from line 49 of page 4 of 4 of the Cost Proposal Form: \$ _____	+
4. Total from line 65 of page 4 of 4 of the Cost Proposal Form: \$ _____	=
<b>5. Total Proposed Contract Price for RFP 668</b> (lines 1 + 2 + 3 + 4 = 5): \$ _____	

By signature on this Proposal Form, Offerors certify that they comply with the following: (a) the laws of the State of Alaska; (b) the applicable portion of the Federal Civil Rights Act of 1964; (c) the Equal Employment Opportunity Act and the regulations issued thereunder by the federal government; (d) the Americans with Disabilities Act of 1990 and the regulations issued thereunder by the federal government; (e) all terms and conditions set out in this RFP; (f) a condition that the proposal submitted was independently arrived at, without collusion, under penalty of perjury; (g) that the offers will remain open and valid for at least 90 days from date of submission of offer to Agency; and (h) that programs, services, and activities provided to the general public under the resulting contract will conform to the Americans with Disabilities Act of 1990, and the regulations issued thereunder by the federal government. If an Offeror fails to comply with (a) through (h) of this paragraph, the Agency reserves the right to disregard the proposal.

NAME OF OFFEROR: \_\_\_\_\_

AUTHORIZED SIGNATURE: \_\_\_\_\_

PRINTED NAME: \_\_\_\_\_ DATE: \_\_\_\_\_

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

**6.07 COST PROPOSAL FORM (page 2 of 4)**

The Offeror hereby provides the prices listed below in accordance with RFP 668 as the Cost Proposal for the Work and Products listed in RFP 668. Below represents a basis for the chargeable hardware, software, licenses, supplies, materials, equipment, Work and Products that will be made a part of the resulting Contract. The representations in the groups below are for evaluation purposes and to establish the prices of the Work and Products that will be performed and installed by the Successful Offeror throughout the Contract. The prices provided for each product shall be all inclusive and include all costs associated with administration, travel, per-diem, taxes, shipping, hardware, supplies, materials, equipment, equipment rentals, repairs, personnel, subcontractors, permits, and all other necessary tools, materials, equipment, and labor to complete the work and provide the products as required in this RFP. Offerors are to enter the total from each page of the Cost Proposal From onto page 1 of the Cost Proposal Form and submit all four (4) pages of the Cost Proposal Form at time of the Offerors Proposal submission.

<b>Audio Materials and Equipment</b>							
<b>Line Item</b>	<b>Qty</b>	<b>Mfg. Name</b>	<b>Model Number</b>	<b>Description / Device ID</b>	<b>Unit Price</b>	<b>Ext. Price</b>	
1	2	AtlasIED	AT100D	Deluxe Decora Plate Mounted 100W Attenuator, 3dB Steps, VCA-XX			
2	16	Audinate	ADP-USBC-AU-2X2	Dante AVIO USB IO Adapter 2x2, DANTE-USB-XX			
3	110	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.			
4	171	HIVI	M4N	4" Full range Loudspeaker, SPK1-XX			
5	4	Lowell	10KLVC-DB	Mono Potentiometer 10k			
6	168	NKK SWITCHES	LB15RKW01-5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular			
7	28	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer., SPK2-XX			
8	6	QSC	AD-S402T-BK	2.75" Full-range (x4) column surface speaker,coverage, Color - Black., SPK3-XX			
9	8	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included, DSP1-XX			
10	127	QSC	QIO-FLEX4A	Multichannel mic/line/speaker network interface. QIO-4FL-XX			
11	6	QSC	QIO-L4o	Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. QIO-LO-XX			
12	2	QSC	QIO-ML4i	Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. QIO-MLI-XX			
13	2	QSC	QIO-RMK	Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format. QIO-RACK-XX			
14	8	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.			
15	8	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.			
16	8	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier, AMP1-XX			
17	2	QSC	SPA-Qf 60x4	4-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v, AMP2-XX			
18	8	RDL	TX-LM2	Line Level to Mic Level Transformer, MIC-LINE-XX			
19	12	Shure	SLXD24/SM58-J52	Wireless Microphone System with SM58, WLESS-XX			
20	168	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones			
21	168	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone, MIC1-XX			
22	14	WilliamsAV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.			
23	7	WilliamsAV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi., ALS-XX			
<b>24</b>	<b>Total of Audio Materials and Equipment (line items 1-23):</b>						

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

**6.07 COST PROPOSAL FORM (page 3 of 4)**

The Offeror hereby provides the prices listed below in accordance with RFP 668 as the Cost Proposal for the Work and Products listed in RFP 668. Below represents a basis for the chargeable hardware, software, licenses, supplies, materials, equipment, Work and Products that will be made a part of the resulting Contract. The representations in the groups below are for evaluation purposes and to establish the prices of the Work and Products that will be performed and installed by the Successful Offeror throughout the Contract. The prices provided for each product shall be all inclusive and include all costs associated with administration, travel, per-diem, taxes, shipping, hardware, supplies, materials, equipment, equipment rentals, repairs, personnel, subcontractors, permits, and all other necessary tools, materials, equipment, and labor to complete the work and provide the products as required in this RFP. Offerors are to enter the total from each page of the Cost Proposal Form onto page 1 of the Cost Proposal Form and submit all four (4) pages of the Cost Proposal Form at time of the Offerors Proposal submission.

**Control and Data Materials and Equipment**

Line Item	Qty	Mfg. Name	Model Number	Description / Device ID	Unit Price	Ext. Price	
25	15	Bittree	BIT-DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black, LAN-PP-XX			
26	346	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue			
27	2	Dell	IOTM51H3	Optiplex 7050 Micro, i7 Processor, 16GB RAM, 128GB SSD, Windows 10 Pro (Zoom Ready), PCI-XX			
28	2	Elo Touch Solutions	E351600	2202L 22-inch wide LCD Desktop Full HD Projected Capacitiv, TP22-XX			
29	1	Netgear	AXC761-1000S	1m Direct Attach SFP+ Cable 10G SFP+ & SFP28			
30	7	Netgear	GSM4230P-100NAS	M4250 26G4F POE plus managed network switch, NET-SW1-XX			
31	4	Netgear	GSM4248UX-100NAS	M4250-40G8XF-POE++ MANAGED SWITCH, LAN-SW3-XX			
32	4	QSC	Core 610	Digital Signal Processor, DSP2-XX			
33	2	QSC	QIO-GP8x8	Q-SYS peripheral providing control expansion with 8 logic inputs and 8 logic outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately., GP88-XX			
34	4	QSC	SLQSE-610-P	Q-SYS Core 610 Scripting Engine Software License, Perpetual.			
35	4	QSC	SLQUD-610-P	Q-SYS Core 610 UCI Deployment Software License, Perpetual.			
36	8	QSC	TSC-101-G3	Q-SYS 10.1-inch PoE Touch Screen Controller for In-Wall Mounting, Color - Black only, TP10-XX			
37	9	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed, WAP-XX			
38	5	Winford	RLY202-12V-DIN	2-Channel 15A SPDT Relay Board, RLY2-XX			
39	1	Winford	RLY404-12V-DIN	4-Channel 16A SPDT Relay Board, RLY4-XX			
40	5	Winford	WSD120-04-0	12V DC Power Supply			
41	9	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black, LED-XX			
42	9	Yellowtec	YT9590	Litt Mounting Flange black			
43	9	Yellowtec	YT9901	Litt 50/35 Color Segment RED black			
44	7	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black			
<b>45</b>	<b>Total of Controls and Data Materials and Equipment (line items 25-44):</b>						

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

**6.07 COST PROPOSAL FORM (page 4 of 4)**

The Offeror hereby provides the prices listed below in accordance with RFP 668 as the Cost Proposal for the Work and Products listed in RFP 668. Below represents a basis for the chargeable hardware, software, licenses, supplies, materials, equipment, Work and Products that will be made a part of the resulting Contract. The representations in the groups below are for evaluation purposes and to establish the prices of the Work and Products that will be performed and installed by the Successful Offeror throughout the Contract. The prices provided for each product shall be all inclusive and include all costs associated with administration, travel, per-diem, shipping, hardware, supplies, materials, equipment, equipment rentals, repairs, personnel, subcontractors, permits, and all other taxes, necessary tools, materials, equipment, and labor to complete the work and provide the products as required in this RFP. Offerors are to enter the total from each page of the Cost Proposal Form onto page 1 of the Cost Proposal Form and submit all four (4) pages of the Cost Proposal Form at time of the Offerors Proposal submission.

<b>Hardware, Racks, and Cabling Materials and Equipment</b>							
<b>Line Item</b>	<b>Qty</b>	<b>Mfg. Name</b>	<b>Model Number</b>	<b>Description / Device ID</b>	<b>Unit Price</b>	<b>Ext. Price</b>	
46	2	Middle Atlantic	C5K1C1SS HE005112	C5 Credenza - 1 Bay, 22" Deep HPL Sota Style Woodkit in Wilsonart® Biltmore Cherry with Solid Door AV-RACK1-XX			
47	8	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP . PS			
48	3	Middle Atlantic	ISRK-12BK	12RU Under Desk Rack, Black AV-RACK3-XX			
<b>49</b>	<b>Total of Hardware, Racks, Cabling Materials and Equipment (line items 46-48):</b>						

<b>Video Materials and Equipment</b>							
<b>Line Item</b>	<b>Qty</b>	<b>Mfg. Name</b>	<b>Model Number</b>	<b>Description / Device ID</b>	<b>Unit Price</b>	<b>Ext. Price</b>	
50	7	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input, USB-SDI-XX			
51	49	Beetronics	10TS7M	10-inch Touchscreen, LCD10-XX			
52	2	Chief	LSTU	Large fixed thin universal display mount			
53	1	Chief	MSTU	MEDIUM FIXED THINSTALL UNIVERSAL			
54	1	Chief	TS325TU	MEDIUM 25" EXTENSION SWING ARMS			
55	2	Da-Lite	29887	ADV DLX TNSD 130D PRLX STR 1.0, SCR5-XX			
56	2	Da-Lite	29928LS	CONTOUR TNSD 123D PRLX STR 1.0, SCR3-XX			
57	1	Da-Lite	29930LS	CONTOUR TNSD 137D PRLX STR 1.0, SCR2-01			
58	1	Da-Lite	DL15015LS	ADV TNSD SIGHTLINE 130D PRLX STR 1.0, SCR4-XX			
59	9	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier, VID-DA4-XX			
60	3	Extron Electronics	60-1482-01	Six Output HDMI Distribution Amplifier, VID-DA6-XX			
61	2	Sharp NEC Display	E438	43-inch LED Public Display Monitor with built-in ATSC tuner., TV43-XX			
62	2	Sharp NEC Display	E658	65-inch LED Public Display Monitor with built-in ATSC tuner., TV65-XX			
63	33	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP., VID-DEC-XX			
64	21	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP., VID-ENC-XX			
<b>65</b>	<b>Total of Video Materials and Equipment (line items 50-64):</b>						

This space was intentionally left blank.

**LEGISLATIVE AFFAIRS AGENCY**  
**RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION**  
**AMENDMENT NO. 2**

3. Questions or comments that were received by the Procurement Manager from potential Offerors:

- a. *Reference Attachment A-1, Appendix B AV Equipment List and Drawing TA604. Drawing TA604 details an ALS over WiFi Transmitter, and a DSP unit are to be included in Room 205. Appendix B equipment list does not list an ALS WiFi Transmitter or a DSP processor for Room 205. Please clarify if the AV Contractor is to include an ALS WiFi Transmitter and a DSP processor for Room 205.*

**Response:** Please see the amended Appendix B (Audio Video Systems Equipment List) of Attachment A-1 (Installation Work and Products Specifications for RFP 668) and the amended form 6.07 (Cost Proposal Form) that is included in this Amendment in line items 1 and 2. The Agency has added both devices to the equipment list and Cost Proposal Form.

- b. *Reference Attachment A-1, Appendix B AV Equipment List and Drawing TA606. Drawing TA606 details an ALS over WiFi Transmitter to be included in Room 220. Appendix B equipment list does not list an ALS WiFi Transmitter or any receivers for Room 220. Please clarify if the AV Contractor is to include an ALS WiFi Transmitter for Room 220. If an ALS WiFi transmitter is to be provided, please clarify the quantity of receivers to be provided.*

**Response:** The Agency has already procured the Williams AV WF T5CD-00 (ALS over WiFi Transmitter) for Room 220 as described in paragraph 2.01 B. 6. (Agency Furnished Products, Existing Products) of Attachment A-1 (Installation Work and Product Specifications for RFP 668). AV Contractor shall integrate the device into the AV system as described.

- c. *Reference Attachment A-1, Appendix B AV Equipment List and Drawing TA608. Drawing TA608 details an ALS over WiFi Transmitter to be included in Room 217. Appendix B equipment list does not list an ALS WiFi Transmitter or any receivers for Room 217. Please clarify if the AV Contractor is to include an ALS WiFi Transmitter for Room 217. If an ALS WiFi transmitter is to be provided, please clarify the quantity of receivers to be provided.*

**Response:** The Agency has already procured the Williams AV WF T5CD-00 (ALS over WiFi Transmitter) for Room 217 as described in paragraph 2.01 B. 6. (Agency Furnished Products, Existing Products) of Attachment A-1 (Installation Work and Product Specifications for RFP 668). AV Contractor shall integrate the device into the AV system as described.

- d. Reference Attachment A-1 Appendix B AV Equipment List. The equipment list details several Prop Audio GN3F3MBL140 flexible XLR gooseneck microphones that are to be provided. We are unable to find a US Distributor for these microphones. Please provide a US Distributor for this item or provide a substitute microphone make and model number that can be provided.

**Response:** Please see the amended Appendix B (Audio Video Systems Equipment List) of Attachment A-1 (Installation Work and Products Specifications for RFP 668) and the

**LEGISLATIVE AFFAIRS AGENCY  
RFP 668 – ALASKA STATE CAPITOL AUDIO AND VIDEO EQUIPMENT INSTALLATION  
AMENDMENT NO. 2**

amended form 6.07 (Cost Proposal Form) of the RFP that is included in this Amendment in line items 1 and 2. The Agency removed the device from the equipment list and Cost Proposal Form.

4. All other terms and conditions of RFP 668 as amended, will remain as written.

**In order for your proposal to be considered responsive, a signed copy of this amendment and all other previously issued amendments to the RFP, in addition to your proposal, must be received by the issuing office prior to the deadline for receipt of Proposals.**

JC Kestel  
Procurement Manager  
PHONE: (907) 465-6705  
TDD: (907) 465-4980

\_\_\_\_\_  
NAME OF COMPANY

\_\_\_\_\_  
AUTHORIZED SIGNATURE

\_\_\_\_\_  
TITLE

\_\_\_\_\_  
PRINTED NAME

\_\_\_\_\_  
DATE