

RETURN THIS AMENDMENT TO THE ISSUING OFFICE AT:

Legislative Affairs Agency State Capitol 120 4th Street, Room 3 Juneau, AK 99801-1182 Attn: JC Kestel

DATE AMENDMENT ISSUED: May 17, 2024

RFP TITLE: RFP 671 – Alaska State Capitol Audio and Video Equipment Programming

RFP OPENING DATE & TIME: 2:00pm Alaska Time, Monday, June 3, 2024

The following contains additional information, changes, or additions for the RFP:

1. On pages 38-58 of Attachment A-3 (Installation Work and Product Specifications for RFP 671), Appendix B (Audio Video Systems Equipment List) is amended to read as follows:

APPENDIX B: AUDIO VIDEO SYSTEMS EQUIPMENT LIST

A . . di a

			<u>Audio</u>	
Qty.	Manufacturer	Model Number	Description	Device ID
Beltz	Room 105			
A06 - Liste	Assistive ning			
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
2	Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
AV01	- Audio			

Issue Date: May 17, 2024 Page 1 of 23

2	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58- J52	Wireless Microphone System with SM58	WLESS-XX
10	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
10	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
6	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
10	NKK SWITCHES	LB15RKW01- 5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
10	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
40	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press	
10	Custom Audinate	Custom ADP-USBC-AU- 2X2	stations. Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
AV03	- Control			
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
I	Q 00	CLQCL-UIV-I	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software	
1	QSC	SLQUD-8N-P	License, Perpetual.	

Bettye Davis Room 106 A06 - Assistive Listening			
1 Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX

Page 2 of 23

2	Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
AV01	- Audio			
4	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58- J52	Wireless Microphone System with SM58	WLESS-XX
16	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
16	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
9	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface. SPDT Illuminated	QIO-4FL-XX
16	NKK SWITCHES	LB15RKW01- 5F12-JB	Pushbutton Switch - Green, Rectangular	
16	HIVI	M4N	4" Full range	SPK1-XX
			Loudspeaker	
16	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU- 2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
AV03	- Control			
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
1	QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI	

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

Issue Date: May 17, 2024 Page **3** of **23**

Deployment Software License, Perpetual.

Butro	vich Room 205						
A06 -	A06 - Assistive Listening						
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX			
2	Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.				
AV01	- Audio		ŭ ŭ				
2	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX			
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX			
1	Shure	SLXD24/SM58- J52	Wireless Microphone System with SM58	WLESS-XX			
11	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX			
			Black Locking Metal Windscreen for Microflex® Gooseneck				
11	Shure	A412MWS	Microphones				
7	QSC	QIO-FLEX4A	Mulit-channel mic/line/speaker network interface.	QIO-4FL-XX			
11	NKK SWITCHES	LB15RKW01- 5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular				
11	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX			
4.4	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press				
<u>11</u> 2	Custom Audinate	Custom ADP-USBC-AU- 2X2	stations. Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX			
AV03	- Control						
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8	DSP1-XX			

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

Issue Date: May 17, 2024 Page **4** of **23**

Software-based Dante
license included.

		Q-SYS Core 8 Flex, Core	
		Nano, NV-32-H (Core	
		Capable). Scripting	
		Engine Software License,	
1 QSC	SLQSE-8N-P	Perpetual.	
		Q-SYS Core 8 Flex, Core	
		Nano, NV-32-H (Core	
		Capable). UCI	
		Deployment Software	
1 QSC	SLQUD-8N-P	License, Perpetual.	

	e Chambers 220			
8	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x4	4-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v	AMP2-XX
2	Shure	SLXD24/SM58- J52	Wireless Microphone System with SM58	WLESS-XX
46	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
			Black Locking Metal Windscreen for Microflex® Gooseneck	
46	Shure	A412MWS	Microphones	
45	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
		LB15RKW01-	SPDT Illuminated Pushbutton Switch -	
46	NKK SWITCHES	5F12-JB	Green, Rectangular	
47	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
			Custom wooden enclosure for Dais Stations, and Press	
7	Custom	Custom	stations.	
2	Lowell	10KLVC-DB	Mono Potentiometer 10k	
1	Audinate	ADP-USBC-AU- 2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
1	QSC	QIO-ML4i	Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	QIO-MLI-XX

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

Issue Date: May 17, 2024 Page 5 of 23

3	QSC	QIO-L4o	Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisychainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	QIO-LO-XX
1	QSC	QIO-RMK	Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format.	QIO-RACK-XX
4	RDL	TX-LM2	Line Level to Mic Level Transformer	MIC-LINE-XX
1	AtlasIED	AT100D	Deluxe Decora Plate Mounted 100W Attenuator, 3dB Steps	VCA-XX

Hous 519	e Finance Room			
A06 - Listei				
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
2 AV01	Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
2	QSC	AD-S402T-BK	2.75" Full-range (x4) column surface speaker,coverage, Color - Black.	SPK3-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58- J52	Wireless Microphone System with SM58	WLESS-XX
16	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
16	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
10	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

Issue Date: May 17, 2024 Page **6** of **23**

16	NKK SWITCHES	LB15RKW01- 5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
16	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
			Custom wooden enclosure for Dais Stations, and Press	
16	Custom	Custom	stations.	
2	Audinate	ADP-USBC-AU- 2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
AV03	- Control			
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
	400	52452 514 1	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software	
1	QSC	SLQUD-8N-P	License, Perpetual.	

Max (Gruenberg Room			
A06 - Lister	Assistive ning			
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
2	Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
AV01	- Audio			
2	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58- J52	Wireless Microphone System with SM58	WLESS-XX

Issue Date: May 17, 2024 Page 7 of 23

12	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
12	Shure	A412MWS	Black Locking Metal Windscreen for Microflex® Gooseneck Microphones	
7	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
12	NKK SWITCHES	LB15RKW01- 5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
12	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
12	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU- 2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
AV03	- Control			
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	
	QUU	OLQOL-OIN-I	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software	
1	QSC	SLQUD-8N-P	License, Perpetual.	

Romona Barnes Room 124	1		
A06 - Assistive Listening			
1 Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
2 Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	

Page 8 of 23

	- Audio	4 D 00= : =	0.511.7	001/01/0/
2	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58- J52	Wireless Microphone System with SM58	WLESS-XX
13	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
			Black Locking Metal Windscreen for Microflex® Gooseneck	
13	Shure	A412MWS	Microphones	
8	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
13	NKK SWITCHES	LB15RKW01- 5F12-JB	SPDT Illuminated Pushbutton Switch - Green, Rectangular	
13	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
13	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU- 2X2	Dante AVIO USBC IO Adapter 2x2	DANTE-USB-XX
AV03	- Control			
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
	000	01 005 011 5	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License,	
1	QSC	SLQSE-8N-P	Perpetual. Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software	
1	QSC	SLQUD-8N-P	License, Perpetual.	
Senat	te Chambers 217			
	- Audio			
8	QSC	AD-C6T-LP	6.5" Two-way Low-Profile Ceiling Speaker (135° Conical) w/60W 70v Transformer.	SPK2-XX

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

Issue Date: May 17, 2024 Page 9 of 23

1 QSC					
2 Shure SLXD24/SM58- System with SM58 26 Shure MX418/C Cardioid-18' Gooseneck Condenser Microphone, Black Locking Metal Windscreen for Microphones 26 Shure A412MWS Microphones 26 QSC QIO-FLEX4A Multi-channel microphones 27 QSC QIO-FLEX4A Multi-channel microphones 28 HIVI MAN 4' Full range SPK1.XX 29 HIVI MAN 4' Full range Custom wooden enclosure for Dais Stations, and Press stations. 2 Lowell 10KLVC-DB Mono Potentiometer 10k 2 Lowell 10KLVC-DB Mono Potentiometer 10k 3 QSC QIO-ML4i Q-SYS peripheral providing 4 microline inputs. Up to 4 devices daisy-chainable. 1U-1/14/W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 3 QSC QIO-RMK RDL Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/14/W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 4 RDL TX-LM2 Line Level to Mic Level Transformer 1 AtlasIED AT100D Deluxe Decora Plate Mounted 100W	1	QSC	SPA-Qf 60x4	network audio Amplifier, Lo-Z, FlexIO, with	AMP2-XX
Condenser Microphone, Black Locking Metal Windscreen for Microflex® Gooseneck Microphones 26 QSC QIO-FLEX4A Multi-channel mic/line/speaker network interface. SPDT Illuminated Pushbutton Switch - Green, Rectangular Custom Stations, Stations, and Press Fucustom Wooden enclosure for Dais Stations, and Press Stations, Lowell 10KLVC-DB Mono Potentiometer 10k Audinate ADP-USBC-AU- 2X2 Adapter 2x2 Adapter 2x2 1 QSC QIO-ML4i Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U- 1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 3 QSC QIO-RMK Reck mounts in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level Transformer Deluxe Decora Plate Multi-channel Microphones Multi-channel Multi-c	2	Shure		Wireless Microphone	WLESS-XX
Windscreen for Microflex® Gooseneck Microflex® Multi-channel QIO-4FL-XX microflex® Multi-channel QIO-4FL-XX microflex® Gooseneck Microflex® Multi-channel QIO-4FL-XX microflex® Gooseneck Microflex®	26	Shure	MX418/C		MIC1-XX
26 QSC QIO-FLEX4A Multi-channel mic/line/speaker network interface. SPDT Illuminated Pushbutton Switch - Green, Rectangular 28 HIVI M4N 4" Full range Loudspeaker Custom wooden enclosure for Dais Stations, and Press stations. 2 Lowell 10KLVC-DB Mono Potentiometer 10k Stations, and Press stations. 2 Lowell 10KLVC-DB Mono Potentiometer 10k Dante AVIO USBC IO DANTE-USB-XX Adapter 2x2 Surface mountable, rack kit sold separately. 3 QSC QIO-ML4i Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 3 QSC QIO-L4o Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 1 QSC QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level Transformer Deluxe Decora Plate WCA-XX	26	Shure	A412MWS	Windscreen for Microflex® Gooseneck	
LB15RKW01- 5F12-JB Green, Rectangular Z8 HIVI M4N 4'Full range Loudspeaker Custom wooden enclosure for Dais Stations, and Press stations. Z Lowell 10KLVC-DB Mono Potentiometer 10k Audinate ADP-USBC-AU-2X2 Adapter 2x2 Adapter 2x2 QIO-ML4i Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. QSC QIO-L4o Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. QSC QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19' standard rack format. 4 RDL TX-LM2 Line Level to Mic Level Transformer LB15RKW01-Green SPK1-XX A'Full range Carektangular SPK1-XX A'Full range Carektangular A'Full range SPK1-XX AlasiED AT100D Deluxe Decora Plate Mounted 100W SPK1-XX A'Full range SPK1-XX A'Full range SPK1-XX A'Full range Carektangular SPK1-XX A'Full range Carektangular A'Full range SPK1-XX A'Full range SPK1-XX AlasiED AT100D Deluxe Decora Plate Mounted 100W				Multi-channel mic/line/speaker network	QIO-4FL-XX
Loudspeaker Custorm wooden enclosure for Dais Stations, and Press stations. 7 Custom Custom Stations. Mono Potentiometer 10k 1 Audinate ADP-USBC-AU- 2X2 Adapter 2x2 1 QSC QIO-ML4i Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U- 11/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 3 QSC QIO-L4o Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy- chainable. 1U-11/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 1 QSC QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level Transformer 1 AtlasIED AT100D Deluxe Decora Plate Mounted 100W MONTE-USB-XX DANTE-USB-XX DANTE-USB-XX QIO-ML1-XX DANTE-USB-XX QIO-ML1-XX QIO-ML1-XX QIO-ML1-XX QIO-ML1-XX QIO-ML1-XX QIO-ML1-XX QIO-ML1-XX QIO-C-XX MIC-LINE-XX Transformer VCA-XX Mounted 100W			5F12-JB	Pushbutton Switch - Green, Rectangular	
enclosure for Dais Stations, and Press stations. 7 Custom Custom stations. 2 Lowell 10KLVC-DB Mono Potentiometer 10k 1 Audinate ADP-USBC-AU- Dante AVIO USBC IO ACAPTER 2X2 1 QSC QIO-ML4i Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 3 QSC QIO-L40 Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 1 QSC QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level Transformer 1 AtlasIED AT100D Deluxe Decora Plate Mounted 100W	28	HIVI	M4N	Loudspeaker	SPK1-XX
2 Lowell 10KLVC-DB Mono Potentiometer 10k 1 Audinate ADP-USBC-AU- 2X2 Dante AVIO USBC IO DANTE-USB-XX Adapter 2X2 1 QSC QIO-ML4i Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U- 1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 3 QSC QIO-L4o Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 1 QSC QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level Transformer 1 AtlasIED AT100D Deluxe Decora Plate VCA-XX Mounted 100W	_			enclosure for Dais Stations, and Press	
1 Audinate ADP-USBC-AU- 2X2 Adapter 2x2 1 QSC QIO-ML4i Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U- 1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 3 QSC QIO-L4o Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U- 1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 1 QSC QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level Transformer 1 AtlasIED AT100D Deluxe Decora Plate WCA-XX Mounted 100W	7	Custom	Custom	stations.	
2X2 Adapter 2x2 1 QSC QIO-ML4i Q-SYS peripheral QIO-MLI-XX providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 3 QSC QIO-L4o Q-SYS peripheral QIO-LO-XX providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 1 QSC QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level Transformer 1 AtlasIED AT100D Deluxe Decora Plate VCA-XX Mounted 100W	2	Lowell	10KLVC-DB	Mono Potentiometer 10k	
providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U- 1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 3 QSC QIO-L40 Q-SYS peripheral QIO-LO-XX providing 4 line outputs. Up to 4 devices daisy- chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 1 QSC QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level Transformer 1 AtlasIED AT100D Deluxe Decora Plate Mounted 100W	1		2X2		
providing 4 line outputs. Up to 4 devices daisy- chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately. 1 QSC QIO-RMK Rack mount tray and QIO-RACK-XX blanking panels to mount up to four QIO units in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level MIC-LINE-XX Transformer 1 AtlasIED AT100D Deluxe Decora Plate VCA-XX Mounted 100W	1	QSC	QIO-ML4i	providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack	QIO-MLI-XX
1 QSC QIO-RMK Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack format. 4 RDL TX-LM2 Line Level to Mic Level MIC-LINE-XX Transformer 1 AtlasIED AT100D Deluxe Decora Plate VCA-XX Mounted 100W	3	QSC	QIO-L4o	Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold	QIO-LO-XX
Transformer 1 AtlasIED AT100D Deluxe Decora Plate VCA-XX Mounted 100W	1	QSC	QIO-RMK	Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard rack	QIO-RACK-XX
Mounted 100W	4	RDL	TX-LM2		MIC-LINE-XX
	1	AtlasIED	AT100D	Mounted 100W	VCA-XX

Issue Date: May 17, 2024 Page **10** of **23**

532	te Finance Room			
	Assistive ning			
1	Williams AV	WF T5CD-00	WaveCAST single channel audio streaming over Wi-Fi.	ALS-XX
2	Williams AV	WF R2-N	WAV Pro Wi-Fi Receiver for use with any WaveCAST enabled transmitter. Includes 6.8" HD touchscreen interface, Lithium Ion rechargeable battery, protective case, screen protector. No USB cable or charging block.	
4V01	- Audio			
2	QSC	AD-S402T-BK	2.75" Full-range (x4) column surface speaker,coverage, Color - Black.	SPK3-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58- J52	Wireless Microphone System with SM58	WLESS-XX
14	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
1.1	Churo	A 44 OM/M/S	Black Locking Metal Windscreen for Microflex® Gooseneck	
14 7	Shure QSC	A412MWS QIO-FLEX4A	Microphones Multi-channel	QIO-4FL-XX
,	QOU	QIO-I LLX4A	mic/line/speaker network interface.	Q10-41 L-XX
			SPDT Illuminated	
11	NKK SWITCHES	LB15RKW01- 5F12-JB	Pushbutton Switch - Green, Rectangular	
14	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
14	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
2	Audinate	ADP-USBC-AU-	Dante AVIO USBC IO	DANTE-USB-XX
		2X2	Adapter 2x2	DANTE-OOD-AA
	- Control	CODE O EL EV	Unified Communitie Olevel	DCD4 VV
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX

1 QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.
1 QSC	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.

Speak 210	kers Chambers			
AV01	- Audio			
2	QSC	AD-S402T-BK	2.75" Full-range (x4) column surface speaker,coverage, Color - Black.	SPK3-XX
1	QSC	SPA-Qf 60x2	2-CH 60W/CH Q-SYS Network Audio Amplifier	AMP1-XX
1	Shure	SLXD24/SM58- J52	Wireless Microphone System with SM58	WLESS-XX
4	Shure	MX418/C	Cardioid-18" Gooseneck Condenser Microphone,	MIC1-XX
			Black Locking Metal Windscreen for Microflex® Gooseneck	
4	Shure	A412MWS	Microphones	
2	QSC	QIO-FLEX4A	Multi-channel mic/line/speaker network interface.	QIO-4FL-XX
4	NIZIZ CIMITOLITO	LB15RKW01-	SPDT Illuminated Pushbutton Switch -	
4	NKK SWITCHES	5F12-JB	Green, Rectangular	CDI/4 VV
4	HIVI	M4N	4" Full range Loudspeaker	SPK1-XX
4	Custom	Custom	Custom wooden enclosure for Dais Stations, and Press stations.	
-	- Control	Guotom	cialione.	
1	QSC	CORE 8 FLEX	Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8 Software-based Dante license included,	DSP1-XX
1	QSC	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency Issue Date: May 17, 2024

Q-SYS Core 8 Flex, Core
Nano, NV-32-H (Core
Capable). UCI
Deployment Software
License Pernetual

<u>Video</u>

SLQUD-8N-P

1 QSC

Qty.	Manufacturer	Model Number	Description	Device ID
Beltz	Room 105			
	- Video			
1		E658	65-inch□ LED Public Display Monitor with built- in ATSC tuner.	TV65-XX
1	Chief	LSTU	Large fixed thin universal display mount	
1	Da-Lite	29887	ADV DLX TNSD 130D PRLX STR 1.0	SCRN5-XX
5	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
5	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
1	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX
Betty	e Davis Room 106			
1	Da-Lite	29887	ADV DLX TNSD 130D PRLX STR 1.0	SCRN1-XX
1	Sharp NEC Display Solutions	E438	43-inch□ LED Public Display Monitor with built- in ATSC tuner.	TV43-XX
1	Chief	MOTH	MEDIUM FIXED	
3	Chief Visionary Solutions	MSTU E5200	THINSTALL UNIVERSAL A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
5	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
7	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
1	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX
			Biodibadon / amplino	

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

Issue Date: May 17, 2024 Page **13** of **23**

Butro	vich Room 205			
1	Sharp NEC Display Solutions	E658	65-inch□ LED Public Display Monitor with built- in ATSC tuner.	TV65-XX
1	Chief	LSTU	Large fixed thin universal display mount	
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
4	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
4	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
1	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX

Hous 519	e Finance Room			
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
7	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
2	Da-Lite	29928LS	CONTOUR TNSD 123D PRLX STR 1.0	SCRN3-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
12	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
3	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX

Max (120	Gruenberg Room			
1	Sharp NEC Display Solutions	E438	43-inch□ LED Public Display Monitor with built- in ATSC tuner.	TV43-XX
1	Chief	TS325TU	MEDIUM 25" EXTENSION SWING ARMS	
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
3	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
5	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
1	Extron Electronics	60-1482-01	Six Output HDMI Distribution Amplifier	VID-DA6-XX

Issue Date: May 17, 2024 Page **14** of **23**

Romo	ona Barnes Room			
1	Da-Lite	29930LS	CONTOUR TNSD 137D PRLX STR 1.0	SCRN2-01
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
4	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
6	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
1	Extron Electronics	60-1482-01	Six Output HDMI Distribution Amplifier	VID-DA6-XX

Senat	te Finance Room			
1	Da-Lite	DL15015LS	ADV TNSD SIGHTLINE 130D PRLX STR 1.0	SCRN4-XX
3	Visionary Solutions	E5200	A/V Encoder, 4K60 4:4:4 UHD over IP.	VID-ENC-XX
5	Visionary Solutions	D5200	A/V Decoder, 4K60 4:4:4 UHD over IP.	VID-DEC-XX
1	AJA Video Systems	U-TAP-SDI-R0	HD/SD USB 3.0 Capture Device for Mac/Windows/Linux with 3G-SDI Input,	USB-SDI-XX
10	Beetronics	10TS7M	10-inch Touchscreen	LCD10-XX
3	Extron Electronics	60-1481-01	Four Output HDMI Distribution Amplifier	VID-DA4-XX

Control and Data

Qty.	Manufacturer	Model Number	Description	Device ID
Beltz	Room 105			
1	Winford	RLY202-12V-DIN	2-Channel 15A SPDT Relay Board	RLY2-01
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4230P- 100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
24	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

Issue Date: May 17, 2024 Page **15** of **23**

		AMENI	DMIENT NO. 2	
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	
Betty	e Davis Room 106			
1	QSC	TSC-101-G3	Q-SYS 10.1-inch□ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Winford	RLY202-12V-DIN	2-Channel 15A SPDT Relay Board	RLY2-XX
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4230P- 100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
24	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	
	vich Room 205			
1	QSC	TSC-101-G3	Q-SYS 10.1-inch□ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Netgear	GSM4230P- 100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black CAT 6 data patchcord,	LAN-PP-XX
ΛQ	Bittree	DSP2406-CAT6	24" (60 cm), unshielded, Blue	
<u>48</u> 1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with	OA-XX

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

Issue Date: May 17, 2024 Page **16** of **23**

lock screw black

			Litt Mounting Flange
1	Yellowtec	YT9590	black
			Litt 50/35 Color Segment
1	Yellowtec	YT9901	RED black
			Litt 50/35 Color Segment
1	Yellowtec	YT9905	BLUE black

2	e Chambers 220 QSC	Core 610	Digital Signal Processor	DSP2-XX
			Q-SYS Core 610	
			Scripting Engine	
			Software License,	
2	QSC	SLQSE-610-P	Perpetual.	
			Q-SYS Core 610 UCI	
			Deployment Software	
2	QSC	SLQUD-610-P	License, Perpetual.	
1	QSC	QIO-GP8x8	Q-SYS peripheral	GP88-XX
			providing control	
			expansion with 8 logic	
			inputs and 8 logic	
			outputs. Up to 4 devices	
			daisy-chainable. 1U-	
			1/4W, powered over	
			Ethernet or +24 VDC.	
			Surface mountable, rack	
			kit sold separately.	
1	Elo Touch	E351600	2202L 22-inch wide LCD	TP22-XX
	Solutions		Desktop Full HD	
			Projected Capacitiv	
1	Dell	IOTM51H3	Optiplex 7050 Micro, i7	PC1-XX
			Processor, 16GB RAM,	
			128GB SSD, Windows	
	A1 (001440401111	10 Pro (Zoom Ready)	1 ANI OIA(O)()(
2	Netgear	GSM4248UX-	M4250-40G8XF-POE++	LAN-SW3-XX
		100NAS	MANAGED SWITCH	
			1m Direct Attach SFP+	
4	Motgoor	AVC764 40000C	Cable 10G SFP+ &	
1 3	Netgear	AXC761-10000S	SFP28	LANDDVV
3	Bittree	BIT-	Bittree DSKP124B-C6FS	LAN-PP-XX
		DSKP124BC6FS	1RU 1X24 CAT6 RJ45/RJ45 Shielded	
			DES Patch Panel with	
			Tie Bar - Black	
			CAT 6 data patchcord,	
			24" (60 cm), unshielded,	
0	Bittree	DSP2406-CAT6	Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
<u>'</u> 1	Yellowtec	YT9580	Litt Riser S 120mm with	LED-XX
1	I GIIOWIGG	1 19000	lock screw black	LED-AA
1	Yellowtec	YT9590	Litt Mounting Flange	
	I CHOWLEC	1 19090	black	
			Litt 50/35 Color Segment	

Issue Date: May 17, 2024 Page **17** of **23**

House 519	e Finance Room			
1	QSC	TSC-101-G3	Q-SYS 10.1-inch□ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Winford	RLY404-12V-DIN	4-CH SPDP 12V 16A Din Mounted Relay	RLY4-xx
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4248PX- 100NAS	AV LINE M4250- 40G8XF-POE+ 40X1G POE+ 960	LAN-SW2-XX
2	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
48	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	

	Gruenberg Room			
120				
1	QSC	TSC-101-G3	Q-SYS 10.1-inch□ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Netgear	GSM4230P- 100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
			CAT 6 data patchcord, 24" (60 cm), unshielded,	
24	Bittree	DSP2406-CAT6	Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	

Issue Date: May 17, 2024 Page **18** of **23**

YT9905

1 Yellowtec

Elo Touch

Solutions

Litt 50/35 Color Segment BLUE black

	ona Barnes Room			
1	QSC	TSC-101-G3	Q-SYS 10.1-inch□ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Winford	RLY202-12V-DIN	2-Channel 15A SPDT Relay Board	RLY2-XX
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4230P- 100NAS	M4250 26G4F POE plus managed network switch	NET-SW1-XX
1	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
24	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	
naí	te Chambers 217			
	QSC	Core 610	Digital Signal Processor	DSP2-XX
_	400	33.0 0 10	Q-SYS Core 610 Scripting Engine Software License,	D61 2 700
2	QSC	SLQSE-610-P	Perpetual. Q-SYS Core 610 UCI Deployment Software	
2	QSC	SLQUD-610-P	License, Perpetual.	
1	QSC	QIO-GP8x8	Q-SYS peripheral providing control expansion with 8 logic inputs and 8 logic outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over	GP88-XX

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

E351600

Issue Date: May 17, 2024 Page **19** of **23**

Ethernet or +24 VDC. Surface mountable, rack kit sold separately.

Desktop Full HD Projected Capacitiv

2202L 22-inch wide LCD

TP22-XX

1 Dell IOTM51H3 Optiplex 7050 Micro, i7 PC1-XX Processor, 16GB RAM,	
128GB SSD, Windows 10 Pro (Zoom Ready)	
2 Bittree BIT- Bittree DSKP124B-C6FS LAN-PP-XX DSKP124BC6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	
CAT 6 data patchcord, 24" (60 cm), unshielded,	
42 Bittree DSP2406-CAT6 Blue	
1 Ruckus Wireless 9U1-R350-US02 Ruckus R350 Unleashed WAP-XX	
1 Yellowtec YT9580 Litt Riser S 120mm with OA-XX lock screw black	
Litt Mounting Flange 1 Yellowtec YT9590 black	
Litt 50/35 Color Segment 1 Yellowtec YT9901 RED black	

	to Electric Description			
sena 532	te Finance Room			
1	QSC	TSC-101-G3	Q-SYS 10.1-inch□ PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	TP10-XX
1	Winford	RLY202-12V-DIN	2-Channel 15A SPDT Relay Board	RLY2-01
1	Winford	WSD120-04-0	12V DC Power Supply	
1	Netgear	GSM4248PX- 100NAS	AV LINE M4250- 40G8XF-POE+ 40X1G POE+ 960	LAN-SW2-XX
1	Bittree	BIT- DSKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
24	Bittree	DSP2406-CAT6	CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	
1	Ruckus Wireless	9U1-R350-US02	Ruckus R350 Unleashed	WAP-XX
1	Yellowtec	YT9580	Litt Riser S 120mm with lock screw black	LED-XX
1	Yellowtec	YT9590	Litt Mounting Flange black	
1	Yellowtec	YT9901	Litt 50/35 Color Segment RED black	
1	Yellowtec	YT9905	Litt 50/35 Color Segment BLUE black	

Speakers Chambers 210

RFP 671 Alaska State Capitol Audio and Video Equipment Programming Amendment No. 2 Issued By: JC Kestel, Procurement Manager, Legislative Affairs Agency

Issue Date: May 17, 2024 Page **20** of **23**

		Touch Screen Controller for In-Wall Mounting. Color - Black only	
		M4250 26G4F POE plus managed network switch	NET-SW1-XX
	SKP124BC6FS	Bittree DSKP124B-C6FS 1RU 1X24 CAT6 RJ45/RJ45 Shielded DES Patch Panel with Tie Bar - Black	LAN-PP-XX
18 Bittree D		CAT 6 data patchcord, 24" (60 cm), unshielded, Blue	

Hardware, Racks, and Cable					
Qty.	Manufacturer	Model Number	Description	Device ID	
Beltz	Room 105				
1	Middle Atlantic	C5K1C1SSHE005 112	C5 Credenza - 1 Bay, 22" Deep HPL Sota Style Woodkit in Wilsonart® Biltmore Cherry with Solid Door	AV-RACK1-XX	
AV04	- Infrastructure				
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS	
Pottv	e Davis Room 106				
	- Control				
AVU3	Middle Atlantic	C5K1C1SSHE005	C5 Credenza - 1 Bay, 22"	AV-RACK1-XX	
		112	Deep HPL Sota Style Woodkit in Wilsonart® Biltmore Cherry with Solid Door	AV-IVIOITI-XX	
AV04	- Infrastructure				
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS	
	vich Room 205	DI DI LIO DAG	454.4.1	D0	
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS	
	At 1 AAA				
	e Chambers 220	DL DLUC DMC	45A Adversed Deves	DC	
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS	
Max (Gruenberg Room				
120	The liberg Room				
1	Middle Atlantic	ISRK-12BK	12RU Under Desk Rack, Black	AV-RACK2-XX	

Issue Date: May 17, 2024 Page 21 of 23

1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS	
Romo	ona Barnes Room				
1	Middle Atlantic	ISRK-12BK	12RU Under Desk Rack, Black	AV-RACK2-XX	
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS	
Sena	te Chambers 217				
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS	
Senate Finance Room 532					
1	Furman	PL-PLUS DMC	15A Advanced Power Cond/Lights W/SMP .	PS	
1	Middle Atlantic	ISRK-12BK	12RU Under Desk Rack, Black	AV-RACK2-XX	

END OF APPENDIX B

This	space	was	inte	ntior	nally	left	– blank.
							_

2. All other terms and conditions of RFP 671 as amended, will remain as written.

In order for your proposal to be considered responsive, a signed copy of this amendment and all other previously issued amendment to the RFP, in addition to your proposal, must be received by the issuing office prior to the deadline for receipt of Proposals as amended.

	JC Kestel	JC Kestel		
	Procurement Manager			
	PHONE: (907) 465-67	05		
	TDD: (907) 465-49			
NAME OF COMPANY				
AUTHORIZED SIGNATURE				
TITLE				
PRINTED NAME				
DATE				