

Nancy Dahlstrom
Lieutenant Governor
State Capitol
Juneau, Alaska 99811
907.465.3520
WWW.LTGOV.ALASKA.GOV




530 West 7th Ave, Suite 1700
Anchorage, Alaska 99501
907.269.7460
LT.GOVERNOR@ALASKA.GOV

**OFFICE OF THE LIEUTENANT GOVERNOR
ALASKA**

M E M O R A N D U M

TO: Mary McRae, Department of Transportation

FROM: April Simpson, Office of the Lieutenant Governor 
465.4081

DATE: October 16, 2024

RE: Filed Permanent Regulations: Department of Transportation

Department of Transportation and Public Facilities regulations re: Update Reference
Manuals for Design and Engineering Services (17 AAC 10.040 - 81.010)

Attorney General File:	2021200153
Regulation Filed:	10/16/2024
Effective Date:	11/15/2024
Print:	252, January 2025

cc with enclosures: Colleen Bailey, Department of Law
Judy Herndon, LexisNexis



THE STATE
of **ALASKA**
GOVERNOR MIKE DUNLEAVY

Department of Law

CIVIL DIVISION

P.O. Box 110300
Juneau, Alaska 99811
Main: 907.465.3600
Fax: 907.465.2520

October 15, 2024

The Honorable Nancy Dahlstrom
Lieutenant Governor
State of Alaska
P.O. Box 110015
Juneau, AK 99811-0015

Re: *17 AAC 10.040 - 81.010 Department of Transportation and Public
Facilities - Update Reference Manuals for Design and Engineering
Services*
Our file: 2021200153

Dear Lieutenant Governor Dahlstrom:

The Department of Law has reviewed the attached regulations of the Department of Transportation and Public Facilities against the statutory standards of the Administrative Procedure Act. Based upon our review, we find no legal problems. This letter constitutes the written statement of approval under AS 44.62.060(b) and (c) that authorizes your office to file the attached regulations. The regulations were adopted by the Department of Transportation and Public Facilities after the close of the public comment period.

The regulations address disposal of excess easements, and update reference manuals for design and engineering services.

The August 18, 2023 public notice and the October 14, 2024 adoption order both state that this action is not expected to require an increased appropriation. Therefore, a fiscal note under AS 44.62.060 is not required.

No technical corrections were necessary to conform the regulations in accordance with AS 44.62.060.

Sincerely,

TREG TAYLOR
ATTORNEY GENERAL

By: **Rebecca C. Polizzotto**
Rebecca C. Polizzotto
Chief Assistant Attorney General
Legislation, Regulations, and
Legislative Research Section

Digitally signed by
Rebecca C. Polizzotto
Date: 2024.10.15
11:26:11 -08'00'

RCP/SCW

CC w/enclosure: Mary McRae
Department of Transportation and Public Facilities

Steven C. Weaver, Assistant Attorney General
Department of Law

APPENDIX I: Adoption Order

ORDER ADOPTING CHANGES TO REGULATIONS
OF DEPARTMENT OF TRANSPORTATION & PUBLIC FACILITIES

The attached 30 pages of regulations, dealing with update of reference manuals for Design and Engineering Services, are adopted and certified to be a correct copy of the regulation changes that the Department of Transportation & Public Facilities adopts under the authority of AS 44.62.200 and AS 44.42.030 and after compliance with the Administrative Procedure Act (AS 44.62), specifically including notice under AS 44.62.190 and 44.62.200 and opportunity for public comment under AS 44.62.210.

This action is not expected to require an increased appropriation.

In considering public comments, the Department of Transportation & Public Facilities paid special attention to the cost to private persons of the regulatory action being taken.

The regulation changes adopted under this order take effect on the 30th day after they have been filed by the lieutenant governor, as provided in AS 44.62.180.

Date: 10/14/2024

DocuSigned by:

DE6808E7F6734C7
Ryan Anderson, Commissioner

FILING CERTIFICATION

April Simpson for

I, Nancy Dahlstrom, Lieutenant Governor for the State of Alaska, certify that on October 16, 2024, at 9:35 a.m., I filed the attached regulations according to the provisions of AS 44.62.040 - 44.62.120.

for 
Lieutenant Governor Nancy Dahlstrom

Effective: November 15, 2024.

Register: 252, January 2025.

FOR DELEGATION OF THE LIEUTENANT GOVERNOR'S AUTHORITY

I, NANCY DAHLSTROM, LIEUTENANT GOVERNOR OF THE STATE OF ALASKA, designate the following state employees to perform the Administrative Procedures Act filing functions of the Office of the Lieutenant Governor:

April Simpson, Regulations and Initiatives Specialist

IN TESTIMONY WHEREOF, I have signed and affixed the Seal of the State of Alaska, in Juneau, on May 15th, 2023.



A handwritten signature in blue ink, reading "Nancy Dahlstrom", is written over a horizontal dotted line.

**NANCY DAHLSTROM
LIEUTENANT GOVERNOR**

17 AAC 10.040 is amended to read:

17 AAC 10.040. Technical requirements. Ingress and egress to highway **right-of-way** [RIGHTS-OF-WAY] for driveways, approach roads, and service roads or trails are subject to the requirements of 17 AAC 10.020 - 17 AAC 10.080 and the Driveway Standards section [, REVISED AS OF DECEMBER 1998 AND ADOPTED BY REFERENCE,] of the department's Alaska Highway Preconstruction Manual, adopted by reference in 17 AAC 20.950(4). (Eff. 5/23/82, Register 82; am 5/18/88, Register 106; am 5/4/2000, Register 154; am 11 / 15 / 2024, Register 252)

Authority: AS 19.05.020 [AS 19.30.051] AS 19.40.065
AS 19.05.040 AS 19.30.121 AS 44.42.030

[**EDITOR'S NOTE:** THE DRIVEWAY STANDARDS SECTION OF THE DEPARTMENT'S PRECONSTRUCTION MANUAL MAY BE VIEWED AT THE DEPARTMENT'S REGIONAL OFFICES IN ANCHORAGE, FAIRBANKS, AND JUNEAU. COPIES MAY BE OBTAINED BY WRITING THE DIVISION OF STATEWIDE DESIGN AND ENGINEERING SERVICES, DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES, 3132 CHANNEL DRIVE, JUNEAU, AK 99801-7898.]

17 AAC 10.070(a) is amended to read:

(a) **An applicant required to perform a** [A] traffic impact analysis required under 17 AAC 10.060(c) **is encouraged to** [MUST] compute traffic generated by a development in accordance with the Institute of Traffic Engineers' *Trip Generation Manual* [*HANDBOOK* (1997)]. The **department may** [WILL, IN ITS DISCRETION,] require a traffic impact analysis based upon local traffic generation values. A traffic impact analysis must be prepared by an

engineer licensed under AS 08.48 and must be submitted to the department for review and comment under (e) of this section.

The introductory language of 17 AAC 10.070(b) is amended to read:

(b) **An applicant who prepares a level** [LEVEL] of service (LOS) and operational analysis for a traffic impact analysis prepared under this section **is encouraged to perform it** [MUST BE PERFORMED] in accordance with the Transportation Research Board's publication [*SPECIAL REPORT 209,*] *Highway Capacity Manual* [(1997 UPDATE)]. The minimum acceptable LOS at intersections and on road segments both on the development's opening date and in the design year is

...

17 AAC 070(g) is amended to read:

(g) The department will review and comment upon a traffic impact analysis prepared under this section and submitted for a proposed development. The department **may** [WILL, IN ITS DISCRETION,] request clarification or further analysis of the impacts that it considers necessary to adequately consider the risks presented to the traveling public by the proposed development. If alternative means are proposed by an applicant for mitigation of the traffic impacts of a proposed development, the department will select the alternative that provides the greatest public benefit, at the least private cost, and that meets the appropriate LOS on an impacted state highway. If the department accepts a means of mitigation, the mitigation must be successfully completed before the issuance of a permit under 17 AAC 10.080. (Eff. 5/4/2000,

Register 154; am 11 / 15 / 2024, Register 252)

Authority: AS 19.05.020 [AS 19.30.051] AS 19.40.065
AS 19.05.040 AS 19.30.121 AS 44.42.030

[**EDITOR'S NOTE:** THE *SPECIAL REPORT 209, HIGHWAY CAPACITY MANUAL* (1997 UPDATE) AND THE *TRIP GENERATION HANDBOOK* (1997), ADOPTED BY REFERENCE IN 17 AAC 10.070, MAY BE VIEWED AT THE DEPARTMENT'S REGIONAL OFFICES IN ANCHORAGE, FAIRBANKS, OR JUNEAU. *SPECIAL REPORT 209, HIGHWAY CAPACITY MANUAL* (1997 UPDATE) MAY BE OBTAINED FROM THE TRANSPORTATION RESEARCH BOARD, LOCKBOX 289, WASHINGTON, D.C. 20055. THE *TRIP GENERATION HANDBOOK* (1997) MAY BE OBTAINED FROM THE INSTITUTE OF TRANSPORTATION ENGINEERS, 525 SCHOOL STREET, S.W., SUITE 410, WASHINGTON, D.C. 20024-2797.]

17 AAC 10.075(c) is amended to read:

(c) A permittee for which a traffic impact analysis report has been approved shall use signs and markings on approaches to highways within the development that conform with the *Alaska Traffic Manual*, **adopted by reference** [2005, DESCRIBED] in 17 AAC 20.950(1) [, AND ADOPTED BY REFERENCE]. Internal circulation and parking layout must provide sufficient queuing distance within the development between the highway and potential internal block points to ensure no traffic backs up onto the highway, including bicycle or pedestrian facilities.

The introductory language of 17 AAC 10.075(e) is amended to read:

(e) The department **may** [WILL, IN ITS DISCRETION,] relax the requirements for mitigation under this section, if it finds in writing that the

...

(Eff. 5/4/2000, Register 154; am 2/5/2004, Register 169; am 7/15/2009, Register 191; am

11 / 15 / 2024, Register 252)

Authority:	AS 19.05.020	AS 19.30.121	AS 44.42.020
	AS 19.05.040	AS 19.40.065	AS 44.42.030
	AS 19.10.050		

[EDITOR'S NOTE: THE *ALASKA TRAFFIC MANUAL*, ADOPTED BY REFERENCE IN 17 AAC 10.075, MAY BE VIEWED AT THE DEPARTMENT'S REGIONAL OFFICES IN ANCHORAGE, FAIRBANKS, AND JUNEAU OR THROUGH THE DEPARTMENT'S INTERNET WEBSITE AT [HTTP://WWW.DOT.STATE.AK.US/STWDDDES/DCSTRAFFIC/RESOURCES.SHTML.](http://www.dot.state.ak.us/stwddes/dcstraffic/resources.shtml)]

The introductory language of 17 AAC 10.105(a) is amended to read:

(a) The department **may** [WILL, IN ITS DISCRETION,] convey the interest that it holds in a parcel of excess right-of-way to an adjoining property owner, if the adjoining property owner applies for the conveyance and pays a \$200 nonrefundable application fee, and if the

...

17 AAC 10.105(b) is amended to read:

(b) The consideration for a conveyance of a fee simple interest under this section is the fair market value of the land, estimated under commonly accepted appraisal techniques. [IF THE INTEREST THE DEPARTMENT HOLDS IS AN EASEMENT, THE CONSIDERATION FOR THE TRANSACTION IS 90 PERCENT OF THE FAIR MARKET VALUE OF THE FEE SIMPLE INTEREST, NOT SUBJECT TO THE EASEMENT.]

(Eff. 5/4/2000, Register 154; am 11 / 15 / 2024, Register 252)

Authority: AS 19.05.020 AS 19.05.070 AS 44.42.030

17 AAC 15.021(a) is amended to read:

(a) Application for issuance of a utility permit must be made on a form prescribed by the department and in accordance with the Alaska Right-of-Way Manual and Alaska Utilities Manual, adopted by reference in 17 AAC 20.950(6) and (7).

17 AAC 15.021(g) is amended to read:

(g) If a utility proposes to locate a facility within a department right-of-way that crosses navigable water, the utility shall obtain written approval from the United States [U.S.] Army Corps of Engineers or the United States [U.S.] Coast Guard.

17 AAC 15.021(h) is amended to read:

(h) If a utility proposes to locate a facility within a department right-of-way that [WHICH] passes through restricted Native allotment land, the utility shall obtain written approval from the United States Department of the Interior, Bureau of Indian Affairs.

17 AAC 15.021(i) is amended to read:

(i) If a utility proposes to locate a facility within a department right-of-way **that** [WHICH] passes through Bureau of Land Management land, the utility shall obtain written approval from the **United States Department of the Interior**, Bureau of Land Management.

(Eff. 5/23/82, Register 82; am 11 / 15 / 2024, Register 252)

Authority:	AS 02.15.020	AS 19.20.090	AS 19.40.065
	AS 02.15.102	AS 19.25.010	AS 35.05.020
	AS 02.15.106	AS 19.25.200	AS 35.10.210
	AS 19.05.020	AS 19.30.051	AS 35.10.230
	AS 19.05.040	AS 19.30.121	AS 44.42.030

Editor's note: Utility permit application forms may be obtained from the regional offices of the Department of Transportation and Public Facilities located **at 4111 Aviation Drive, Anchorage, AK 99502; 2301 Peger Road or 2720 Pickett Place, Fairbanks, AK 99701; and 6860 Glacier Highway, Juneau, AK 99801** [IN JUNEAU, ANCHORAGE, AND FAIRBANKS, ALASKA].

Copies of the *Catalog of Waters Important for Spawning, Rearing, or Migration of Anadromous Fishes* for a specified region may be [OBTAINED BY WRITING TO THE DEPARTMENT OF FISH AND GAME (ADF&G), DIVISION OF SPORT FISH, 333 RASPBERRY ROAD, ANCHORAGE, AK 99518-1599. ELECTRONIC COPIES MAY ALSO BE] viewed through the Department of Fish and Game's website at

<https://www.adfg.alaska.gov/sf/SARR/AWC/>

[**[HTTP://WWW.SF.ADFG.STATE.AK.US/SARR/AWC/AWC=HRZCATALOGS.CFM](http://www.sf.adfg.state.ak.us/SARR/AWC/AWC=HRZCATALOGS.CFM)**].

Copies of the entire *An Atlas to the Catalog of Waters Important for Spawning, Rearing, or Migration of Anadromous Fishes* are available for examination at the **Department of Fish and Game**, [ADF&G, DIVISION OF] Habitat **Section's** offices in Anchorage, Douglas, and **Fairbanks** [JUNEAU]. Copies are also available for viewing at the Alaska State Library in Juneau and the ARLIS Library in Anchorage. [COPIES OF REGIONAL VOLUMES OF THE ATLAS FOR THE REGION OF THE STATE WHERE THEY ARE LOCATED ARE AVAILABLE FOR EXAMINATION AT THE ADF&G OFFICES IN ANCHORAGE, BETHEL, COLD BAY, CORDOVA, CRAIG, DELTA JUNCTION, DILLINGHAM, DOUGLAS, DUTCH HARBOR, FAIRBANKS, GLENNALLEN, HAINES, HOMER, JUNEAU, KETCHIKAN, KING SALMON, KODIAK, NOME, PALMER, PETERSBURG, SAND POINT, SITKA, SOLDOTNA, TOK, WRANGELL, AND YAKUTAT. AN ELECTRONIC EQUIVALENT MAY ALSO BE VIEWED THROUGH THE ADF&G WEBSITE AT [HTTP://WWW.SF.ADFG.STATE.AK.US/SARR/AWC/INDEX.CFM/FA/INTRO.CATALOG](http://www.sf.adfg.state.ak.us/sarr/awc/index.cfm/fa/intro.catalog), OR [HTTP://WWW.SF.ADFG.STATE.AK.US/SARR/AWC/INDEX.CFM/FA/MAPS.MAPS.](http://www.sf.adfg.state.ak.us/sarr/awc/index.cfm/fa/maps.maps)] ((Publisher: remainder of editor's note is unchanged.))

17 AAC 15.171(a) is amended to read:

(a) The department may allow utility facilities to be located within the **highway right-of-way and in accordance with the *Alaska Right-of-Way Manual and Alaska Utilities Manual, adopted by reference in 17 AAC 20.950(6) and (7)*** [RIGHTS-OF-WAY OF HIGHWAYS].

17 AAC 15.171(d) is amended to read:

(d) The minimum distance between the nearest part of a surface-mounted utility facility and the edge of the traveled way must comply with the standards set out in the department's Alaska Highway Preconstruction Manual, adopted by reference in 17 AAC 20.950(4) [17 AAC 15.301(e)].

17 AAC 15.171(e) is amended to read:

(e) Facilities installed within a department right-of-way must

(1) be located as near as practicable to the highway right-of-way line; and

(2) comply with the standards set out in the Alaska Highway Preconstruction

Manual, adopted by reference in 17 AAC 20.950(4) [17 AAC 15.301(e)].

(Eff. 5/23/82, Register 82; am 10/2/87, Register 103; am 7/15/2009, Register 191; am

11 / 15 / 2024, Register 252)

Authority:	AS 19.05.020	AS 19.25.010	AS 19.40.065
	AS 19.05.040	AS 19.25.200	AS 44.42.020
	AS 19.20.010	AS 19.30.121	AS 44.42.030

[EDITOR'S NOTE: THE *HIGHWAY PRECONSTRUCTION MANUAL* REFERRED TO IN 17 AAC 15.171(d) AND (e) IS AVAILABLE FOR INSPECTION AT THE JUNEAU, ANCHORAGE, AND FAIRBANKS REGIONAL OFFICES OF THE DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES. THE *HIGHWAY PRECONSTRUCTION MANUAL* ALSO MAY BE VIEWED THROUGH THE DEPARTMENT'S INTERNET WEBSITE AT [HTTP://WWW.DOT.STATE.AK.US/STWDDDES/DCSPRECON/RESOURCES.SHTML.](http://www.dot.state.ak.us/stwddes/dcsprecon/resources.shtml)]

17 AAC 15.241 is amended to read:

17 AAC 15.241. Safety precautions to be taken by permittee. Each permittee shall protect the public and provide for the continued safe use of a highway or other state property during construction, modification, or maintenance of utility facilities. Closing off a highway or highway segment or creating a detour must be specifically authorized by a current department-approved traffic control plan and must be done in a manner approved by the department. All traffic-control devices must comply with the *Alaska Traffic Manual*, **adopted by reference** [2005, DESCRIBED] in 17 AAC 20.950(1) [, AND ADOPTED BY REFERENCE]. (Eff. 5/23/82, Register 82; am 2/5/2004, Register 169; am 7/15/2009, Register 191; am 11 / 15 / 2024, Register 252)

Authority:	AS 02.15.020	AS 19.10.050	AS 35.05.020
	AS 02.15.102	AS 19.25.010	AS 35.10.210
	AS 02.15.106	AS 19.25.200	AS 35.10.230
	AS 19.05.020	AS 19.30.121	AS 44.42.020
	AS 19.05.040	AS 19.40.065	AS 44.42.030

[**EDITOR'S NOTE:** COPIES OF THE *ALASKA TRAFFIC MANUAL*, ADOPTED BY REFERENCE IN 17 AAC 15.241, ARE AVAILABLE FOR INSPECTION AT REGIONAL OFFICES OF THE DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES LOCATED AT JUNEAU, ANCHORAGE, AND FAIRBANKS, ALASKA. THE *ALASKA TRAFFIC MANUAL* ALSO MAY BE VIEWED THROUGH THE DEPARTMENT'S INTERNET WEBSITE AT [HTTP://WWW.DOT.STATE.AK.US/STWDDDES/DCSTRAFFIC/RESOURCES.SHTML.](http://www.dot.state.ak.us/stwddes/dcstraffic/resources.shtml)]

17 AAC 15.271(d) is amended to read:

(d) The department **may** [WILL, IN ITS DISCRETION,] require the permittee to restore or replace, at **the permittee's** [HIS] expense, trees or shrubbery damaged or disturbed during the construction. Any damage to private property must be remedied as directed by the department.

17 AAC 15.271(e) is amended to read:

(e) All excavated material in excess of the quantity required for backfill in a department right-of-way must be hauled by the permittee, at **the permittee's** [HIS] cost and expense, and stockpiled as specified by the department. All unusable material must be disposed of at the permittee's expense and may not be placed within the limits of a department right-of-way unless approved by the department.

17 AAC 15.271(g) is amended to read:

(g) The department **may** [WILL, IN ITS DISCRETION,] require seeding or sodding of the construction area to prevent soil erosion or to replace the natural vegetative cover. Seeding and sodding operations must comply with the **department's** [1981 EDITION OF THE *ALASKA* *Standard Specifications for Highway Construction*, **adopted by reference in 17 AAC 20.950(8)**, and **with** the special provisions of the utility permit. Any area of right-of-way that is adjacent to private property and **that** [WHICH] has a protective vegetative cover must be fully restored.

17 AAC 15.271(h) is amended to read:

(h) The department will notify the permittee of cleanup and restoration work that has not been satisfactorily performed in accordance with the provisions of the utility permit and will

specify a date for completion of the corrective work. The department **may** [WILL, IN ITS DISCRETION,] perform the cleanup and restoration work that has not been completed to the satisfaction of the department by the specified date. The permittee shall reimburse the department for all work done by the department. (Eff. 5/23/82, Register 82; am

11 / 15 / 2024, Register 252)

Authority:	AS 02.15.020	AS 19.25.010	AS 19.40.065
	AS 02.15.102	AS 19.25.200	AS 35.05.020
	AS 02.15.106	AS 19.30.051	AS 35.10.210
	AS 19.05.020	AS 19.30.121	AS 35.10.230
	AS 19.05.040		

[**EDITOR'S NOTE:** COPIES OF *ALASKA STANDARD SPECIFICATION FOR HIGHWAY CONSTRUCTION* - 1981 MAY BE OBTAINED FROM DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES STANDARDS AND TECHNICAL SERVICES DIVISION, P.O. BOX 3-1000, JUNEAU, ALASKA 99802.]

17 AAC 15.281(b) is amended to read:

(b) Each permittee shall secure authorization from the department

(1) before performing any maintenance **that** [WHICH] requires excavation, plowing, jacking, boring within, or in areas immediately adjacent to, a department right-of-way;

and

(2) to perform that maintenance in accordance with the Alaska Right-of-Way Manual and Alaska Utilities Manual, adopted by reference in 17 AAC 20.950(6) and (7).

17 AAC 15.281(d) is amended to read:

(d) As part of routine maintenance required under (a) of this section, the permittee shall adjust manholes, valves, pull boxes, and any other object that rises to the surface of any paved surface within the highway right-of-way, as required to meet the **department's** [ALASKA] *Standard Specifications for Highway Construction*, adopted by reference in **17 AAC 20.950(8)** [17 AAC 15.301(d)]. The department may require additional or emergency adjustment if conditions warrant.

(Eff. 5/23/82, Register 82; am 7/15/2009, Register 191; am 11 / 15 / 2024 , Register 252)

Authority:	AS 02.15.020	AS 19.25.010	AS 35.10.210
	AS 02.15.102	AS 19.25.200	AS 35.10.230
	AS 02.15.106	AS 19.30.121	AS 44.42.020
	AS 19.05.020	AS 19.40.065	AS 44.42.030
	AS 19.05.040	AS 35.05.020	

The introductory language of 17 AAC 15.301(a) is amended to read:

(a) Electric power and communication facilities installed within **a** department **right-of-way** [RIGHTS-OF-WAY] must comply with regulations of other agencies, including ...

17 AAC 15.301(b) is amended to read:

(b) Water line and sanitary sewer facilities installed within **a** department **right-of-way** [RIGHTS-OF-WAY] must comply with regulations of other agencies, including 18 AAC 72 (**wastewater treatment and disposal** [WASTEWATER TREATMENT AND DISPOSAL]) and 18 AAC 80 (**drinking water** [DRINKING WATER]).

17 AAC 15.301(c) is amended to read:

(c) Pressure pipelines for natural gas, petroleum, steam, or other hazardous materials installed within a department **right-of-way** [RIGHTS-OF-WAY] must comply with regulations and standards enforced by other agencies, including

(1) the provisions of 49 C.F.R. Part 192 (**transportation of natural and other gas by pipeline: minimum federal standards** [TRANSPORTATION OF NATURAL AND OTHER GAS BY PIPELINE: MINIMUM FEDERAL STANDARDS]) and 49 C.F.R. Part 195 (**transportation of hazardous liquids by pipeline** [TRANSPORTATION OF HAZARDOUS LIQUIDS BY PIPELINE]); and

(2) the provisions of 3 AAC 52.010 - 3 AAC 52.080 (**gas utilities** [GAS UTILITIES]).

17 AAC 15.301(d) is amended to read:

(d) Unless otherwise noted in the special provisions of the utility permit, all utility construction within a department **right-of-way** [RIGHTS-OF-WAY] must comply with the following construction standards:

(1) the department's *Alaska Construction Manual*, [AS REVISED AS OF MARCH 13, 2006 AND] adopted by reference **in 17 AAC 20.950(9)**;

(2) the department's *Standard Specifications for Highway Construction*, [2004 EDITION,] adopted by reference **in 17 AAC 20.950(8)**.

17 AAC 15.301(e) is amended to read:

(e) Unless otherwise provided in the special provisions of the utility permit, all utility designs for facilities to be installed within a department **right-of-way** [RIGHTS-OF-WAY] must comply with the following design standards:

(1) the department's *Alaska Standard **Plans*** [DRAWINGS] *Manual*, [AS REVISED AS OF OCTOBER 31, 2003, AND] adopted by reference **in 17 AAC 20.950(10)**;

(2) American Association of State Highway and Transportation Officials (AASHTO),

(A) *A Policy on the Accommodation of Utilities Within Freeway Right-of-way, **5th edition*** [, 5TH EDITION], 2005, **adopted by reference** [*adopted by reference*];

(B) *A Guide for Accommodating Utilities Within Highway Right-of-way*, 4th edition, 2005, adopted by reference;

(3) the department's *Alaska Highway Preconstruction Manual*, [AS REVISED AS OF JANUARY 1, 2005, AND] adopted by reference **in 17 AAC 20.950(4)**;

(4) the department's *Alaska Aviation Preconstruction Manual*, [AS REVISED AS OF JANUARY 1, 2005, AND] adopted by reference **in 17 AAC 20.950(5)**.

17 AAC 15.301(g) is amended to read:

(g) Unless otherwise provided in the special provisions of the utility permit, traffic-control devices and procedures must comply with the following codes and standards:

(1) *Alaska Traffic Manual*, [2005, DESCRIBED IN 17 AAC 20.950(1), AND] adopted by reference **in 17 AAC 20.950(1)**;

(2) the department's *Alaska Sign Design Specifications*, [AS REVISED AS OF APRIL 25, 2003 AND] adopted by reference in 17 AAC 20.950(11).

(Eff. 5/23/82, Register 82; am 10/2/87, Register 103; am 2/5/2004, Register 169; am 7/15/2009, Register 191; am 11 / 15 / 2024, Register 252)

Authority:	AS 02.15.020	AS 19.10.050	AS 35.05.020
	AS 02.15.102	AS 19.25.010	AS 35.10.210
	AS 02.15.106	AS 19.25.200	AS 35.10.230
	AS 19.05.020	AS 19.30.121	AS 44.42.020
	AS 19.05.040	AS 19.40.065	AS 44.42.030
	AS 19.10.040		

Editor's note: [COPIES OF THE *STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION*, ADOPTED BY REFERENCE IN 17 AAC 15.301(d), MAY BE OBTAINED FROM THE DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES, DIVISION OF STATEWIDE DESIGN AND ENGINEERING SERVICES, DESIGN AND CONSTRUCTION STANDARDS SECTION, P.O. BOX 112500, JUNEAU, ALASKA 99811-2500.

COPIES OF THE *ALASKA CONSTRUCTION MANUAL*, *ALASKA DRAWINGS MANUAL*, *ALASKA HIGHWAY PRECONSTRUCTION MANUAL*, *ALASKA AVIATION PRECONSTRUCTION MANUAL*, *ALASKA TRAFFIC MANUAL*, AND *ALASKA SIGN DESIGN SPECIFICATIONS*, ADOPTED BY REFERENCE IN 17 AAC 15.301, ARE AVAILABLE FOR INSPECTION AT THE REGIONAL OFFICES OF THE DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES LOCATED IN JUNEAU, ANCHORAGE, AND FAIRBANKS, ALASKA. THE *ALASKA CONSTRUCTION MANUAL* ALSO MAY BE

VIEWS THROUGH THE DEPARTMENT'S INTERNET WEBSITE AT
HTTP://WWW.DOT.STATE.AK.US/STWDDDES/DCSCONST/RESOURCES.SHTML. THE
HIGHWAY PRECONSTRUCTION MANUAL AND *ALASKA AVIATION PRECONSTRUCTION
MANUAL* MAY BE VIEWED THROUGH THE DEPARTMENT'S INTERNET WEBSITE AT
HTTP://WWW.DOT.STATE.AK.US/STWDDDES/DCSPRECON/RESOURCES.SHTML. THE
ALASKA TRAFFIC MANUAL MAY BE VIEWED THROUGH THE DEPARTMENT'S
INTERNET WEBSITE AT
HTTP://WWW.DOT.STATE.AK.US/STWDDDES/DCSTRAFFIC/RESOURCES.SHTML]

Copies of the material adopted by reference in 17 AAC 15.301(e)(2) may be obtained
from the American Association of State Highway and Transportation Officials (AASHTO) [, 444
NORTH CAPITOL STREET, N.W., SUITE 249, WASHINGTON, DC 20001;] through their
Internet website address: <https://store.transportation.org/>
[HTTP://WWW.TRANSPORTATION.ORG/].

As of Register 151 (October 1999), the regulations attorney made technical revisions
under AS 44.62.125(b)(6) to reflect the name change of the Department of Labor to the
Department of Labor and Workforce Development made by ch. 58, SLA 1999 and the
corresponding title change of the commissioner of labor.

17 AAC 15.481(a) is amended to read:

17 AAC 15.481. Railroad accommodation policy. (a) Grade separation is required for
all railroad crossings on controlled-access highways. At-grade railroad crossings on rural
highways and roads, and urban highways and streets will normally be allowed. However, the

department **may** [WILL, IN ITS DISCRETION,] require grade separation where warranted by conditions of topography and traffic density.

17 AAC 15.481(e) is amended to read:

(e) The department **may** [WILL, IN ITS DISCRETION,] require railroad crossing signals **that** [WHICH] indicate the approach or presence of trains to be installed at those railroad crossings where there is a need for protection beyond that provided by signs. On multiple-lane highways, **the department may require** cantilever-mounted signals [WILL, IN THE DISCRETION OF THE DEPARTMENT, BE REQUIRED]. For railroad crossings at highway intersections, additional signal-light units may be used to supplement the normal complement of lights. At crossings where multiple train movements may occur simultaneously or at crossings in congested urban areas, **the department may require** the use of gates [WILL, IN THE DISCRETION OF THE DEPARTMENT, BE REQUIRED].

17 AAC 15.481(f) is amended to read:

(f) Supports for post-mounted signal heads at the side of a street with curbs must have a horizontal clearance of not less than two feet from the face of the vertical curb. Where there is no curb, supports for post-mounted signal heads must have a horizontal clearance of not less than two feet from the edge of the shoulder, and must have a minimum clearance of six feet from the edge of the traveled way. Where there is no curb or shoulder, the minimum horizontal clearance must be six feet from the edge of the traveled way. All portions of signals and supports **that** [WHICH] extend over the roadway must have a vertical clearance of not less than 17 feet above the roadway surface.

17 AAC 15.481(h) is amended to read:

(h) All railroad signs and signals must conform to the requirements of the *Alaska Traffic Manual*, [2005, DESCRIBED IN 17 AAC 20.950(1), AND] adopted by reference in 17 AAC 20.950(1), or the special provisions of a railroad permit issued under 17 AAC 15.471 relating to vertical clearances of signs and signals over highways or other highway-related facilities such as bike paths, pathways, and sidewalks.

17 AAC 15.481(i) is amended to read:

(i) Railroad communication, electric power, pipeline, and drainage facilities installed in a [THE] department right-of-way [RIGHTS-OF-WAY] must be installed in accordance with 17 AAC 15.120 - 17 AAC 15.301. (Eff. 5/23/82, Register 82; am 2/5/2004, Register 169; am 7/15/2009, Register 191; am 11 / 15 / 2024, Register 252)

Authority:	AS 19.05.020	AS 19.20.030	AS 19.25.200
	AS 19.05.040	AS 19.20.050	AS 19.30.121
	AS 19.10.040	AS 19.25.010	AS 19.40.065
	AS 19.10.050		

[EDITOR'S NOTE: COPIES OF THE ALASKA TRAFFIC MANUAL, ADOPTED BY REFERENCE IN 17 AAC 15.481 ARE AVAILABLE FOR INSPECTION AT REGIONAL OFFICES OF THE DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES LOCATED AT JUNEAU, ANCHORAGE, AND FAIRBANKS, ALASKA. THE ALASKA TRAFFIC MANUAL ALSO MAY BE VIEWED THROUGH THE DEPARTMENT'S INTERNET WEBSITE AT [HTTP://WWW.DOT.STATE.AK.US/STWDDES/DCSTRAFFIC/RESOURCES.SHTML.]

17 AAC 15.551 is amended to read:

17 AAC 15.551. Engineering standards. Railroad facilities installed across or within a department right-of-way must comply with 17 AAC 15.301 and with the following codes and standards:

(1) **standard plans, engineering instructions, and engineering guidelines maintained by the Alaska Railroad Corporation under AS 42.40** [THE AMERICAN RAILWAY ENGINEERING ASSOCIATION

(A) *MANUAL FOR RAILWAY ENGINEERING (FIXED PROPERTIES)*,

1981 – 1982;

(B) *PORTFOLIO OF TRACKWORK PLANS*, 1981 – 1982];

(2) **where not specifically referenced or applicable under (1) of this section, appropriate portions of the Manual for Railway Engineering (MRE) of the American Railway Engineering and Maintenance-of-way Association (AREMA), as the Alaska Railroad Corporation determines under AS 42.40** [THE *SIGNAL MANUAL*, 1980, OF THE ASSOCIATION OF AMERICAN RAILROADS, COMMUNICATION AND SIGNAL SECTION];

(3) *Alaska Traffic Manual*, [2005,] Part 8, [DESCRIBED IN 17 AAC 20.950(1), AND] adopted by reference **in 17 AAC 20.950(1)**;

(4) *Federal-Aid Highway Program Manual* (for federal-aid highway projects),

(A) Railroad-Highway Projects, **23 C.F.R. 646.200 - 646.220, revised as of April 1, 2020** [VOL. 6, CH. 6, SEC. 2, SUBSEC. 1, AS REVISED THROUGH 1981];

(B) Railroad-Highway Insurance Protection Required of Contractors,

23 C.F.R. 646.103 - 646.111, revised as of April 1, 2020 [VOL. 6, CH. 6, SEC. 2, SUBSEC. 2, AS REVISED THROUGH 1981];

(C) Highway-Rail Crossing Handbook, 3rd Edition, revised as of April 1, 2020 [RAILROAD-HIGHWAY GRADE CROSSING SURFACES, VOL. 6, CH. 6, SEC. 2, SUBSEC. 3, AS REVISED THROUGH 1981]. (Eff. 5/23/82, Register 82; am 2/5/2004, Register 169; am 7/15/2009, Register 191; am 11 / 15 / 2024, Register 252).

Authority:	AS 19.05.020	AS 19.30.121	AS 44.42.020
	AS 19.05.040	AS 19.40.065	AS 44.42.030

Editor's note: Copies of standard plans, engineering instructions, and engineering guidelines maintained by the Alaska Railroad Corporation may be obtained from the corporation's Internet website at <https://www.alaskarailroad.com/real-estate/forms-documents>. Copies of the *Manual for [OF] Railway Engineering [(FIXED PROPERTIES) AND PORTFOLIO OF TRACKWORK PLANS]* may be obtained from the Internet website of the American Railway Engineering and Maintenance-of-Way Association at <https://www.arena.org> [, 1920 "L" STREET, N.W., WASHINGTON, DC 20036. COPIES OF THE A.A.R. *SIGNAL MANUAL* MAY BE OBTAINED FROM THE ASSOCIATION OF AMERICAN RAILROADS, COMMUNICATIONS AND SIGNALS SECTION, 1920 "L" STREET, N.W., WASHINGTON DC 20036.

COPIES OF THE *ALASKA TRAFFIC MANUAL*, ADOPTED BY REFERENCE IN 17 AAC 15.551, ARE AVAILABLE FOR INSPECTION AT REGIONAL OFFICES OF THE DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES LOCATED AT JUNEAU, ANCHORAGE, AND FAIRBANKS, ALASKA. THE *ALASKA TRAFFIC*

MANUAL ALSO MAY BE VIEWED THROUGH THE DEPARTMENT'S INTERNET WEBSITE AT [HTTP://WWW.DOT.STATE.AK.US/STWDDDES/DCSTRAFFIC/RESOURCES.SHTML](http://www.dot.state.ak.us/stwddes/dcstraffic/resources.shtml)].

Copies of the *Federal-Aid Highway Program Manual* are available for inspection at the regional offices of the Department of Transportation and Public Facilities located in Juneau, Anchorage, and Fairbanks, Alaska.

17 AAC 20.012(b) is amended to read:

(b) The owner of a sign, display, or device removed from a highway right-of-way under this section shall pay the department a removal cost of a minimum of \$50 per sign, display, or device or the actual cost of removing the sign, display, or device if the documented costs of removing it are more than \$65. For purposes of this section, the actual cost of removal includes the cost of labor, equipment, tools and supplies, and vehicles used for removal. The cost of labor is \$50 per hour. The cost of tools and supplies, if used, is \$15 per sign, display, or device. The hourly cost of equipment and vehicles is the actual cost, not to exceed the applicable amount set out in the Rental Rate Blue Book for Construction Equipment, Vol. 1, adopted by reference in **17 AAC 20.950(3)** [17 AAC 20.950].

(c) Within 30 days after removal, if an owner of a sign, display, or device removed from a highway right-of-way under this section pays the actual cost of removal as determined under (b) of this section, the owner may recover the sign, display, or device. If the owner does not pay the actual cost of removal and recover the sign, display, or device within 30 days after the removal, the department may dispose of the sign, display, or device and initiate civil court proceedings against the owner for the actual cost of removal. (Eff. 3/1/2002, Register 161;

Register 252, January 2025

TRANS. AND PUBLIC FACILITIES

am 11 / 15 / 2024, Register 252)

Authority: AS 19.05.020 AS 19.25.200 AS 44.42.030
AS 19.05.040

17 AAC 20.013(c) is amended to read:

(c) The owner of the land from which the department has removed a sign, display, or device under AS 19.25.150 shall pay the department a removal cost of a minimum of \$50 per sign, display, or device or the actual cost of removing the sign, display, or device if the documented costs of removing it are more than \$65. For purposes of this section, the actual cost of removal includes the cost of labor, equipment, tools and supplies, and vehicles used for removal. The cost of labor is \$50 per hour. The cost of tools and supplies, if used, is \$15 per sign. The hourly cost of equipment and vehicles is the actual cost, not to exceed the applicable amount set out in the Rental Rate Blue Book for Construction Equipment, Vol. 1, adopted by reference in **17 AAC 20.950(3)** [17 AAC 20.950].

(Eff. 3/1/2002, Register 161; am 11 / 15 / 2024, Register 252)

Authority: AS 19.05.020 AS 19.25.150 AS 44.42.030
AS 19.05.040

17 AAC 20.015(b) is amended to read:

(b) The traffic control plan prepared under (a)(2) of this section shall be prepared and implemented in accordance with the relevant provisions of the *Alaska Traffic Manual*, adopted by reference in **17 AAC 20.950(1)** [17 AAC 20.950].

(Eff. 3/1/2002, Register 161; am 11 / 15 / 2024, Register 252)

Authority: AS 19.05.010 AS 19.05.040 AS 44.42.030
AS 19.05.020 AS 19.20.060

17 AAC 20.017(b) is amended to read:

(b) The traffic control plan prepared under (a)(3) of this section shall be prepared and implemented in accordance with the relevant provisions of the *Alaska Traffic Manual*, adopted by reference in **17 AAC 20.950(1)** [17 AAC 20.950].

(Eff. 3/1/2002, Register 161; am 11 / 15 / 2024, Register 252)

Authority: AS 19.05.010 AS 19.25.040 AS 44.42.030
AS 19.05.020

17 AAC 20.950 is amended to read:

17 AAC 20.950. Materials adopted by reference. For purposes of **17 AAC 10**, **17 AAC 15**, this chapter, **and 17 AAC 60**, the following documents are adopted by reference:

(1) the *Alaska Traffic Manual*, **dated June 16, 2016, as amended through 2022** [2005], consisting of the

(A) *Manual on Uniform Traffic Control Devices*, **2009** [2003], including **Revisions 1 - 3, dated through July 2022** [REVISION NO. 1 DATED NOVEMBER 2004], issued by the United States Department of Transportation, Federal Highway Administration; and

(B) department's *Alaska Traffic Manual Supplement*, dated **June 16, 2016**, **including errata and addenda as of June 2022** [DECEMBER 22, 2005];

(2) the department's publication *Federal Aid Highways: Interstate, Primary, and Secondary Highways of Alaska*, dated **February 2022** [NOVEMBER 1, 2000];

(3) the *Rental Rate Blue Book for Construction Equipment*, Vol. 1, dated 2001, published by Intertec Publishing Corporation; the publication in this paragraph is adopted by reference for the sole purpose of determining equipment and vehicle costs for the removal of outdoor advertising located within or outside of highway right-of-way under 17 AAC 20.012 and 17 AAC 20.013;

(4) the department's *Alaska Highway Preconstruction Manual*, dated September 2, 2022;

(5) the department's *Alaska Aviation Preconstruction Manual*, dated January 1, 2021;

(6) the department's *Alaska Right-of-Way Manual*, February 2022 edition;

(7) the department's *Alaska Utilities Manual*, dated June 17, 2022;

(8) the department's *Standard Specifications for Highway Construction*, February 2020 edition, as modified through June 1, 2023;

(9) the department's *Alaska Construction Manual*, dated March 10, 2023;

(10) the department's *Alaska Standard Plans Manual*, dated September 15, 2022, as modified through June 1, 2023;

(11) the department's *Alaska Sign Design Specifications*, dated January 23, 2015, revised as of July 1, 2022. (Eff. 3/1/2002, Register 161; am 2/5/2004, Register 169; am 7/15/2009, Register 191; am 11 / 15 / 2024, Register 252)

Authority: AS 19.05.010 AS 19.05.040 AS 44.42.030
AS 19.05.020 AS 44.42.020

Editor's note: Permit application forms from the [THE] *Alaska Right-of-Way Manual and Alaska Utilities Manual*, [DOCUMENT ENTITLED *FEDERAL AID HIGHWAYS*:

INTERSTATE, PRIMARY, AND SECONDARY HIGHWAYS OF ALASKA] adopted by reference in 17 AAC 20.950, may be **obtained from** [REVIEWED AT] the **regional** [FOLLOWING] offices of the Department of Transportation and Public Facilities [:] located at [DIVISION OF STATEWIDE DESIGN AND ENGINEERING SERVICES, 3132 CHANNEL DRIVE, JUNEAU, AK 99801-7898; RIGHT-OF-WAY CHIEF, CENTRAL REGION, DIVISION OF STATEWIDE DESIGN AND ENGINEERING SERVICES] 4111 Aviation Drive, Anchorage, Alaska **99502** [99519]; [RIGHT-OF-WAY CHIEF, NORTHERN REGION, DIVISION OF STATEWIDE DESIGN AND ENGINEERING SERVICES] **2301 Peger Road or 2720 Pickett Place** [2175 SOUTH UNIVERSITY AVE.], Fairbanks, Alaska 99709 [-4910]; and [RIGHT-OF-WAY CHIEF, SOUTHEAST REGION, DIVISION OF STATEWIDE DESIGN AND ENGINEERING SERVICES,] 6860 Glacier Highway, Juneau, Alaska 99801 [-7999]. **The documents titled *Alaska Right-of-Way Manual* and *Alaska Utilities Manual* may also be viewed at the department's Internet website at <https://dot.alaska.gov/stwddes/dcsrow/>.**

The **documents titled *Alaska Traffic Manual*, *Manual on Uniform Traffic Control Devices*, *Alaska Traffic Manual Supplement*, *Federal Aid Highways: Interstate, Primary, and Secondary Highways of Alaska*, *Alaska Preconstruction Manual*, *Alaska Aviation Preconstruction Manual*, *Standard Specifications for Highway Construction*, *Alaska Construction Manual*, *Alaska Standard Plans Manual*, and *Alaska Sign Design Specifications***, adopted by reference in 17 AAC 20.950, may be viewed at the regional offices of the Department of Transportation and Public Facilities in Anchorage, Fairbanks, and Juneau. [COPIES OF THE *ALASKA TRAFFIC MANUAL SUPPLEMENT* MAY BE OBTAINED BY WRITING THE DIVISION OF STATEWIDE DESIGN AND ENGINEERING SERVICES, DEPARTMENT OF TRANSPORTATION AND PUBLIC FACILITIES, 3132 CHANNEL

DRIVE, JUNEAU, AK 99801-7898]. The Manual on Uniform Traffic Control Devices may also be viewed at <https://mutcd.fhwa.dot.gov/>. The *Alaska Traffic Manual*, *Alaska Traffic Manual Supplement*, and *Alaska Sign Design Specifications* also may be viewed through the department's Internet website at <https://dot.alaska.gov/stwddes/dcstraffic/resources.shtml> [[HTTP://WWW.DOT.STATE.AK.US/STWDDDES/DCSTRAFFIC/RESOURCES.SHTML](http://www.dot.state.ak.us/stwddes/dcstraffic/resources.shtml)].

The Alaska Highway Preconstruction Manual and Alaska Aviation Preconstruction Manual may also be viewed through the department's Internet website at <https://dot.alaska.gov/stwddes/dcsprecon/index.shtml>.

The Standard Specifications for Highway Construction may also be viewed through the department's Internet website at <https://dot.alaska.gov/stwddes/dcsspecs/index.shtml>.

The Alaska Construction Manual may also be viewed through the department's Internet website at <https://dot.alaska.gov/stwddes/dcsconst/index.shtml>.

The Alaska Standard Plans Manual may also be viewed through the department's Internet website at <https://dot.alaska.gov/stwddes/dcsprecon/stddwgeng.shtml>. The *Rental Rate Blue Book for Construction Equipment*, Vol. 1, adopted by reference in 17 AAC 20.950, may be viewed at the Division of Statewide Design and Engineering Services, Department of Transportation and Public Facilities, 3132 Channel Drive, Juneau, Alaska [[AND IS PUBLISHED BY THE INTERTEC PUBLISHING CORPORATION, 9800 METCALF AVE., OVERLAND PARK, KANSAS 66212].

17 AAC 60 010(7) is amended to read:

(7) the TODS may be placed at the proposed location in a manner consistent with the standards set out in the documents adopted by reference in 17 AAC 20.950(1), (4), (8),

(10), and (11) [DESCRIBED IN 17 AAC 60.915(b)];

(Eff. 5/18/97, Register 142; am 3/1/2002, Register 161; am 11 / 15 / 2024, Register 252)

Authority:	AS 19.05.010	AS 19.05.040	AS 19.25.200
	AS 19.05.020	AS 19.25.105	AS 44.42.030

17 AAC 60.120(f) is amended to read:

(f) A logo sign permit holder who holds a logo sign permit for a logo to be located along a highway described in 17 AAC 60.115(b) shall provide an exit ramp sign on the off-ramp as provided in the standards set out in the documents **adopted by reference in 17 AAC 20.950(1), (4), (8), (10), and (11)** [DESCRIBED IN 17 AAC 60.915(b)]. The exit ramp sign is covered under the logo sign permit and does not require a separate fee. (Eff. 5/18/97, Register 142; am 11 / 15 / 2024, Register 252)

Authority:	AS 19.05.010	AS 19.05.040	AS 19.25.200
	AS 19.05.020	AS 19.25.105	

17 AAC 60.215(4) is amended to read:

(4) the RCIA sign may be placed at the proposed location in a manner consistent with the standards set out in the documents **adopted by reference in 17 AAC 20.950(1), (4), (8), (10), and (11)** [DESCRIBED IN 17 AAC 60.915(b)];

(Eff. 5/18/97, Register 142; am 11 / 15 / 2024, Register 252)

Authority:	AS 19.05.010	AS 19.05.040	AS 19.25.200
	AS 19.05.020	AS 19.25.105	

17 AAC 60.415(3) is amended to read:

(3) kiosk may be placed at the proposed location in a manner consistent with the standards set out in the documents adopted by reference in 17 AAC 20.950(1), (4), (8), (10), and (11) [DESCRIBED IN 17 AAC 60.915(b)];

(Eff. 5/18/97, Register 142; am 3/1/2002, Register 161; am 11 / 15 / 2024, Register 252)

Authority:	AS 19.05.010	AS 19.05.040	AS 19.25.200
	AS 19.05.020	AS 19.25.105	AS 44.42.030

17 AAC 60.915(a) is amended to read:

17 AAC 60.915. Designs and specifications for tourist signs. (a) The documents adopted by reference in 17 AAC 20.950(1), (4), (8), (10), and (11) [DESCRIBED IN (b) OF THIS SECTION] contain the designs and specifications for the placement, manufacture, installation, and maintenance of tourist signs. The department will not issue a tourist sign permit unless the sign may be installed in a manner consistent with the documents described in (b) of this section. A sign contractor shall manufacture, install, and maintain a **TODS** [TQDS] to meet the designs and specifications contained in the documents adopted by reference in 17 AAC 20.950(1), (4), (8), (10), and (11) [DESCRIBED IN (b) OF THIS SECTION].

17 AAC 60.915(b) is repealed:

(b) Repealed 11 / 15 / 2024. (Eff. 5/18/97, Register 142; am 3/1/2002, Register 161; am 2/5/2004, Register 169; am 7/15/2009, Register 191; am 11 / 15 / 2024, Register 252)

Authority:	AS 19.05.010	AS 19.05.040	AS 19.25.200
	AS 19.05.020	AS 19.25.105	AS 44.42.030

((Publisher: please delete editor's note following 17 AAC 60.915.)))

17 AAC 60.920 is amended to read:

17 AAC 60.920. Symbols. (a) In issuing a TODS permit, RCIA sign permit, or community services sign permit for a sign that includes a symbol, the department will assign to the application the symbol found in the documents **adopted by reference in 17 AAC 20.950(1), (4), (8), (10), and (11)** [DESCRIBED IN 17 AAC 60.915(b)] that the department determines most accurately conveys the nature of the associated activity.

(b) If the department determines that no symbol contained in the documents **adopted by reference in 17 AAC 20.950(1), (4), (8), (10), and (11)** [DESCRIBED IN 17 AAC 60.915(b)] accurately conveys the nature of the associated activity, the department will withhold the sign permit and direct the applicant to design, at the applicant's expense, an appropriate symbol. The department will direct departmental staff to assist the applicant in designing the symbol. The department will assign the applicant's resulting symbol to the permit and issue the permit if the department determines that the symbol accurately conveys the nature of the associated activity and is stylistically similar to the symbols found in the documents **adopted by reference in 17 AAC 20.950(1), (4), (8), (10), and (11)** [DESCRIBED IN 17 AAC 60.915(b)]. By accepting the permit, the applicant agrees to allow the department to use the symbol for other purposes without compensation. (Eff. 5/18/97, Register 142; am 11 / 15 / 2024, Register 252)

Authority: AS 19.05.010 AS 19.05.040 AS 19.25.200
AS 19.05.020 AS 19.25.105

17 AAC 60.955(a)(4) is amended to read:

(4) require, as a condition of the permit, that the permit holder provide trailblazing signs as required under the standards set out in the documents **adopted by reference in 17 AAC 20.950(1), (4), (8), (10), and (11)** [DESCRIBED IN 17 AAC 60.915(b)]; the permit holder shall arrange for permission to provide the required trailblazing signs along highways not maintained by the state;

(Eff. 5/18/97, Register 142; am 11 / 15 / 2024 , Register 252)

Authority:	AS 19.05.010	AS 19.05.040	AS 19.25.200
	AS 19.05.020	AS 19.25.105	

17 AAC 81.010 is repealed and readopted to read:

17 AAC 81.010. Relocation assistance. The provisions of 49 C.F.R. Part 24 (uniform relocation assistance and real property acquisition for federal and federally-assisted programs), as revised through October 1, 2019, are adopted by reference. (Eff. 5/4/2000, Register 154; am 11 / 15 / 2024 , Register 252)

Authority:	AS 34.60.140	AS 44.42.030
-------------------	--------------	--------------