

**STATE OF ALASKA ITB NUMBER 2525N050  
AMENDMENT NUMBER ONE (1)**

**AMENDMENT ISSUING OFFICE:**



Department of Transportation & Public Facilities  
Statewide Contracting & Procurement  
P.O. Box 112500  
(3132 Channel Drive, Room 350)  
Juneau, Alaska 99811-2500

**THIS IS NOT AN ORDER**

**DATE AMENDMENT ISSUED: January 31, 2025**

**ITB TITLE: Calcium Chloride - Federally Funded**

**DUE DATE: February 10, 2025 at 2:00 PM. (Alaska Time)**

**This is a mandatory return Amendment.** *Your bid may be considered non-responsive if this signed amendment is not received [in addition to your bid] by the date and time bids are due.*

Vendor Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Offerors Name: \_\_\_\_\_

The purpose of this Amendment #1 is to:

- **Modify the Bid due date and time to February 10, 2025 at 2:00 PM. (Alaska Time)**
- **Provide Answers To Questions Received**
- **Modify Sections of the ITB**
- **Provide an Amended Bid Schedule**

**Questions and answers**

**Question #1:**

Is there any flexibility in the deliver dates? For example: Contract will be issues by February 18 with a PO and according to the posted schedule material will need to be delivered to end location within 5 days, February 23 to the Northern-most locations.

STATE OF ALASKA – INVITATION TO BID  
Attachment #1 Bid Schedule

ITB 2525N050  
Calcium Chloride – Federally Funded

**Lot #1: Calcium Chloride, 94-97%, Granular Per Specification #1 For Dalton and Elliott Highway Delivered in 2200 lb. bladders**

<u>Mile Post</u>	<u>F.O.B. Point</u>	<u>Bladder Size</u>	<u>Firm Quantity Tons</u>	<u>Price Per Ton</u>	<u>Total Extended Price</u>	<u>Deliver Not Before</u>	<u>Deliver No Later Than</u>
<b>Dalton Highway</b>							
335	Happy Valley	2200 lbs	220	_____	_____	February 19, 2025	February 23, 2025
305.6	Sag River Camp	2200 lbs	220	_____	_____	February 19, 2025	February 23, 2025
290	117 Pit	2200 lbs	93.5	_____	_____	February 19, 2025	February 23, 2025
274.7	Galbraith Lake Pit	2200 lbs	84.7	_____	_____	February 19, 2025	February 23, 2025

**Answer #1:**

With this amendment the delivery dates are extended by one (1) month. Please see the Amended Bid Schedule provided with this Amendment #1.

**Question #2:**

Are you willing to accept 2205 lb. SSK material?

**Answer #2:**

Yes.

**Question #3:**

We would like to request an amendment to the delivery dates. If the contract is awarded on 02/18/2025, it would be unrealistic to have delivery begin the next day, and be completed in 5 days.

We request that the locations with a current no later date of 02/23/2025 be adjusted to 04/23/2025, and the remaining locations be adjusted accordingly.

**Answer #3:**

Please see Answer #1 above.

**Question #4:**

I am asking for a 4-to-5-day extension for submitting final proposal to get all costs in for shipping based on logistics of deliveries.

**Answer #4:**

With this amendment the bid due date and time is modified to February 10, 2025 at 2:00 PM. (Alaska Time)

**Question #5:**

I have a question on page 32 of the bid. I have attached a screenshot of the section, I've never seen this question before, and I am not sure what information you'd be looking for to be filled out in this section. Can you please help direct me?

**FEDERAL REQUIREMENTS**

Indicate below all known federal requirements that apply to the bid, its evaluation, or the resulting contract:

**Answer #5:**

This section is completed by offerors, if they are aware of federal requirements that apply to this solicitation. If no federal requirements are known by the offeror, this section is left blank by the offeror when submitting the bid.

**End of questions and answers.**

**Modifications to ITB Sections**

1. ITB Section 1.03 DEADLINE FOR RECEIPT OF BIDS is removed in its entirety and replaced with the following.

**SEC. 1.03 DEADLINE FOR RECEIPT OF BIDS**

Bids must be received no later than 2:00 PM Alaska Time on February 10, 2025 at which time they will be publicly opened. Late bids or amendments will be considered non-responsive and will not be opened or accepted for evaluation.

2. ITB Section 1.11 ITB SCHEDULE is removed in its entirety and replaced with the following.

**SEC. 1.11 ITB SCHEDULE**

The ITB schedule below represents the State of Alaska’s best estimate of the schedule that will be followed. If a component of this schedule, such as the deadline for receipt of bids, is delayed, the rest of the schedule may be shifted accordingly. All times are Alaska Standard Time (AST).

ACTIVITY	TIME	DATE
Issue Date / ITB Released	N/A	January 25, 2025
Deadline for Receipt of Bids / Bid Due Date	2:00 PM Alaska Time	February 10, 2025
Bid Evaluations Complete	N/A	February 12, 2025
Notice of Intent to Award	N/A	February 12, 2025
Contract Issued	N/A	February 24, 2025

This ITB does not, by itself, obligate the state. The state's obligation will commence when the contract is approved by the Commissioner of the Department of Transportation & Public Facilities (DOT&PF), or the Commissioner's designee. Upon written notice to the contractor, the state may set a different starting date for the contract. The state will not be responsible for any work done by the contractor, even work done in good faith, if it occurs prior to the contract start date set by the state.

3. ITB Section 2.02 CONTRACT TERM is removed in its entirety and replaced with the following.

**SEC. 2.02 CONTRACT TERM**

The length of the contract will be from the date of award, approximately February 24, 2025, through final delivery. This contract contains no options to renew.

Unless otherwise provided in this ITB, the State and the successful bidder/contractor agree: (1) that any extension of the contract excluding any exercised renewal options, will be considered as a month-to-month extension, and all other terms and conditions shall remain in full force and effect and (2) the procurement officer will provide notice to the contractor of the intent to cancel such month-to-month extension at least 30 days before the desired date of cancellation. A month-to-month extension may only be executed by the procurement officer via a written contract amendment.

4. ITB Section 2.08 product and packaging specifications is removed in its entirety and replaced with the following.

**SEC. 2.02 PRODUCT AND PACKAGING SPECIFICATIONS**

**Specification 1:**

CALCIUM CHLORIDE: Type S, (Pellet)

Must meet requirements of the most current revision of ASTM D98, Type S, Grade N4, Class B (Pellet). **Packaged for delivery in bags and bladder. Package size determined by bidder unless otherwise specified on the Bid Schedule. No deviation if specified.**

CaCl <sub>2</sub> min. percent	94.0
Total alkali chlorides (as NaCl), max. percent	6.0

Total magnesium as MgCl <sub>2</sub> max. percent	0.5
Calcium Hydroxide, max. percent	0.2
Other impurities (not including water) max. percent	1.0

<u>Sieve Size</u>	<u>Percent Passing (by weight)</u>
9.5 mm (3/8")	100
4.75 mm (No. 4)	80 - 100
0.850mm (No. 20)	0 - 10
0.600 mm (No. 30)	0 - 5

**BLADDER REQUIREMENTS:** Bladder weights will be **2200 lbs. or 2205 lbs.** The State reserves the right to specify the size of bladder at any location if noted on the Bid Schedule. All bladders shall be new and unused. **Bladders must have 3-6 mil polyethylene liners that shall be adequately secured to provide a waterproof closure.** The liner must be secured to the body of the bladder so that liners DO NOT separate from the body of the bag. The body of the bladder shall be made of 6-8 oz./sq. yd. uncoated woven polypropylene containing U.V. inhibitor, and the top of bladder, as well as top filling inlet, shall be made of 6 1/4 oz./sq. yd. uncoated woven polypropylene containing U.V. inhibitor. **The top filling inlet of the bladder shall be 14" to 22" diameter x 16" to 21" tall, with nylon or similar type and strength of synthetic tie cord sewn on at mid-height. There shall be an 18" to 30" discharge chute on the bottom with a #6 nylon tie cord or 40" to 48" web tie.**

**The bladders are to have four (4) top lifting loops** (minimum 6,000 lb. tensile strength nylon webbing). Loops must provide a minimum of 6,000 lb. tensile strength with a synthetic product similar in strength, durability and UV and water resistance such as polypropylene or nylon strap webbing. **The length of each loop shall be no less than ten inches.** Loads delivered that do not meet these requirements will be rejected and refused. All costs to correct the load will be at the Contractor's expense. See PRODUCT REJECTION below.

**Bladders shall be secured to standard non-returnable type pallet of suitable size to provide full coverage top and bottom deck.** Pallets must be of appropriate strength with a slip sheet sufficient to prevent bags from settling between slats and of the appropriate size to accommodate loading and unloading of the vehicle chosen by the Contractor for delivery. **Palletized bladders must be stretch wrapped with plastic of minimum thickness of 6 mils. At delivery, all pallet loads must be straight and stable, suitable for reshipping without further adjustments. Damaged pallets jeopardizing the useable condition of the product or hindering the safe off-loading, transfer and use of bladders shall be rejected at the Contractor's expense.**

5. Section 2.26 Orders is removed in its entirety and replaced with the following.

#### SEC. 2.26 ORDERS

At this time, funding prevents the State's use of IRIS to issue individual Purchase Orders. Orders under this ITB will be placed by Delivery Order issued from the Statewide Contracting and Procurement Office. It is the State's intent to issue the Delivery Order(s) by February 24, 2025.

#### End of Modifications to ITB Sections

#### **Attachment #1 Bid schedule has been modified for this Amendment #1:**

The Bid Schedule is amended and included with this *Amendment #1*. Bidders MUST complete and return this amended Bid Schedule with their offer in order to be considered responsive. Failure to submit the amended Bid Schedule with your offer will cause your offer to be deemed non-responsive and your offer rejected.

Bids received after the Due Date and Time will be considered non-responsive.

Signature: 

Date: 1-31-2025

Name: Chris Hunt  
Title: Procurement Specialist 5

**AMENDED BID SCHEDULE AMENDMENT #1**

Lot #1: Calcium Chloride, 94-97%, Granular Per Specification #1 For Dalton and Elliott Highway Delivered in 2200 lb. or 2205 lbs. bladders

Mile Post	F.O.B. Point	Bladder Size	Firm Quantity Tons	Price Per Ton	Total Extended		Deliver Not Before	Deliver No Later Than
					Price			
<b>Dalton Highway</b>								
335	Happy Valley	2200 lbs. or 2205 lbs.	220				March 19, 2025	March 24, 2025
305.6	Sag River Camp	2200 lbs. or 2205 lbs.	220				March 19, 2025	March 24, 2025
290	117 Pit	2200 lbs. or 2205 lbs.	93.5				March 19, 2025	March 24, 2025
274.7	Galbraith Lake Pit	2200 lbs. or 2205 lbs.	84.7				March 19, 2025	April 2, 2025
267.9	Holden Creek	2200 lbs. or 2205 lbs.	107.8				March 19, 2025	April 2, 2025
253	Atigun I River Pit	2200 lbs. or 2205 lbs.	100.1				March 19, 2025	April 9, 2025
224	224MP Pit	2200 lbs. or 2205 lbs.	77				April 2, 2025	April 9, 2025
211	Distaster Creek	2200 lbs. or 2205 lbs.	96.8				April 2, 2025	April 9, 2025
175	Coldfoot DOT	2200 lbs. or 2205 lbs.	48.4				April 9, 2025	April 16, 2025
163	Gary's Corner	2200 lbs. or 2205 lbs.	24.2				April 9, 2025	April 16, 2025
161	Chapman Pit	2200 lbs. or 2205 lbs.	48.4				April 9, 2025	April 16, 2025
138	Jim River Camp	2200 lbs. or 2205 lbs.	55				April 9, 2025	April 23, 2025
125	Bonanza Creek Pit	2200 lbs. or 2205 lbs.	33				April 9, 2025	April 23, 2025
107	Old Man Pit	2200 lbs. or 2205 lbs.	33				April 16, 2025	April 23, 2025
90	Bakers Knob	2200 lbs. or 2205 lbs.	114.4				April 16, 2025	April 23, 2025
76	Sand Pit	2200 lbs. or 2205 lbs.	88				April 16, 2025	April 23, 2025
61.5	7-Mile DOT Camp	2200 lbs. or 2205 lbs.	55				April 23, 2025	April 30, 2025
39	39MP Pit	2200 lbs. or 2205 lbs.	39.6				April 23, 2025	April 30, 2025
19	19MP Pit	2200 lbs. or 2205 lbs.	110				April 23, 2025	April 30, 2025
8	8MP Pit	2200 lbs. or 2205 lbs.	110				April 23, 2025	April 30, 2025
0	0 MP Pit	2200 lbs. or 2205 lbs.	22				April 30, 2025	May 5, 2025
<b>Elliott Highway</b>								
116	116MP Pit	2200 lbs. or 2205 lbs.	68.2				April 30, 2025	May 5, 2025
134	134 MP Pit	2200 lbs. or 2205 lbs.	79.2				April 30, 2025	May 5, 2025
			<b>Total Tons</b>					
				1,928.30				

Manufacturer & Brand: \_\_\_\_\_ NaCl:%  
(The Bidder's failure to provide this information may cause the bid to be rejected as non-responsive)