



**State of Alaska  
Department of Environmental Conservation  
Village Safe Water Program**

555 Cordova Street  
Anchorage, AK 99501  
[april.akers@alaska.gov](mailto:april.akers@alaska.gov)

April 6, 2026

To: Vendor List

Re: Amendment 2  
RFP 26-VSW-ANV-023  
Anvik Water Source Improvements  
RFP Due Date: April 7, 2026 @ 2:00 PM AST

**The following are vendor questions and the department's response:**

1. Vendor: Task 1.2-Will VSW take the lead in obtaining the SHPO compliance?

Department: The Department's Environmental Analyst will lead SHPO compliance efforts through all phases of the project based on the reports prepared by the Contractor in response to the Environmental Review Surveys which are attached to the RFP. The Contractor's role in responding to the Environmental Review Surveys is described in Tasks 1.2, 3.5 and 3.7.

2. Vendor: The Environmental Review Surveys asks if there are "any historic properties or known/potential cultural resources". Will VSW coordinate with SHPO or do we need to include DOI certified archeologist on our team?

Department: VSW will coordinate with SHPO. A DOI-certified archeologist is not required for this contract; however, the Contractor must be able to adequately develop a Report in response to the Environmental Review Surveys attached to the RFP.

3. Vendor: Alaska WELTS database only has the 1978 PHS well log. Does VSW have any other well logs from the community:

Department: The department does not have any additional well logs.

4. Vendor: Would VSW extend the RFP due date to Friday, April 10, 2026?

Department: The RFP due date will not be extended.

April Akers



Procurement Specialist