



THE STATE
of **ALASKA**
GOVERNOR MIKE DUNLEAVY

Department of Natural Resources

DIVISION OF MINING, LAND & WATER
Southcentral Regional Land Office

550 West 7th Avenue, Suite 900C
Anchorage, Alaska 99501-3577
Main: 907.269.8503
TTY: 711 or 800-770-8973
Fax: 907.269.8913

PUBLIC AND AGENCY NOTICE
ADL 234792
Matanuska Electric Association
Public Utility Easement

May 14, 2026

Subject to AS 38.05.850, the Department of Natural Resources (DNR), Division of Mining, Land, and Water (DMLW), Southcentral Regional Land Office (SCRO) has received an application for the following easement:

APPLICANT: Matanuska Electric Association

PROJECT NAME: ADL 234792

GEOGRAPHIC LOCATION: Big Lake, AK

LEGAL DESCRIPTION: Section 17, Township 17 North, Range 3 West, Seward Meridian

REQUESTED ACTIVITY: The applicant has requested approval of a public utility easement that is approximately 370 feet long and 30 feet wide, totaling approximately 0.25 acres, more or less, over state-owned, DMLW managed lands. The purpose of this easement is to install a single-phase, 7,200 volt overhead primary electric utility lines to service residential customers.

The easement, if approved, may differ from that described herein.

REQUESTED TERM: Indefinite

DEADLINE FOR COMMENTS: June 12, 2026

The public is invited to comment on this activity. The purpose of this notice is to gather input before a decision is made. To ensure consideration, written comments or emails must be received by the Division of Mining, Land and Water at Southcentral Regional Land Office, 550 W. 7th Avenue, Anchorage, Alaska 99501 on or before the date noted above. Questions should be directed to Mary Campbell, Telephone: 907-269-8564; or e-mail: Mary.Campbell@alaska.gov.

DNR-DMLW complies with Title II of the Americans with Disabilities Act of 1990. Individuals with disabilities who may need auxiliary aids, services or special modifications to comment should contact Alaska Relay at 711 or 800-770-8973 for TTY services. DMLW reserves the right to waive technical defects in this notice.