



ALASKA DEPARTMENT OF NATURAL RESOURCES

Division of Mining, Land, and Water

Water Resources Section

550 W. 7th Ave, Suite 1020, Anchorage AK 99501

PERMIT TO APPROPRIATE WATER LAS 27409

The State of Alaska, acting by and through the Department of Natural Resources, Division of Mining, Land and Water, 550 West 7th Avenue, Suite 1020, Anchorage, AK 99501-3562, hereinafter referred to as the grantor, under AS 46.15, the Alaska Water Use Act, and the regulations adopted under it, grants to:

City of Stebbins
PO Box 22
Stebbins, Alaska 99671

The right to develop the following use of water:

SOURCE: West Clear Lake
QUANTITY: 80,000 Gallons / Day
PERIOD: June 1st through October 31st
USE: Public Water Supply

With a PRIORITY DATE of September 14, 2007.

The location of this water source:

The proposed source is a point of withdrawal from West Clear Lake, located within a utility right-of-way, further located within the SW1/4 NW1/4 of Section 18, Township 23 South, Range 18 West, Kateel River Meridian, Nome Recording District, Fourth Judicial District, State of Alaska.

The location to which this appropriation is appurtenant:

The City of Stebbins, located within S3/4 of Section 2 and the N1/4 of Section 11, Township 23 South, Range 19 West, Kateel River Meridian, Nome Recording District, Fourth Judicial District, State of Alaska.

Changes in the natural state of water are to be made in the manner and only for the purposes stated in this permit. This permit is subject to the pertinent statutory provisions in AS 46.15, Administrative Regulations in 11 AAC 93, and the following conditions:

The holder of this permit shall:

1. Follow acceptable engineering standards in exercising the privilege granted by this permit.

PERMIT TO APPROPRIATE WATER
LAS 27409

2. Except for claims or losses arising from negligence of the State, defend and indemnify the State, the State's agents, and the State's employees against and hold each of them harmless from any and all claims, demands, suits, loss, liability, and expense, including attorney fees, for injury to or death of persons and damages to or loss of property arising out of or connected with the exercise of the privileges covered by this permit.
3. Comply with all applicable laws, regulations, and conditions.
4. Notify the grantor of any change of address, transfer of any real property identified in this permit, or proposed change in the water appropriation.
5. Failure to respond to a request for additional information during the term of this permit may result in the termination of the permit.
6. If the grantor determines that this appropriation unduly affects a prior appropriator's ability to obtain water in accordance with his or her permit or certificate, this appropriation may be amended or water use may be curtailed until the prior appropriator can again obtain water under his or her prior right. Those individuals within the same area that do not have water rights may also be required to curtail taking water.
7. Each water intake structure shall be designed to prevent the entrainment, impingement and/or entrapment of fish and shall be installed and maintained at each intake location. The effective screen openings may not exceed 0.25 inches (1/4 inch), and water velocity at the screen/water interface may not exceed 0.5 feet per second when the pump is operating, per ADF&G Fish Habitat Permit FH23-III-0247.
8. Operations shall not cause or contribute to the spread of preexisting or authorization holder caused contaminant plumes. All spills and contamination encountered or known must be reported to the Alaska Department of Environmental Conservation (ADEC) and the Alaska Department of Natural Resources (DNR). Permit holder shall cooperate with lawful prohibitions, restrictions, instructions or work plan requirements issued by ADEC.
9. Adhere to 18 AAC 80, comply with the ADEC, Division of Environmental Health-Drinking Water Program *Recommendations for General Project Activities Associated with, or near, a Public Water System Source*, and maintain direct contact with their point-of-contact for the region, Johnny Mendez, at johnny.mendez@alaska.gov, where applicable.
10. Water discharge (including runoff) shall not be discharged at a rate or location resulting in sedimentation, erosion, hazards within adjacent or nearby properties, road rights-of-way, storm drain systems, sanitary sewer systems or other disruptions to the bed or banks of water bodies.
11. Monitor water use and submit monthly water use reports quarterly via email to dnr.water.reports@alaska.gov and southcentral.waterrights@alaska.gov until notified otherwise.
12. Per 11 AAC 05.260(e), an annual administrative service fee shall be assessed on this appropriation of water.

This permit shall EXPIRE on: **January 3, 2029.**

PERMIT TO APPROPRIATE WATER
LAS 27409

This Permit to Appropriate Water is issued by authority of AS 46.15.080 and 11 AAC 93.120 on:

January 3, 2024

Date

Henry Brooks

Henry Brooks

Natural Resource Manager 2