

STATE OF ALASKA
DEPARTMENT OF NATURAL RESOURCES
Division of Mining, Land and Water
Water Resources Section

550 West 7 th Avenue, Suite 1020 Anchorage, AK 99501-3579 907-269-8505 southcentral.waterrights@alaska.gov	P. O. Box 111020 Juneau, AK 99811-1020 907-465-3400	3700 Airport Way Fairbanks, AK 99709 907-451-2790	Office Use Only Date/Time Stamp RECEIVED ADN 2026 SEP 25 AM 11:19:40 ANCHORAGE
Statewide TTY: 711 for Alaska Relay or 1-800-770-8973		Receipt Type: WR	

REQUEST FOR EXTENSION OF PERMIT OR AUTHORIZATION

TWUA/ADL/LAS # LAS 13742

CID # 46547

(For DNR Use Only)

Check box that applies:

- ☒ Construction of water withdrawal, conveyance, and use structures authorized under the above-numbered Permit to Appropriate Water, of which I am the lawful holder, is not complete and/or beneficial use of water is not fully established. Note: Permit holder must show diligent effort toward development of the authorized beneficial use.
- ☐ The project for which water use was authorized under the above-numbered Temporary Water Use Authorization is not complete.

CURRENT WATER USE

Amount(s) of Water Use	Type(s) of Water Use	Water Use Period(s)
29,320 gal per day	Irrigation	May 1 st through September 30 th
675 gal per day	Livestock watering	May 1 st through September 30 th

If structures are different from those listed on your Permit to Appropriate Water or Temporary Water Use Authorization, then attach sketch or plans of structures for withdrawing, conveying, and using water.

Description of Structures Already Completed

Site Cleared.

Description of Structures to be Installed

Infiltration gallery adjacent to stream and 3 inch piping.
 (Low points on our land to be used as natural storage areas)

Reason Work Has Not Been Completed All our reasons for not having completed after the Original permit was transferred to the Seemann Estate Preservation Trust are stated in the the "Request for Extension" Stamped 1/14/2014 in the attached letter (on file with DNR Water Rights Section). After that, we were repeatedly told, "Don't call us; we'll contact you." We did not proceed between 2014-2026 because waiting for final authorization.

Estimated Date of Completion We expect to have the infiltration gallery & livestock watering tanks in place by the end of 2027. Refining the system & completing the Irrigation system & livestock watering will be on-going through-out the 5-year extension.

This information is made a part of the state public records and becomes public information under AS 40.25.110 and 40.25.120 (unless the information qualifies for confidentiality under AS 38.05.035(a)(8) and confidentiality is requested, AS 43.05.230, or AS 45.48). Public information is open to inspection by you or any member of the public. A person who is the subject of the information may challenge its accuracy or completeness under AS 44.99.310, by giving a written description of the challenged information, the changes needed to correct it, and a name and address where the person can be reached. False statements made in an application for a benefit are punishable under AS 11.56.210. In submitting this form, the applicant agrees with the Department to use "electronic" means to conduct "transactions" (as those terms are used in the Uniform Electronic Transactions Act, AS 09.80.010 – AS 09.80.195) that relate to this form and that the Department need not retain the original paper form of this record: the department may retain this record as an electronic record and destroy the original.

I hereby apply for an extension of time to complete construction of the structures and/or establish full beneficial use of water.

 Trustee Seemann Estate
Preservation Trust
Signature Colleen Johansen, Trustee Date 9-25-2026

Fees required by regulation 11 AAC 05.260

Permit to Appropriate Water

- \$50 for one single-family residence or duplex, or for water use associated with one single-family residence or duplex
- \$450 for up to 18 hours of staff time, for activities related to oil and gas and associated substances
- \$450 for up to 18 hours of staff time, for activities related to locatable mining
- \$450 for up to 18 hours of staff time, for hydroelectric power generation capacity greater than 100 kilowatts
- \$450 for up to 18 hours of staff time, for water removal out of a hydrologic unit under AS 46.15.035 or 46.15.037
- \$125 for 5,000 GPD or less for a use not listed above
- \$250 for greater than 5,000 GPD for a use not listed above

Temporary Water Use Authorization

- \$350 for up to 14 hours of staff time, for all uses of water from up to five sources.

If paying by check, please make checks payable to "Department of Natural Resources."