

**STATE OF ALASKA ITB NUMBER 2526H315
AMENDMENT NUMBER Two (2)**



AMENDMENT ISSUING OFFICE:

Department of Transportation & Public Facilities
Statewide Contracting & Procurement
2200 East 42nd Avenue
P.O.Box 196900
Anchorage, Alaska 99515

THIS IS NOT AN ORDER

DATE AMENDMENT ISSUED: June 4, 2026

ITB TITLE: De-icing Chemical Prilled Urea

DUE DATE: June 25, 2026 at 2:00 PM. (Alaska Time)

This is a mandatory return Amendment. Your bid may be considered non-responsive if this signed amendment is not received [in addition to your bid] by the date and time bids are due.

Vendor Signature: _____

Date: _____

Printed Name: _____

Offerors Name: _____

The purpose of this Amendment #2 is to:

➤ **Modify Sections of the ITB**

Modifications to ITB Sections

Modification #1

With this Amendment #2 ITB Section **2.08 Contract Price Adjustment** is removed in its entirety and replaced with the following:

SEC. 2.08 Contract Performance Location

The location(s) the work is to be performed, completed, and managed is the contractor's place of business.

The state will not provide workspace for the contractor. The contractor must provide its own workspace.

By signature on their bid, the bidder certifies that all services provided under this contract by the contractor and all subcontractors shall be performed in the United States.

If the bidder cannot certify that all work will be performed in the United States, the bidder must contact the procurement officer in writing to request a waiver at least 10 days prior to the deadline for receipt of bids.

The request must include a detailed description of the portion of work that will be performed outside the United States, where, by whom, and the reason the waiver is necessary.

Failure to comply with these requirements may cause the state to reject the bid as non-responsive or cancel the contract.

End of Modifications to ITB Sections

Signed by:

Signature: _____

Wallace Cucinello

9C75D5AE979744A...

Date: _____

6/4/2026

Name: Wallace Cucinello

Title: Procurement Specialist 5