

Application for Permits to Mine in Alaska (APMA)

What type activity are you planning to perform? *REQUIRED (1)		Surface estate of mineral properties: *REQUIRED (2)	
☒ Suction Dredging/Reclamation	☐ Reclamation Only	☒ State (General)	☐ State (Mental Health)
☒ Placer Mining/ Reclamation	☐ Access	☐ Federal	☐ Private
☐ Hardrock Exploration/ Reclamation		☐ City or Borough	
Check All That Apply: ☒ Mineral Property Owner ☐ Lessee ☒ Operator		*Required (3)	
Name: <u>Donovan Baggett</u>		Primary Phone Number: <u>719-963-1456</u>	
Address: <u>PO Box 576</u>		Secondary Phone Number: _____	
<u>Kenai, Alaska 99611</u>		Email: <u>donovan1126@yahoo.com</u>	
Click here for the Department of Commerce Link			
Alaska Business/Corporation Entity# _____		Registered Agent (Corp./LLC/LP) _____	
Check All That Apply: ☐ Mineral Property Owner ☐ Lessee ☒ Operator		*Required (4)	
Name: <u>Missy Baggett</u>		Primary Phone Number: <u>719-371-6505</u>	
Address: <u>PO Box 576</u>		Secondary Phone Number: _____	
<u>Kenai, Alaska 99611</u>		Email: <u>missybaggett82@yahoo.com</u>	
Alaska Business/Corporation Entity# _____		Registered Agent (Corp./LLC/LP) _____	
Check All That Apply: ☐ Mineral Property Owner ☐ Lessee ☒ Operator		*Required (5)	
Name: <u>Gavin Rutherford</u>		Primary Phone Number: <u>907-631-8637</u>	
Address: <u>7362 W Parks Hwy #371</u>		Secondary Phone Number: _____	
<u>Wasilla, Alaska 99623</u>		Email: <u>Rutherford.gavin49@yahoo.com</u>	
Alaska Business/Corporation Entity# _____		Registered Agent (Corp./LLC/LP) _____	
Check All That Apply: ☐ Mineral Property Owner ☐ Lessee ☒ Operator		*Required (6)	
Name: <u>Brandon Allen</u>		Primary Phone Number: <u>907-513-6378</u>	
Address: <u>PO Box 576</u>		Secondary Phone Number: _____	
<u>Kenai, Alaska 99611</u>		Email: <u>brandonallen1983@mail.com</u>	
Attach a separate sheet for additional contacts			
Alaska Business/Corporation Entity# _____		Registered Agent (Corp./LLC/LP) _____	
Project Name If Applicable: (7)	Average Number of Workers: *REQUIRED (8)	Start-Up/Shut Down: (Month/Day) (9)	
	3	May 01 to Oct 31	
Mining District: *REQUIRED (10)	Applicable USGS Map(s): *REQUIRED (11)	On What Stream Is This Activity? (12)	
<u>Prince William Sound</u>	<u>Valdez A-7</u>	Mineral Creek	
Legal Description of mineral properties to be worked (MTRS) *REQUIRED (13)		State of Alaska Internal Use Only Natural Resources APR 21 2025 Mining Section RECEIVED	
Example: Fairbanks Meridian Township 001N Range 003E Sections 15, 16, and 21 or F 001N 003E Sec. 15, 16, and 21			
Copper River Meridian Township 008S Range 006W Section 19 NENE			
Copper River Meridian Township 008S Range 006W Section 19 SENE			
Copper River Meridian Township 008S Range 006W Section 19 NESE			
Internal Use Only:			
Date Application Received Complete: _____		Adjudicator: _____	
LAS Entry: _____			
Sec 3 CID: <u>63094</u>	Sec 4 CID: <u>09378</u>	Sec 5 CID: <u>06350</u>	Sec 6 CID: <u>09579</u>

APMA 3258 Access Map



This map was created on 5/29/2025 by the Alaska Department of Natural Resources as a courtesy to supplement the application received. This map displays a graphical illustration only. Source documents remain the official record.


The State of Alaska makes no express or implied warranties (including warranties of merchantability and fitness) with respect to the character, function, or capabilities of electronic services or products or their appropriateness for any user's purposes. In no event will the State of Alaska be liable for any incidental, indirect, special, consequential or other damages suffered by the user or any other person or entity whether from the use of the electronic services or products, any failure thereof or otherwise, and in no event will the State of Alaska's liability to the requestor or anyone else exceed the fee paid for the electronic service or product.

Scale: 1:63,360

Legend

- APMA_Type
- State Mining Claim Active
- APMA_Project**
- Mechanical Placer Mining
- Township
- Suction Dredge / Dredging
- RS2477 Historic Transportation Routes
- Access Route

0 0.75 1.5 Miles
Center: 146°21'22"W 61°9'40"N



MV_ST_MINING

Source: Alaska Department of Natural Resources, Information Resource Managment

Case ID	Case Status Description	Case Type Description	Claim Name	Customer Name	Reference Township Section	Special Code Description	Total Acres
ADL 739269	Active (35)	Mining Claim (713)	MCV-1	Baggett Donovan Lee	C008S006W19	Mining Claim (MC)	40
ADL 739270	Active (35)	Mining Claim (713)	MCV-2	Baggett Donovan Lee	C008S006W19	Mining Claim (MC)	40
ADL 739271	Active (35)	Mining Claim (713)	MCV-3	Baggett Donovan Lee	C008S006W19	Mining Claim (MC)	40

END OF REPORT

Report Information

Source ID	60						
Source Name	MV_ST_MINING						
Source Description							
Run Date and Time	05/29/2025 02:04:33 AKDT						
Record Count	3						

SQL Statement

CASE_ID,CASE_STATUS,CASE_STATUS_DE							
------------------------------------	--	--	--	--	--	--	--

MINERAL PROPERTIES LIST**(14)**

Properties that have previous mining disturbance requiring reclamation, active mining/exploration activities, surface improvements, location of a camp, or provides access through the claim block for mining activities. DO NOT LIST CLAIMS UNLESS LISTED ACTIVITIES ARE ASSOCIATED WITH THEM.

If requesting more than 12 claims, are additional sheets with ADL/BLM/USMS and legal descriptions attached? ☐ Yes ☒ No

Are any of these mineral properties an Upland or Offshore Mining Lease? Yes ☐ No ☒

	ADL/BLM/USMS #	PROPERTY NAME		ADL/BLM/USMS #	PROPERTY NAME
1.	739269	MCV-1	7.		
2.	739270	MCV-2	8.		
3.	739271	MCV-3	9.		
4.			10.		
5.			11.		
6.			12.		

INVENTORY OF EQUIPMENT**(15)**

List all mechanized equipment to be used (make, model, type, size, purpose, and number of each, including pumps). Attach additional sheets as necessary. If you are transporting on a trailer to the claim block, include the trailer size.

Check One:

	Make, Model, Type, Size, Purpose of Equipment or Pump	Quantity of this type	Located on the claim block?	Transporting to claim block?
1.	John Deere 544b	1		✓
2.	Cat 320	1		✓
3.	Box Truck, 10X20' Storage	1		✓
4.	CFG NTB45U, Mini excavator	1		✓
5.	Duramax 4 inch pump	2		✓
6.	Keene 8 inch Dredge	1		✓
7.	Predator 3 inch pump	2		✓
8.	Takeuchi TL10 Skid Steer	1		✓

ACCESS TO THE CLAIM BLOCK**(16)**

Access across surface estates not owned by the State requires approval of the managing agency. It is the responsibility of the applicant to contact the owners of private property to obtain authorization for access.

When are you going to be transporting equipment and/or traveling to and from the claim block? ☐ Winter ☒ Summer

Access to the claim block crosses what type of land(s)?

State ☒ City/Borough ☐ Federal ☐ Private ☐

Indicate type(s) Existing Access to the claim block:

☒ All season Road (These are public easements maintained by municipal, borough, private, or state funds for year round use). List road(s) to claim block: Mineral Creek Road

☐ Existing Route or a RST/ RS 2477 Easement with a mineral base surface.
If the RST/ RS 2477 Easement(s) has a State of Alaska number, please list: _____

☐ Navigable Waterway

☐ Aircraft Supported

Indicate type(s) of access to be constructed within the claim block for development of the mineral resource:

Road(s) ☒ Helicopter Pad ☐ Airstrip ☐ No Improvements or Construction Proposed ☐

Inventory of Equipment pg. 2

	<u>Quantity</u>	<u>Located on claim</u>	<u>Transported to claim</u>
Predator 2 inch pump	2		✓
Shelker Deck	1		✓
Trommel Washplants	2		✓
Mossy Furguson Crawler (Dozer)	1		✓
John Deere 450	1		✓

ACCESS TO THE CLAIM BLOCK, CONTINUED

(16)

Please describe your construction activities and include mitigation measures to protect water, fish and game resources. Include a time frame for final closure and a reclamation plan for access within the claim block. Attach additional pages if necessary:

Trail to claim currently exist, it is Mineral Creek Trail

A access map **MUST** be submitted with your application. Topographic maps at a scale of 1"=1 mile must clearly indicate the proposed access route from start to finish, location of proposed construction activities, and appropriate legal descriptions (township and range) on each map sheet. Paper size should be limited to 8 1/2" x 11". Do not tape maps together.

Name the individual(s) or business(es) who will be conducting the travel:

N/A

List all equipment and vehicles conducting travel to/from the claim block, including vehicle weights and season of travel:

N/A

State the average total miles traveled in one round trip: N/A. State the number of trips proposed: N/A.

State the start and end date(s) or period(s) of proposed travel: N/A.

Select the following terrain type(s) that best describes your route of travel: ☐ Wetlands ☐ Tundra

☐ Uplands ☐ Rivers or Other Water Bodies ☐ Wooded Areas (6" Trees or larger at breast height)

Will water be needed to construct ramps/ ice bridges? ☐ Yes ☒ No

If Yes, estimated quantity of water will be used: N/A gallons/day Water Source: N/A

Are you transporting fuel? ☒ Yes ☐ No

Maximum volume of fuel (in gallons) that is being transported by one vehicle and any trailers or sleds it is towing:

100 gallons

Are you transporting other hazardous substances? ☒ Yes ☐ No If "Yes" indicate type and amount (e.g. gallons, lbs, psi):

Engine Oil/Hydraulic Oil, up to 20 gallons of each as needed

How are petroleum products contained? (i.e., drums, bladders, steel tanks, etc.) Indicate size of containers:

Certified Steel Fuel Tnks, 55-gallon Drums

How are petroleum products being transported? (i.e., skid-mounted tank, trailer, 55 gallon drums on skid, etc.)

55 Gallon Drums, 1- and 5-gallon Containers, 1 Quart Containers

ACCESS TO CLAIM BLOCK CONTINUED

(16)

Does your travel include the staging or storage of equipment or structures off the claim block? ☐ Yes ☒ No

If Yes, describe the location and dimensions of the long term or short term parking and/or storage areas.

N/A

PETROLEUM PRODUCT STORAGE

(17)

Do you have an Oil Discharge Prevention and Contingency Plan approved by the Alaska Department of Environmental Conservation? ☐ Yes ☒ No

Do you have either a trained spill response team or a contract with a spill response company? ☒ Yes ☐ No

Describe any measures you plan to take to minimize drips or spills from leaking equipment or vehicles:

Containments for fuel and oil storage, sorbent pads on hand, regular maintenance and inspection of all vehicles and equipment,

Quantity Petroleum Products to be Stored on the Project Site?

- ☒ 0-1,320 gallons of total storage (Secondary Containment recommended, but not required)
- ☐ 1,321-10,000 gallons of total storage (count only containers with a capacity of 55 gallons or greater). A self-certified Spill Prevention, Control, and Countermeasure (SPCC) plan is required and applies to all products, such as diesel fuel, gasoline, lube oil, hydraulic oil and waste oil. The self certified SPCC form can be downloaded at: <https://www.epa.gov/oil-spills-prevention-and-preparedness-regulations/tier-i-qualified-facility-spcc-plan-template>.
- ☐ 10,000+ gallons of total storage (count only containers with 55 gallons or greater storage capacity). An SPCC certified by a professional engineer is required and applies to all oil products, such as diesel fuel, gasoline, lube oil, hydraulic oil and waste oil.

Indicate Distance Stored From Flowing Waters: 200 Feet. (Minimum distance from naturally occurring water bodies required by DNR is 100 feet).

Is waste oil stored on the project site? ☒ Yes ☐ No If Yes, describe quantity and storage modality: less than 20 gallons in sealed, marked containers

Are fuel containment berms around storage containers? ☒ Yes ☐ No Is berm area lined? ☒ Yes ☐ No

BLM operators submitting a plan of operation must submit a spill contingency plan. Notice level operations are encouraged to submit a spill contingency plan. The optional BLM Spill Contingency Plan can be downloaded from: https://www.blm.gov/sites/blm.gov/files/BLM-AK_spill-contingency-plan_APMA_worksheetSup.pdf

TEMPORARY STRUCTURES/FACILITIES

(18)

Is a camp or placement of any temporary structure requested? ☒ Yes ☐ No

If "No", Please explain:

Describe all temporary improvements (including buildings, tent platforms, out-buildings, etc., including their quantity, dimensions and building type.

What type of property is the camp located on? ☒ State ☐ Federal ☐ Private (Patented) ☐ City or Borough ☐ MHTL

If camp is on private land, provide location:

Proposed perimeter dimensions of camp: 100 Length (feet) 100 Width (feet).

☐ Request use of existing facilities, list ADL(s):

☐ Year-Round ☐ Seasonal, from Approx. to , annually.

☒ Request to place new temporary structures, list ADL(s):

☒ Year-Round ☒ Seasonal, from Approx. Jan to Dec , annually.

	Temporary New Structures Quantity	Existing Structure Quantity	Use (Shop, office, etc.)	Dimensions (ft x ft)	Dimensions (ft x ft)	Dimensions (ft x ft)
Framed	2	N/A	Workshop/Clean room	10x20		
Tent	4	N/A	Living Quarters	10x10		
Trailer	2	N/A	Living Quarters	8x32		
Platforms	1	N/A	Outdoor Kitchen	10x10		
Out-Buildings	2	N/A	Conex for Storage	8x20		
Other:		N/A				

* If Required, list any other structures on a separate sheet, include dimensions, use, and type.

Grey Water and Biological Waste - Describe storage and proposed method of disposal (e.g., leach line, septic, holding tank, or pit privy):

Self contained storage that will be hauled off of the site

Solid Waste - Describe the types of waste that will be generated on-site including garbage, scrap metal, industrial; and describe its disposal method. Note: For on-site disposal on state land, additional authorization is required by DEC and DNR outside of the APMA. Self Contained storage that will be hauled off and removed from site

What is the distance grey water, biological, and solid waste will be located from the ordinary high water mark of the nearest freshwater body (lake, stream, river, rivulet, etc.), or the mean high water mark of a saltwater body:^{300 ft}

Will there be any use of animals (horses, dogs, goats/sheep, etc)? ☒ Yes ☐ No

Required: Dismantle and Removal for Structures: Provide a plan for dismantling and removing structures, equipment, and storage tanks. Include the method and timeline for restoration of all location areas.

Trailers will be hitched and pulled off of site, tents will .

be folded, stored and removed by vehicles, outbuildings and Conexus will be loaded on trailer and removed from the site

MINING METHOD

(19)

☒ Mechanical Placer Mining (e.g., terrestrial open-cut operations with dozer or excavator, etc.)
Estimated cubic yards processed annually: 4,000 yards

☒ Suction Dredge ☐ Mechanical Dredge (e.g., excavator or clam-shell)

List all suction and mechanical dredges. If information is not applicable, write "N/A." Attach extra sheet if necessary.

	Dredge 1		Dredge 2		Dredge 3	
Vessel ID (Name or Number)	Keene 8 inch Dredge		N/A		N/A	
Vessel Dimensions	8ft x 16 ft		N/A		N/A	
Suction Dredge Intake Nozzle Diameter / Pump Size	Inches: 8	HP: 16	Inches: N/A	HP: N/A	Inches: N/A	HP:
Mechanical Dredge Bucket Volume	Cubic Yards: N/A		Cubic Yards: N/A		Cubic Yards: N/A	
Processing Rate	Yds. ³ /Hr.: 20 yph		Yds. ³ /Hr.: N/A		Yds. ³ /Hr.: N/A	
Wastewater Discharge Rate	GPM: N/A		GPM: N/A		GPM: N/A	
Maximum Water Depth	Feet: 20 ft		Feet: N/A		Feet: N/A	
Average Daily Operating Hours	6am thru 6pm		N/A		N/A	
Operation on Sea Ice (Yes/No)	Yes ☐ / No ☒		Yes ☐ / No ☒		Yes ☐ / No ☒	
Vessel Registration # / State	#:	N/A State:	#:	N/A State:	#:	N/A State:

Location: ☐ Offshore / Salt Water ☐ Pond connected to stream
 ☒ Stream ☒ Pond isolated from stream
 ☒ Mine cut isolated from stream

PLACER EXPLORATION DRILLING AND TEST PITS

(20)

Please provide topographic maps showing drilling and/or test pit locations that corresponds with the table below. Maps should (at minimum) have labeled Mineral Properties and labeled locations of proposed activities. Methodology and reclamation of exploration activities must be described in the placer narrative.

Test Pits: ☒ Yes ☐ No

Estimated number of pits to be excavated: 3 How long will the test pit be open if not converted into an active mine cut? 7 days

Average Size: Length: 20 Ft. Width: 10 Ft. Depth: 20 Ft.

Placer Drilling: ☒ Yes ☐ No

Total number of holes to be drilled: 24 Type of drill(s) used: Auger Bits

Drilling and Test Pit Identification and Mineral Property Information

Trench/Hole ID on Map	ADL/BLM/USMS NUMBER
T	739269
T	739270
T	739271

MINING METHOD

(19)

☒ Mechanical Placer Mining (e.g., terrestrial open-cut operations with dozer or excavator, etc.)

Estimated cubic yards processed annually: 4,000 yards

☒ Suction Dredge ☐ Mechanical Dredge (e.g., excavator or clam-shell)

List all suction and mechanical dredges. If information is not applicable, write "N/A." Attach extra sheet if necessary.

	Dredge 1		Dredge 2		Dredge 3	
Vessel ID (Name or Number)	Keene 8 inch Dredge		N/A		N/A	
Vessel Dimensions	8ft x 16 ft		N/A		N/A	
Suction Dredge Intake Nozzle Diameter / Pump Size	Inches: 8	HP: 16	Inches: N/A	HP: N/A	Inches: N/A	HP:
Mechanical Dredge Bucket Volume	Cubic Yards: N/A		Cubic Yards: N/A		Cubic Yards: N/A	
Processing Rate	Yds. ³ /Hr.: 20 yph		Yds. ³ /Hr.: N/A		Yds. ³ /Hr.: N/A	
Wastewater Discharge Rate	GPM: N/A		GPM: N/A		GPM: N/A	
Maximum Water Depth	Feet: 20 ft		Feet: N/A		Feet: N/A	
Average Daily Operating Hours	6am thru 6pm		N/A		N/A	
Operation on Sea Ice (Yes/No)	Yes ☐ / No ☒		Yes ☐ / No ☒		Yes ☐ / No ☒	
Vessel Registration # / State	#:	N/A State:	#:	N/A State:	#:	N/A State:

Location: ☐ Offshore / Salt Water ☐ Pond connected to stream
☒ Stream ☒ Pond isolated from stream
☒ Mine cut isolated from stream

PLACER EXPLORATION DRILLING AND TEST PITS

(20)

Please provide topographic maps showing drilling and/or test pit locations that corresponds with the table below. Maps should (at minimum) have labeled Mineral Properties and labeled locations of proposed activities.

Methodology and reclamation of exploration activities must be described in the placer narrative.

Test Pits: ☒ Yes ☐ No

Estimated number of pits to be excavated: 3 How long will the test pit be open if not converted into an active mine cut? 7 days

Average Size: Length: 20 Ft. Width: 10 Ft. Depth: 20 Ft.

Placer Drilling: ☒ Yes ☐ No

Total number of holes to be drilled: 24 Type of drill(s) used: Auger Bits

Drilling and Test Pit Identification and Mineral Property Information

Trench/Hole ID on Map	ADL/BLM/USMS NUMBER
	739269
	739270
	739271

EXPLOSIVES**(21)**Will explosives be used? ☐ Yes ☒ No If "Yes", Indicate: Type: Amount:

Explosive Handler's Certification/ATF Permit Numbers:

Describe your blast design, blast schedule, and explosives handling plan in the project narrative.

WATER ENTRAPMENT**(22)**Will you be capturing water for use in mining operations? ☒ Yes ☐ No The entrapment is: ☐ Existing ☒ To be constructedWhere does the water have a potential to being stored? ☐ Above ground ☒ Below ground level ☐ BothIf above ground, what is the Length N/A ft Height N/A ft Width at crest N/A ft Width at base N/A ft of the berm(s)What is the purpose of the water use? ☒ Makeup water pond ☒ Settling/recycle pond ☐ Stream diversion Other _____How long do you expect for the entrapment to be in place ☐ Permanent ☐ 1-3 years ☐ 3-5 years ☒ 5 or moreIf above ground, how many acre-feet is the maximum capacity of water stored from ground level to crest of the berm? N/A

Total volume in acre-feet = surface area (acres) x average depth (feet) (1 acre = 43,560 square feet)

Where is the topographic location of the water storage area? ☒ Valley bottom ☐ HillsideIf on a hillside, Approximately how many feet is the water storage above the valley floor N/A ft**IN-STREAM ACTIVITIES and STREAM CROSSINGS****(23)**

List any equipment (refer to Box 15 if necessary) that will be crossing streams (including low-water crossings along established trails/roads) or used in any natural waterbody or used in-stream:

Dozer and Excavator

List all stream crossings, suction dredge or pump locations, including unnamed streams.

	Stream Name/ Water Source	NAD 83 Datum (approximate) Coordinates can be obtained using Alaska Mapper http://dnr.alaska.gov/mapper/controller		MTRSC ¼ ¼ Ex: F001S001N01 SWSW	Check boxes to indicate type(s) of activity		
		Latitude ddd.mmmm	Longitude -ddd.mmmm		Crossing	Dredging	Water Intake
1.	Mineral Creek	61.1615N	146.3576W	C008S006W19SENE	☐	☒	☐
2.	Mineral Creek	61.1605N	146.3575W	C008S006W19SENE	☐	☐	☒
3.	Mineral Creek	61.1568N	146.3575W	C008S006W19NESE	☐	☐	☒
4.	Mineral Creek	61.1635N	146.3597W	C008S006W19SENE	☒	☐	☐
5.	Mineral Creek	61.1622N	146.3581W	C008S006W19SENE	☒	☐	☐

If in-stream activities and/or stream crossings are requested at more than 5 locations, please provide tabular data format.

WATER USE AUTHORIZATIONS

(24)

If water is impounded, withdrawn, or diverted, the ADNR Water Resources Section needs to review the water sources and water uses to determine if a water use authorization is needed. Water usage (including from 100% recycle pond systems) may require approval by issuing a Temporary Water Use Authorization (TWUA) or a Water Right. Information provided below will be used to determine the quantity of water that you may be authorized to use for your mining operation. When estimating water quantities, please estimate withdrawal amounts typical of a dry summer and provide the maximum quantity that you may withdraw from a particular source (e.g., stream, pond, groundwater, etc.) in a season. A TWUA application may be initiated from this APMA, unless a Water Right is requested. Please contact the ADNR, Water Resources Section at telephone number (907) 451-2790 for more information.

- Is there a current Water Right within the proposed mineral property boundary? Yes ☐ No ☒
- If yes, provide the LAS or ADL Water Right Case File number:
- What are the months of water use needed (for example May 1st through October 31st)? April 15th - Nov 15th

Name & Location of Water Source(s):

- If water is required **to fill** or **to maintain** water in the recycle/settling pond system check the applicable box (table below in part A) for each water source used. Please note that a recycle/settling pond system is a water source (5 sources per TWUA). Stormwater from rainfall or snowmelt do not require water use authorizations.
- Identify each water source and its geographic location using MTRS. Include Lat/Long coordinates if available.

Example: Finger Lake: Fairbanks Meridian, Township 3 North, Range 3 West, Section 20.

MTRS: F3N3W 20

Lat/Long: 65° 4' 15" N; 148° 12' 43" W

A. Name & Location of Water Source(s). No more than 5 water sources per TWUA. Attach list of additional sources if needed. A \$450 fee is associated with each TWUA. The APMA paperwork is all that is needed to apply for TWUAs. For example, if there are 20 sources listed in the APMA, 4 TWUA case files will be generated. When submitting an APMA, a separate Application for Temporary use of Water form is not needed.

Provide the geographic name or locally know name of water Source. (Recycle/settling ponds, creek, stream, well, etc.) If requesting a stream reach, clearly identify the entire stream reach on a legible map.	Meridian	Township	Range	Section(s)	Start-Up Water and/or Make-Up Water? Check each applicable box.			
<u>Example:</u> Unnamed Creek	F	3N	3W	20	Start-Up	☒	Make-Up	☒
1. Mineral Creek	C	8S	6W	19	Start-Up	☒	Make-Up	☒
Latitude: 61.1605N					Longitude: 146.3575W			
2.					Start-Up	☐	Make-Up	☐
Latitude:					Longitude:			
3.					Start-Up	☐	Make-Up	☐
Latitude:					Longitude:			
4.					Start-Up	☐	Make-Up	☐
Latitude:					Longitude:			
5.					Start-Up	☐	Make-Up	☐
Latitude:					Longitude:			

WATER USE AUTHORIZATIONS CONT.

(24)

B. Water Use Activities. Complete applicable information for each source. For recycle/settling pond system complete part C. **Recycle/Settling Pond System.** For stream diversions also complete Section 29.

Geographic Name of Water Source (Same as sources Above). Describe the water use information for each source. For recycle/settling pond system complete Section C.	Diversion (gpm/cfs)	Withdrawal Rate (gpm/pump)	Number of Pumps	Hours per Day	Days per Month
1. Mineral Creek	300	300	2	8	15
2.					
3.					
4.					
5.					

C. Recycle/Settling Pond System	Withdrawal Rate (gpm/pump)	Number of Pumps	Hours per Day	Days per Month	Additional Notes:
This system will also need to be listed as a water source in Section A. This entire pond system counts towards the 5 sources allowed per TWUA. Provide Length (L), Width (W), and Depth (D), of each pond. Beaver ponds or similar nature made impoundments will not be permitted for use as settling ponds.	300	2	8	15	
	Pond # 1: L: 30 ft W: 50 ft D: 15 ft			Pond # 2: L: 30 ft W: 50 ft D: 15 ft	
	Pond # 3: L: 30 ft W: 50 ft D: ft			Pond # 4: L: 50 ft W: 70 ft D: 15 ft	

D. Camp Water Uses	Maximum # of People in Camp	Withdrawal Rate (gpm/pump)	Number of Pumps	Hours per Day	Days per Month	Source(s) of Water Well, Haul, Stream, Spring, Lake Source(s) will count towards the 5 sources identified in Section A.
Provide information on camp water uses. If an ADEC public drinking water system is used, please attach certificate to operate and/or associated documents.	6	320	1	1	30	Lake, Self Contained
Additional Notes:						

WATER USE AUTHORIZATIONS CONTINUED

(24)

E. Exploration Activities A map of your requested drilling water sources is required with the following information: -MTRS sections, -stream reaches or other water sources (please label, including take points if known) -and drill hole locations.	Is Water Needed for Exploration Trenching or Drilling?	Withdrawal Rate (gpm/pump)	Number of Pumps	Hours per Day	Days per Month	Source(s) of Water Well, Haul, Stream, Spring Lake, etc. Source(s) will count towards the 5 sources identified in Section A.
	N/A	N/A	N/A	N/A	N/A	N/A

D. SUCTION DREDGING.

If suction dredging activity is occurring, please ensure that you have completed the dredge table in Section (19) MINING METHOD.

TIMBER CLEARING AND USE
(Operations on State Lands Only)

(25)

Pursuant to AS 38.05.255, timber from land open to mining without lease, except "timberland", may be used by a mining claimant or prospecting site locator for the mining or development of the location or adjacent claims under common ownership. Timber not used for the mining or development of the location or adjacent locations, that is removed from the operation must be acquired via timber sale or written letter of non-objection from the Alaska Division of Forestry.

For questions on the appropriate use of timber on federal mining claims, contact your local BLM field office.

On other lands ("timberlands" and in areas that are closed to mining without lease), timber cleared, used and/or removed must be acquired via a timber sale or a written letter of non-objection from the Alaska Division of Forestry.

Will timber be used for the mining or development of the location or lease? ☐ Yes ☒ No

Describe the timbered area or areas to be cleared; include a map or drawing of the area of timber to be cleared.

Describe the amount of timber to be used for the mining or development of the location or lease and the clearing methods you will use.

Are more than 40 acres of timbered area(s) to be cleared? ☐ Yes ☒ No

11 AAC 86.145, "A classification or designation indicating that timber and other forest products of significant value are included within a mining property is prima facie evidence that the land on which the property is located is considered to be "timberlands" for purposes of AS 38.05.255"

WASTEWATER DISCHARGE PERMIT APPLICATION**(26)**

All mechanical placer mine, suction dredge, and mechanical dredge operations that discharge to a water of the U.S. require an Alaska Pollutant Discharge Elimination System (APDES) permit from DEC. See Cover Pages for a list of APDES permit fees.

Operations wishing to discharge under the APDES Small Suction Dredge General Permit (dredges with intake diameters of 6" or less, or highbankers) may skip this section but must complete annual online registrations, including \$25 fee payments, at <https://dec.alaska.gov/water/edms>.

Previously issued DEC-APDES Wastewater discharge permit #: N/A

Do you want this APMA to act as an application or renewal for any of the following APDES general permits (GPs)*:

Mechanical Placer Miners GP (open-cut terrestrial operations):

☒ Yes ☐ No

Medium-Size Suction Dredge GP (nozzle diameter greater than 6" to 10"):

☒ Yes ☐ No

Norton Sound Large Dredge GP (nozzle diameter greater than 10" or mechanical dredge):

☐ Yes ☒ No

Waterbody the discharge flows directly into, or would potentially flow: Mineral Creek

Approximate coordinates of mine site:

Latitude: 61.1615N

Longitude: 146.3576W

Source (e.g., DNR - Alaska Mapper): Alaska Mapper

*Mechanical placer operations that do not elect coverage under the Mechanical Placer Miners GP may be required to obtain coverage under the Multi-Sector General Permit for Storm Water. Contact DEC to terminate a permit.

Optional* - Mixing Zone Request or Termination for Mechanical Placer Mine Operations

Do you wish to apply for a mixing zone and modified turbidity limit from DEC?

☐ Yes ☒ No

If a mixing zone is requested, provide the following:

Coordinates of discharge location: Latitude: _____ Longitude: _____

Maximum Effluent Flow anticipated from your operation _____ (GPM) [must be greater than zero (0)].

Distance to nearest downstream drinking water source _____ and downstream placer mine _____.

Do you wish to terminate an active authorized mixing zone? ☐ Yes (APDES# _____) ☐ No

*A mixing zone authorizes an increase in the permit's turbidity limit based on available dilution from the surface water. Permittees without mixing zones must meet the water quality standard for turbidity at the point of discharge into the surface water.

**Certification Statement – applicable only to information required for DEC authorizations
(required for all DEC permit or mixing zone applicants)**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Responsible Party: [Signature]

Responsible Party Name (First Last, Position) - Printed: DONOVAN BALGETT

Business Name (if applicable) - Printed: _____

SECTION 404 WETLANDS PERMIT

JURISDICTIONAL DETERMINATION (CORPS JD) and MITIGATION STATEMENT

All Placer Mining applicants are required to contact the Corps of Engineers for submittal requirements.

A complete application for a Department of the Army (DA), U.S. Army Corps of Engineers (Corps) Section 404 permit includes a description of project impacts (contained in the APMA), a Jurisdictional Determination (JD) and a Mitigation Statement. The applications for the JD and the Mitigation Statement are contained in two Corps Supplements, which may be attached to this APMA. The Supplements may be downloaded from the Corps and DNR websites, or obtained directly from a Corps office in paper copy, by email, or mail. Please contact the Corps to determine what supplements are required.

The Supplements are available at: <https://www.poa.usace.army.mil/Missions/Regulatory/Placer-Mining/>

Corps Supplement, Attachment 1, Jurisdictional Determination: Attachment 1 must be filled in and submitted to the Corps for all new placer applications (New and Existing Operations). Photos of your mine site are required. Your JD will be valid for five years. Your photos will be used only for the purpose of conducting an offsite JD.

Corps Supplement, Attachment 2, Mitigation Statement: Alaska District regional mitigation policy for placer mining operations under this General Permit (GP) emphasizes avoidance and minimization of impacts; **compensatory mitigation is not required**. However, by regulation, a Mitigation Statement covering measures for avoidance, minimization, and compensatory mitigation, or, a reason why compensatory mitigation is not proposed, must be submitted to the Corps with each new APMA for projects that impact waters of the U.S.

Provide the Latitude and Longitude of the operation location (DD, NAD83):

Latitude: 61.1635N Longitude: - 146.3607W

Source (e.g., DNR - Alaska Mapper): Alaska Mapper

Please list Corps permits previously issued for this site: POA-_____ - _____, POA-_____ - _____

Certification Statement

The Alaska District will accept the APMA as a pre-construction notification, pursuant to 33 CFR 320.1 (c). Application is hereby made for a permit to authorize the work described in this APMA. I certify the information in the APMA, and any required Supplements, is complete and accurate. I further certify that I possess the authority to undertake the work described herein or am acting as the duly authorized agent of the operator/ applicant.

Operator or Agent:

DOJUAN BAGGETT
Print Name

Signature _____

Date _____

STREAM DIVERSION AND CULVERTS

(28)

A MAP OF COMPLETE STREAM DIVERSION IS REQUIRED: The map MUST show the entire length of the diversion (i.e., where the water is diverted from the natural stream channel to where it returns to the natural stream channel) with start and end locations clearly marked. Pending on the scale of the proposed diversion, additional maps, construction details, and a stream reclamation plan may be requested in addition to this section after initial review. Operations on BLM lands that are proposing a stream diversion are encouraged to contact their local field office as early as possible in the permitting process due to additional requirements. **Contact ADF&G, Habitat Section for Fish Habitat Permitting information regarding diversion requirements.**

Please note: A stream diversion structure may also qualify as a dam and be subject to the Alaska Department of Natural Resources Dam Safety Program per definitions provided in AS 46.17.900(3). If you require further regulatory guidance regarding dams, please contact our Dam Safety and Construction Unit, Dam Safety Engineer at (907) 269-8636, or for more information go to the Alaska Dam Safety Program website at: <http://dnr.alaska.gov/mlw/water/dams/>

Is Stream Diversion Required? ☒ Yes (if Yes, complete information below). ☐ No

Stream Name: Mineral Creek

☐ Existing (Date Constructed _____) ☒ To Be Constructed (Date 6/1/2025)

Diversion Start/upstream Location (Lat/Long) 61.1647N 146.3575W

Diversion End/Downstream Location (Lat/Long) 61.1631N 146.3577W

Is Stream Diversion? ☐ Permanent ☒ Temporary 2 year(s) 6 months

Will diversion be reclaimed annually prior to freeze-up or be retained throughout the mine life?

☐ Annually reclaimed/returned to natural stream ☒ Maintained throughout mine life

Dimensions of existing stream in diversion area:

Length _____ (ft) Top Width _____ (ft) Bottom Width _____ (ft) Depth _____ (ft) Floodplain Width _____ (ft)

Dominant substrate type (Choose Two): ☐ Bedrock ☒ Boulder ☐ Cobble ☒ Gravel ☐ Sand ☐ Silt/Clay

Dimensions of proposed diversion:

Length 1525 (ft) Top Width 12 (ft) Bottom Width 12 (ft) Depth 1 (ft) Floodplain Width 25 (ft)

Note: The general geomorphology (e.g., meander, width/depth, pools/runs, etc.) and instream components (e.g., large woody debris, boulder/cobble, etc.) of the natural stream should be mimicked to the extent practicable.

***Required: A written stream diversion narrative in addition to this form. The narrative should describe the following:**

- 1.) Step by Step Procedures
- 2.) Construction Techniques
- 3.) Reclamation Techniques
- 4.) Timelines

Are culverts being installed in any natural water-body or diversion structures? Yes No _____
If yes include culvert locations, sizes and length on a map or table.

Stream Diversion construction narrative

With the diversion of the creek, my plan is to use overburden material, such as sand, dirt, rocks, wood and other natural material to construct a levee/dike wall in order to keep the water source from flowing into the tributary of Mineral Creek with the water keeping a natural flow in the main channel of Mineral Creek.





Fresh Water Pond is approximately 325ft from
Mineral Creek's main Channel

N↑

Berm is approximately 1425ft

Berm is made up of rock, boulders, gravel and sand
in order to ^{cut} off the main channel of Mineral Creek
From feeding the tributary to the West of Mineral Creek.





1st Cut will be made up of the Tributary Creek Bed once the berm is in place and removes its water supply.

1 Culvert will be installed in order to support road in a No Named Creek and a 2nd Culvert on Horsetail Creek in order to support the same road that will allow access to all 3 claims. (Ad # 739269, 739270, 739271)

Both Culverts measure 24in x 20ft.



Ⓣ — Test Hole

Spatial Analysis

Measure Area

Acres

4.89 acres




Spatial Analysis

Measure Area

Acres

4.89 acres




Spatial Analysis

Measure Area

Acres

4.97 acres






Spatial Analysis

Measure Area

Acres

4.91 acres





Spatial Analysis

Measure Area

Acres


3.73 acres





PLAN MAP OF OPERATION *REQUIRED

(29)




(Attach additional sheets, along with detailed explanations as necessary)

CROSS SECTION SKETCH *REQUIRED


BEFORE ACTIVITY

(30)




Cross section view of Ad1*739269

DURING ACTIVITY



First cut will include the construction of a berm of 3ft to consist of gravel, boulder, rock, sand and dirt in order to remove the water supply in order to process the creek bed material

AFTER ACTIVITY




After Cut 1 is processed a creek bed will be reclaimed to its original state and the berm will be removed to restore flow


CROSS SECTION SKETCH *REQUIRED

BEFORE ACTIVITY (Testing)

(30)




DURING ACTIVITY (Testing)



Test holes will be performed with a skid steer/auger, approx 12 in - 18 inches in diameter and 10ft deep. Another form of testing will be trenching, in better areas in order to perform a bigger test with excavator and a trench approximately

4ft x 10ft x 200ft (w/ Dredge)

AFTER ACTIVITY (Testing)



A narrative of the operation is required. Please use this space to describe the access, mining process, environmental protection measures and reclamation measures to be used for the duration of this permit. Use multiple sheets if necessary.

DESCRIBE ACCESS, PERSONNEL HOUSING AND CAMP LAYOUT:

Personnel will be able to access the Camp and Camp Layout the way of Mineral Creek Trail to a road that will be built to access the Claims off of Mineral Creek Trail and access the Camp throughout.

DESCRIBE PROGRESSIVE STEPS OF MINING METHOD:

Exploration & Prospecting Stage: Finding an economically sufficient amount of the deposit.

Discovery Stage: Mine-site design and planning

Development Stage: to build the Mine Site and prepare for production

Production Stage: to start processing material

Reclamation Stage in order to set the land back to its natural state in order to restore a productive, livable environment for fish, wildlife and the Natural Habitat

DESCRIBE PLANNED RECLAMATION MEASURES INCLUDING TIMELINE FOR RECLAMATION TO TAKE PLACE:

Reclamation will be performed at the end of every mining operation by ensuring that all disturbed areas are stabilized, prevent erosion and promote all Native Plant Growth,

DISCUSS WATER MANAGEMENT PLANS, INCLUDING USE, SOURCE, QUANTITY AND SURFACE WATER/

EROSION MANAGMENT PLAN:

Water and erosion will be managed by the installation of berms and culverts in order to manage all surface waters.

DISCUSS FUEL STORAGE, HANDLING, AND SPILL PREVENTION AND RESPONSE PLANS:

All Fuel will be stored in approved containers in order to prevent leaks and spills, but if a spill does occur it will be dealt with immediately with proper absorption materials, then remove and safely dispose of all material.

DISCUSS HOW THE OPERATION WILL AVOID/MITIGATE POTENTIAL IMPACTS TO FISH, WILDLIFE AND

CULTURAL RESOURCES:

All pumps and dredges used in the operation of the mine will use screens to prevent any harm to any fish or natural habitat in the area.

*Trash & Food will be stored properly and wildlife will not be harassed.
If cultural resources are found, work in that area will stop and DNR will be notified*

Addition to mining method narrative

My plans for dredging is mainly for testing uses and to use during down time from placer mining.

HARDROCK EXPLORATION TRENCHING and DRILLING**(32)**

(Indicate target and trenching locations on sketch sheet and/or topographic map)

Trenching: ☒ Yes ☐ NoEstimated number of trenches to be excavated: 6 How long will trenches be open? 7 daysAverage Size: Length: 20 Ft. Width: 2 Ft. Depth: 10-15 Ft.**Drilling:** ☒ Yes ☐ NoType of Drill(s) Used: AugerTotal Number of Holes 24Diameter of Drill Rod/Casing Rod 3 inch (NQ/HQ/H,Etc.)Drilled: Estimated Maximum Depth: 6-10 footIndicate how many pumps per water source: N/AWill water be used? ☐ Yes ☒ NoWater source name(s): N/A***Describe detailed drill plan, closure, plugging methodology, reclamation and abandonment in project narrative.***

Trench/Drilling Location and Mining Claim Information

Trench/Drill ID on Map	ADL/BLM/USMS NUMBER	Decimal Degrees, NAD 83 Datum	
		Latitude	Longitude (approximate)
T	739269	61.1655N	146.3609W
T	739270	61.1625N	146.3598W
T	739271	61.1589N	146.3604W

If more than 8 trenches/drill sites, please provide data in tabular format (APMA tabular data template for reporting proposed activities and reclamation)

2024 ANNUAL RECLAMATION STATEMENT

(33)

- ☒ Placer Mining
☐ Suction Dredging
☐ Hardrock Exploration

APMA # 3258

Complete and return this statement by December 31, 2024. If you did not operate, fill in your name, check bottom box, sign, and return form.

In accordance with AS 27.19 (Reclamation Act):

I, _____ hereby file an annual reclamation statement for the 2024 mining operation described in subject Application for Permits to Mine in Alaska. (Submission of this statement does not constitute reclamation approval.)

Volume of material disturbed in 2024: _____ cubic yards (Includes stripping and processed material.)

Sluice days last season: _____ Cubic yards of material processed daily: _____ Annually: _____

Total acreage disturbed in 2024: State _____, Federal _____, Private _____. (Includes stripped areas, mining cuts, overburden and tailing stockpiles and disposal areas, temporary stream diversions, stream bypasses, and settling ponds.) Federal operators should include area of camp and access roads.

Length _____ feet and Width _____ feet of stream diversion.

Stream diversion: ☐ Temporary ☐ Permanent ☐ No Diversion (check one).

Total Area reclaimed in 2024: _____ acres.

Total un-reclaimed acres: _____ (This should match "total acreage currently disturbed" on the 2025 Reclamation Plan Form.)

For areas reclaimed, the following reclamation measures were used (check only measures that were used).
You must include photographs or videotapes of the completed reclamation work:

- ☐ Spread and contoured tailings
☐ Spread topsoil, vegetation, overburden muck or fines on the surface of contoured tailings
☐ Reestablished flood plain with stream channel in stable position
☐ Ponds are reclaimed
☐ Backfilled and reclaimed temporary stream diversions
☐ Camp removed, cleaned up and left free of debris
☐ Hardrock Exploration: Complete and submit an electronic Annual Reclamation Report

Other Reclamation Measures Taken:

☒ Did not operate in 2024 and therefore did not conduct reclamation.

Relationship to Claim(s)

☒ Owner ☐ Lessee ☐ Operator

☐ Agent For: _____

Signed [Signature]

Date 4-1-25

2025 RECLAMATION PLAN FORM (PLACER EXPLORATION OR MINING)

☐ A. RECLAMATION PLAN (REQUIRED if the operation will disturb five or more acres this year, OR 50,000 cubic yards, OR if the operation has a cumulative disturbed area of five or more acres).	☐ B. RECLAMATION PLAN VOLUNTARY (for an operation below limits shown in Box A but wanting to qualify for the statewide bonding pool. (Operations on BLM Lands and others not filing Letter of Intent).	☒ C. LETTER OF INTENT (34) (less than five acres to be disturbed AND less than 50,000 cubic yards AND less than five acres unreclaimed area).
---	---	---

In accordance with Alaska Statute 27.19, reclamation is required of all mining operations. Reclamation bonding is required of operations with disturbance of 5 acres or greater. Completion of this application will meet the requirements for a "Reclamation Plan" for operations 5 acres and larger in size and for a "Letter of Intent To Do Reclamation" for operations under 5 acres. If you do not intend to use the reclamation methods presented below, you must provide additional information concerning your plans for reclamation under separate attachments.

Total acreage currently disturbed: 0 acres. This should match: "Total Unreclaimed Acres" on your 2024 Annual Reclamation Statement for Small Mines, or line #7 on your 2025 Bond Pool Renewal Form. Disturbed ground includes all unreclaimed mining and exploration activity (excluding camps and roads) since October 1991. Federal operators must include areas of camps and roads.

New acres to be disturbed in 2025 4.5 acres. Total acreage (currently disturbed plus new acres): 4.5 acres.

Acreage disturbed by land status: 4.5 State (general) N/A State (Mental Health) N/A Private N/A Federal

Total acreage to be reclaimed in 2025: 0 acres; Total volume of material to be disturbed in 2025: 5000 cubic yards.

Include strippings and overburden to be removed. Cubic yards = Length (yards) x Width (yards) x Depth (yards).

☒ Reclamation will be conducted concurrently with activity. ☐ Reclamation will be conducted at the end of the season.

THE FOLLOWING RECLAMATION MEASURES SHALL BE USED:

(These measures are required by law. Those that do not apply may be crossed out; but, an explanation must be given as to why these measures are not necessary at your site.)

- Topsoil, vegetation, and overburden muck, not promptly redistributed to an area being reclaimed, will be individually separated and stockpiled for future use. This material will be protected from erosion and from contamination by acidic or toxic materials and will not be buried by tailings.
- The area reclaimed will be reshaped to blend with the surrounding area using tailings, strippings, and overburden and be stabilized.
- Stockpiled topsoil, overburden muck, will be spread over the contoured exploration sites to promote natural plant growth such that the area can reasonably be expected to revegetate within five years. Stockpiled vegetation will be spread over topsoils.
- Settling ponds located within the active flood plain and necessary for continued use during the next mining season will be protected from erosion or the fines removed.
- If the mining operation diverts a stream channel or modifies a flood plain to the extent that the stream channel is no longer stable, the stream channel will be reestablished in a stable location in the valley flood plain.
- The flood plain will be established as appropriate to accommodate seasonal high-water flood events and prevent undue erosional degradation.
- Exploration trenches will be backfilled. Brush piles, stumps, topsoil, and other organics will be spread on the backfilled surface to inhibit erosion and promote natural revegetation.
- Shallow auger holes (limited to depth of overburden) will be backfilled with drill cuttings or other locally available material in such a manner that closes the hole to minimize the risk to humans, livestock and wildlife.
- At placer drift mine closure, all mine shafts, adits, tunnels, and air vents to underground workings will be stabilized and properly sealed to ensure protection of the public, wildlife, and the environment.
- On state lands; all buildings and structures constructed, used or improved will be removed, dismantled, or otherwise properly disposed of unless the surface owner or manager authorizes that the buildings and structures may stay.
- On state lands; all scrap iron, equipment, tools, piping, hardware, chemicals, fuels, waste, and general construction debris will be removed or properly disposed of.
- Reclamation measures taken will be consistent with any alternate post mining land use approved by the Commissioner, subject to the provisions of 11 AAC 97.300(h) and the conditions (if any) of an approved reclamation plan.

IMPORTANT: 1. Alternative reclamation measures may be approved if the reclamation measures presented above are not applicable to your site. Please explain in separate correspondence. Submit a sketch and describe additional reclamation measures you propose to conduct at your operation. Reclamation measures must comply with AS 27.19.

BONDING: In accordance with AS 27.19, bonding is required for all operations having a mined area of greater than or equal to five acres on State Land. This area must be bonded for \$750.00 per acre, unless the miner can demonstrate that a third party contractor can do the needed reclamation for less. The Statewide Bonding Pool may be joined by completing a bond pool application form and meeting certain requirements. No reclamation plan approval goes into effect until the bonding pool deposit and annual nonrefundable fees are paid. Use bond form to calculate area of disturbance for bonding.

BLM requires that a reclamation plan be consistent with 43 CFR 3809.420, Performance Standards for the Surface Management regulations for Federal Operations. Refer to 43 CFR 3809 or the BLM minerals website available at <https://www.blm.gov/programs/energy-and-minerals/mining-and-minerals> for more information on what is needed for a reclamation plan on Federal lands, as they may be different than those identified above.

Printed name (Applicant) <u>Donovan Baggett</u> Signature (Applicant) 	Relationship to Mineral Property: ☒ Owner ☐ Lessee ☐ Operator ☐ Agent For: _____	Date: <u>2/18/25</u> APMA #: <u>3258</u>
---	---	---

2025 RECLAMATION PLAN FORM (SUCTION DREDGE EXPLORATION)

☐ A. RECLAMATION PLAN (REQUIRED if the operation will disturb five or more acres this year, OR 50,000 cubic yards, OR if the operation has a cumulative disturbed area of five or more acres).	☐ B. RECLAMATION PLAN VOLUNTARY (For an operation below limits shown in Box A but wanting to qualify for the statewide bonding pool. (Operations on BLM Lands and others not filing Letter of Intent).	☒ C. LETTER OF INTENT (34) (Less than five acres to be disturbed AND less than 50,000 cubic yards AND less than five acres unreclaimed area).
---	---	---

In accordance with Alaska Statute 27.19, reclamation is required of all mining operations. Reclamation bonding is required of operations with disturbance of 5 acres or greater. Completion of this application will meet the requirements for a "Reclamation Plan" for operations 5 acres and larger in size and for a "Letter of Intent To Do Reclamation" for operations under 5 acres. If you do not intend to use the reclamation methods presented below, you must provide additional information concerning your plans for reclamation under separate attachments.

Total acreage currently disturbed: 0 acres. This should match: "Total Unreclaimed Acres" on your 2024 Annual Reclamation Statement for Small Mines, or line #7 on your 2025 Bond Pool Renewal Form. Disturbed ground includes all unreclaimed mining and exploration activity (excluding camps and roads) since October 1991. Federal operators must include areas of camps and roads.

New acres to be disturbed in 2025 0.1 acres. Total acreage (currently disturbed plus new acres): 0.1 acres.

Acreage disturbed by land status: 0.1 State (general) State (Mental Health) Private Federal

Total acreage to be reclaimed in 2025 0.1 acres; Total volume of material to be disturbed in 2025: 1000 cubic yards.

Include strippings and overburden to be removed. Cubic yards = Length (yards) x Width (yards) x Depth (yards).

☒ Reclamation will be conducted concurrently with activity. ☐ Reclamation will be conducted at the end of the season.

THE FOLLOWING RECLAMATION MEASURES SHALL BE USED:

(These measures are required by law. Those that do not apply may be crossed out; but, an explanation must be given.)

Stream Suction Dredge Operations:

- Reclamation will be completed prior to the end of the mining season. Reclamation will consist of leveling or contouring all gravel bar and stream bed tailings. Tailings will be left in such a manner that spring run-off will level the tailings without causing undue erosion.
- In no case will tailing piles extend more than 18 inches above the water surface at the end of the mining season.
- Prior to the end of the mining season, tailing piles, berms, or wing dams will be removed or left in such a manner to allow unrestricted passage of fish and flood waters.
- Other:

Offshore Suction Dredge Operations:

- Tailings discharged from the dredge to the lake, channel, sound, bay or sea floor will be placed in a manner that will approximate the adjacent floor surface. The dredge shall be moved as necessary to allow for the proper low-profile distribution of tailings.
- Tailings will be placed in a manner that will maintain a water depth suitable for safe passage of traffic.
- Other:

Generally:

- On all state lands, all buildings and structures constructed, used, or improved will be removed, dismantled, or otherwise properly disposed of unless the surface owner or manager authorizes that the buildings and structures may stay.
- On state lands, all scrap iron, equipment, tools, piping, hardware, chemicals, fuels, waste, and general construction debris will be removed or properly disposed of.
- Reclamation measures taken will be consistent with any alternate post mining land use approved by the Commissioner, subject to the provisions of 11 AAC 97.300(h) and the conditions (if any) of an approved reclamation plan.

IMPORTANT: 1. Alternative reclamation measures may be approved if the reclamation measures presented above are not applicable to your site. Please explain in separate correspondence. Submit a sketch and describe additional reclamation measures you propose to conduct at your operation. Reclamation measures must comply with AS 27.19.

BONDING: In accordance with AS 27.19, bonding is required for all operations having a mined area of $\geq$ five acres on State Land. This area must be bonded for \$750.00 per acre, unless the miner can demonstrate that a third party contractor can do the needed reclamation for less. The Statewide Bonding Pool may be joined by completing a bond pool application form and meeting certain requirements. No reclamation plan approval goes into effect until the bonding pool deposit and annual nonrefundable fees are paid. Use bond form to calculate area of disturbance for bonding.

BLM requires that a reclamation plan be consistent with §43 CFR 3809.420, Performance Standards for the Surface Management regulations for Federal Operations. Refer to 43 CFR 3809 or the BLM minerals website available at <https://www.blm.gov/programs/energy-and-minerals/mining-and-minerals> for more information on what is needed for a reclamation plan on Federal lands, as they may be different than those identified above.

<u>Donovan Baggett</u> Printed name (Applicant)	Relationship to Mineral Property: ☒ Owner ☐ Lessee ☐ Operator ☐ Agent For: <u> </u>	Date: <u>21 Apr 25</u> APMA #: <u>3258</u>
 Signature (Applicant)		